

線性代數 + Julia + LAT_{EX} 的學習筆記

Date: 2020-09-30

整個學習過程將以如下「線性代數」課程為主軸學習：

線性代數 台灣大學電機系 蘇柏青

本課程是線性代數的入門課程。線性代數係以「向量空間」(Vector Space)為核心概念之數學工具，擁有極廣泛之應用，非常值得理工商管等科系大學部同學深入修習，作為日後專業應用之基礎。

課程來源：<http://ocw.aca.ntu.edu.tw/ntu-ocw/index.php/ocw/cou/102S207>

學習目標

如下為幾個學習的子目標

學科

- 線性代數 -

工具

- Julia
- Pluto
- LaTeX
- Markdown

服務

- GitHub - 學習使用 GitHub 服務，並記錄學習歷程及分享學習內容。

```

• md""
• # 線性代數 + Julia +  $\LaTeX$  的學習筆記
• Date:  $\$_date_$ 
•
• 整個學習過程將以如下「線性代數」課程為主軸學習：
•
• ### 線性代數 台灣大學電機系 蘇柏青
•
• 本課程是線性代數的入門課程。線性代數係以「向量空間」(Vector Space)為核心概念之數學工具，擁有極廣泛之應用，非常值得理工商管等科系大學部同學深入修習，作為日後專業應用之基礎。
•
• 課程來源：[http://ocw.aca.ntu.edu.tw/ntu-ocw/index.php/ocw/cou/102S207]
  (http://ocw.aca.ntu.edu.tw/ntu-ocw/index.php/ocw/cou/102S207)
•
• ## 學習目標

```

- 如下為幾個學習的子目標
-
- ### 學科
- - 線性代數 -
-
- ### 工具
-
- - Julia
- - Pluto
- - LaTeX
- - Markdown
-
- ### 服務
- - GitHub - 學習使用 GitHub 服務，並記錄學習歷程及分享學習內容。
- "" "

· Enter cell code...

· Enter cell code...

目前進度：單元 3 · Gaussian Elimination <<<

Date: 2020-09-30

```
· # 環境設定
· begin
·     using Printf
·     using Dates
·     using PlutoUI
·     using Plots
·
·     _date_=today()
·     md""
·     ### 目前進度：單元 3 · Gaussian Elimination <<<
·     Date: $_date_
·     ""
· end
```

單元 I · Basic Concepts on Matrices and Vectors

Matrix

$$A = \begin{bmatrix} a_{11} & \dots & a_{1n} \\ \vdots & \ddots & \vdots \\ a_{m1} & \dots & a_{mn} \end{bmatrix} = [a_{ij}] = M_{mn}$$

Matrix Addition

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{bmatrix} + \begin{bmatrix} 1 & 1 \\ 1 & 1 \\ 1 & 2 \end{bmatrix} = \begin{bmatrix} 2 & 3 \\ 4 & 5 \\ 6 & 8 \end{bmatrix}$$

```
3×2 Array{Int64,2}:  
 2  3  
 4  5  
 6  8  
  
· [1 2; 3 4; 5 6]+[1 1; 1 1; 1 2]
```

Scalar Multiplication

$$cA$$
$$3 \cdot \begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{bmatrix}$$

```
3×2 Array{Int64,2}:  
 3  6  
 9 12  
15 18  
  
· 3 * [1 2; 3 4; 5 6]
```

```
3×2 Array{Int64,2}:  
 3  6  
 9 12  
15 18  
  
· 3 .* [1 2; 3 4; 5 6]
```

Transpose

$$C = \begin{bmatrix} 7 & 9 \\ 18 & 31 \\ 52 & 68 \end{bmatrix} \Rightarrow C^T = \begin{bmatrix} 7 & 18 & 52 \\ 9 & 31 & 68 \end{bmatrix}$$

```
2×3 LinearAlgebra.Adjoint{Int64,Array{Int64,2}}:  
 7 18 52  
 9 31 68  
  
· let  
·   C=[7 9; 18 31; 52 68]  
·   C'  
· end
```

Vectors

Row Vector:

$$[1 \quad 2 \quad 3 \quad 4]$$

Column Vector:

$$\begin{bmatrix} 1 \\ 2 \\ 3 \\ 4 \end{bmatrix}$$

↓

$$\begin{bmatrix} 1 & 2 & 3 & 4 \end{bmatrix}^T$$

The ith componet of \mathbf{v}

$$v_i$$

```
1×4 Array{Int64,2}:  
 1  2  3  4  
· [ 1 2 3 4]  
  
Int64[1, 2, 3, 4]  
· [1; 2; 3; 4]  
  
4×1 LinearAlgebra.Adjoint{Int64,Array{Int64,2}}:  
 1  
 2  
 3  
 4  
· [ 1 2 3 4]'
```

Linear Combination

A *linear combination* of vectors $\mathbf{u}_1, \mathbf{u}_2, \dots, \mathbf{u}_k$ is a vector of the form

$$c_1\mathbf{u}_1 + c_2\mathbf{u}_2 + \cdots + c_k\mathbf{u}_k$$

where c_1, c_2, \dots, c_k are scalars. These scalars are called the *coefficients* of the linear combination.

Standard Vectors

The standard vectors of R^n are defined as

$$e_1 = \begin{bmatrix} 1 \\ 0 \\ \vdots \\ 0 \end{bmatrix}, e_2 = \begin{bmatrix} 0 \\ 1 \\ \vdots \\ 0 \end{bmatrix}, \dots, e_n = \begin{bmatrix} 0 \\ 0 \\ \vdots \\ 1 \end{bmatrix}$$

Matrix-Vector Product

$$Av = v_1a_1 + v_2a_2 + \cdots + v_na_n$$

```
Int64[23, 53, 83]  
· let  
· A=[1 2; 3 4; 5 6]
```

```

·      v=[7;8]
·      A*v
· end

```

Identity Matrix

$$I_3 = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Stochastic Matrix

$$A = \begin{bmatrix} 0.85 & 0.03 \\ 0.15 & 0.97 \end{bmatrix}$$

Slide to set number of **years**:  40

Slide to set population of **city**:  1200


Slide to set population of **suburban**:  0

```

· begin
·      u01xslider = @bind u01x Slider(1:100; default=40, show_value=true)
·      u01cslider = @bind u01c Slider(0:1200; default=1200, show_value=true)
·      u01sslider = @bind u01s Slider(0:1200; default=0, show_value=true)
·      md" " "
·      Slide to set number of **years**: $(u01xslider)
·
·      Slide to set population of **city**: $(u01cslider)
·
·      Slide to set population of **suburban**: $(u01sslider)
·      " " "
· end

```

Population Trend



```

• let
•   x=u01x # Number of Years (x)
•   pc=u01c # Population of City
•   ps=u01s # Population of Suburban
•   A=[0.85 0.03; 0.15 0.97]
•   #=
•   # p0 Population in year 0
•   p0=[500; 700]
•   p1=A*p0
•   p2=A*(p1)
•   p3=A*(p2)
•   p4=A*(p3)
•   p5=A*(p4)
•   x=0:5
•   Y=hcat(p0, p1, p2, p3, p4, p5)
•   plot(x, Y', title = "Population", label = ["City" "Suburban"])
•   =#
•   p=[pc; ps]
•   Y=p
•   for i in 1:x
•       p=A*p
•       Y=hcat(Y, p)
•   end
•   plot(0:x, Y', title = "Population Trend", label = ["City" "Suburban"])
• end

```

單元 2 · System of Linear Equations

System of Linear Equations

$$A = \begin{bmatrix} 1 & -2 & -1 \\ 3 & -6 & -5 \\ 2 & -1 & 1 \end{bmatrix} \quad b = \begin{bmatrix} 3 \\ 3 \\ 0 \end{bmatrix}$$

$$Ax = b$$

Solves $Ax = b$ by (essentially) Gaussian elimination (Julia \ Operator):

$$x = A \setminus b$$

Float64[-4.0, -5.0, 3.0]

```
• # Solve System of Linear Equations
• let
•     A=[1 -2 -1; 3 -6 -5; 2 -1 1]
•     b=[3; 3; 0]
•     A \ b
• end
```

Row Echelon Form & Reduced Row Echelon Form

Float64[0.403743, -1.21123, 0.112299, 1.48128, 2.0]

```
• let
•     A=[1 -3 0 2 0; 0 0 1 6 0; 0 0 0 0 1; 0 0 0 0 0]
•     b=[7; 9; 2; 0]
•     A \ b
• end
```

單元 3 · Gaussian Elimination

實作參考：

[Gaussian-elimination.pdf](#)

[Numerical Analysis by Julia Series 1 — Gauss Elimination | by Treee July | Medium](#)

對列及行的參照：

3×3 Array{Int64,2}:
1 2 3
4 5 6
7 8 9

```
• let
•     A=[ 1 2 3; 4 5 6; 7 8 9]
• end
```

Any["A: [1 2 3; 4 5 6; 7 8 9]", "A[1, 1]: 1", "A[end, end]: 9", "r1: [1, 2, 3]", "Σ

```
• let
•     o=[]
•     # Matrix
•     A=[ 1 2 3; 4 5 6; 7 8 9]
```

```

•   push!(o, @sprintf("A: %s", A))
•   # Elements
•   push!(o, @sprintf("A[1, 1]: %s", A[1, 1]))
•   push!(o, @sprintf("A[end, end]: %s", A[end, end]))
•   # Row
•   r1=A[1,:]
•   push!(o, @sprintf("r1: %s", r1))
•   ΣAi=A[1,:]+A[2,:]+A[3,:]
•   push!(o, @sprintf("ΣAi: %s", ΣAi))
•   # Column
•   c1=A[:,1]
•   push!(o, @sprintf("c1: %s", c1))
•   ΣAj=A[:,1]+A[:,2]+A[:,3]
•   push!(o, @sprintf("ΣAj: %s", ΣAj))
•   # with_terminal(dump, o)
•   end

```

Wed Sep 30 01:05:45 CST 2020

```

A:
Array{Int64}((3, 3)) [1 2 3; 4 5 6; 7 8 9]
A[1, 1]:
Int64 1
A[end, end]:
Int64 9
r1:
Array{Int64}((3,)) [1, 2, 3]
ΣAi:
Array{Int64}((3,)) [12, 15, 18]
c1:
Array{Int64}((3,)) [1, 4, 7]
ΣAj:
Array{Int64}((3,)) [6, 15, 24]

```

```

•   let
•       with_terminal() do
•           # Get Current Time
•           command=`date`
•           run(command)
•           # Matrix
•           A=[ 1 2 3; 4 5 6; 7 8 9]
•           println("A:"); dump(A)
•           # Elements
•           println("A[1, 1]:"); dump(A[1, 1])
•           println("A[end, end]:"); dump(A[end, end])
•           # Row
•           r1=A[1,:]
•           println("r1:"); dump(r1)
•           ΣAi=A[1,:]+A[2,:]+A[3,:]
•           println("ΣAi:"); dump(ΣAi)
•           # Column
•           c1=A[:,1]
•           println("c1:"); dump(c1)
•           ΣAj=A[:,1]+A[:,2]+A[:,3]
•           println("ΣAj:"); dump(ΣAj)
•       end
•   end

```

單元 4 · The language of set theory

- ## 單元 4 · The language of set theory
- ""

<<<

- md""
- ### <<<
- ""

參考資料

Linear Algebra

[] [線性代數 - 臺大開放式課程 \(NTU OpenCourseWare\)](#)

Julia

[] [Introduction to Julia](#)

[] [Advanced topics](#)

[] [Julia for Data Science](#)

[] [18.S191 Introduction to Computational Thinking](#)

Pluto

[Docstrings · PlutoUI.jl](#)

*L*A_TE_X

[LaTeX - Mathematical Python](#)

[LaTeX help 1.1 - Table of Contents](#)

[List of mathematical symbols - Wikiwand](#)

Markdown

[Markdown Cheatsheet · adam-p/markdown-here Wiki](#)

[Markdown · The Julia Language](#)

GitHub

[] [Hello World · GitHub Guides](#)

- md""
- ## 參考資料
- ### Linear Algebra
-

- [] [線性代數 - 臺大開放式課程 (NTU OpenCourseWare)](<http://ocw.aca.ntu.edu.tw/ntu-ocw/index.php/ocw/cou/102S207/3>)
-
- ### Julia
-
- [] [Introduction to Julia](<https://juliaacademy.com/courses/enrolled/375479>)
-
- [] Advanced topics
-
- [] [Julia for Data Science](<https://juliaacademy.com/courses/enrolled/937702>)
-
- [] [18.S191 Introduction to Computational Thinking](<https://computationalthinking.mit.edu/Fall120/>)
-
- ### Pluto
- [Docstrings · PlutoUI.jl](<https://juliahub.com/docs/PlutoUI/abXFp/0.6.3/autodocs/>)
-
- ### \$\$\LaTeX\$\$
- [LaTeX - Mathematical Python](<https://www.math.ubc.ca/~pwalls/math-python/jupyter/latex/>)
-
- [LaTeX help 1.1 - Table of Contents](http://www.emerson.emory.edu/services/latex/latex_toc.html)
-
- [List of mathematical symbols - Wikiwand](https://www.wikiwand.com/en/List_of_mathematical_symbols)
-
- ### Markdown
- [Markdown Cheatsheet · adam-p/markdown-here Wiki](<https://github.com/adam-p/markdown-here/wiki/Markdown-Cheatsheet>)
-
- [Markdown · The Julia Language](<https://docs.julialang.org/en/v1/stdlib/Markdown/>)
-
- ### GitHub
-
- [] [Hello World · GitHub Guides](<https://guides.github.com/activities/hello-world/>)
- "" ""