


Load Steps Island Mode 20V4000L33 MN90

Emission level
Generator
Generator
Voltage
 β_f for G3

NOx 500mg/Nm³ @ 5% O₂
LVSI804T2 Wdg 12
LVSI804T2 Wdg 12
400V
till 1800 kW

Norm
Inertia
Inertia
Note

ISO 8528-5
88,72 kgm²
88,72 kgm²
For 100% electrical power also regard derating for methan number,
inlet air temperature and altitude on site.



Load Steps Island Mode 20V4000L33 MN80

Emission level

NOx 500mg/Nm³ @ 5% O₂

Norm

ISO 8528-5

Generator

LVSI804T2 Wdg 12

Inertia

88,72 kgm²

Generator

LVSI804T2 Wdg 12

Inertia

88,72 kgm²

Voltage


400V

Note

For 100% electrical power also regard derating for methan number, inlet air temperature and altitude on site.

β_f for G3

till 1800 kW



Load Steps Island Mode 20V4000L33 MN70

Emission level
Generator
Generator
Voltage
 β_f for G3

NOx 500mg/Nm³ @ 5% O₂
LVSI804T2 Wdg 12
LVSI804T2 Wdg 12
400V
till 1800 kW

Norm
Inertia
Inertia
Note

ISO 8528-5
88,72 kgm²
88,72 kgm²
For 100% electrical power also regard derating for methan number,
inlet air temperature and altitude on site.

