


Node-Postgres


Rated PG

SERVER ("BACK END")

CLIENT ("FRONT END")



postgres process



- The rDBMS itself; a *daemon* (background process)
- Waits for incoming SQL
- Knows how to read/write to disk in a performant way
- Sends back results

**Where does the "incoming
SQL" come from?**

Query Sources ("Clients")

- **psql CLI**
 - human input as text
- **GUI like Postico, Datazenit**
 - human actions turned into SQL queries
- **...and other applications**
 - "somehow" communicate with the postgres process

How to transmit SQL text to app?
How can postgres be "waiting for SQL"?
And how do the results get "sent back"?

Postgres is a TCP server!



- ◉ Listening on a TCP port (5432 by default) for *requests*
- ◉ Does disk access
- ◉ Sends back a TCP *response* to the *client* that made the requests


**OK, Postgres is a TCP server.
Is it... HTTP?**

Postgres uses the postgres:// protocol

	Transport Protocol	Message Protocol	Content Type
Node + Express	TCP/IP	http://	Anything: HTML, JSON, XML, TXT, etc.
Postgres	TCP/IP	postgres://	SQL

SERVER ("BACK END")

CLIENT ("FRONT END")



For HTTP clients, the TCP/IP was handled for you by the browser or Node. How can our JS app communicate with the postgres server?

*“Let's implement the postgres protocol in
JavaScript ourselves!”*

– AMBITIOUS MCOVERKILL

<https://www.postgresql.org/docs/current/static/protocol.html>

*“On second thought...
has anyone done this for us?”*

– SANEY MCREASONABLE

Node-postgres

- **npm library:** `npm install pg --save`
- **Database driver**
 - *implements the postgres protocol in a Node module (JS!)*
- Gives us a **client** object that we can pass SQL to using a **query** method
- Asynchronously talks with our database



Example

```
client.query('SELECT * FROM users;');
```




Example

```
Const example = async () => {  
  const data = await client.query('SELECT * FROM users;');  
  data.rows.forEach(function (rowObject) {  
    console.log(rowObject); // { name: 'Claire' }  
  });  
}
```

example()



Example

```
try {  
  const data = await client.query('SELECT * FROM users;');  
  data.rows.forEach(function (responseObject) {  
    console.log(rowObject); // { name: 'Claire' }  
  });  
} catch (err) {  
  console.error(err);  
}
```

