

Input:

```
[Boil_chocolate_step]
```

```
...
```

Output:

```
//if [Boil_chocolate_step] is Fill
```

```
Fill chocolate
```

```
//if [Boil_chocolate_step] is Boil
```

```
Boil chocolate
```

```
//if [Boil_chocolate_step] is Drain
```

```
Drain the boiled chocolate
```

```
...
```

Comment:

```
[Boil_chocolate_step] must be one of followings:
```

```
    Fill
```

```
    Boil
```

Drain

According to requirement to determine whether
[Boil_chocolate_step] could happen.

You are asked to write a main function in Class Main

We'll test your program through "java Main inputFile"

e.g java Main sampleInput

You should read input from file.

And show output to standard output.

Please zip your source code and upload it.

The file name should be Team[ID].zip. e.g. Team3.zip

The folder structure should be:

```
unzip Team3.zip
```

```
=> [dir] Team3
```

```
=>      Team3/*.java
```

sampleInput:

Fill
Fill
Drain
Boil
Fill
Fill
Boil
Drain
Fill
Drain
Fill
Fill
Drain
Boil
Boil
Drain
Drain
Boil
Drain
Drain
Fill
Drain
Drain
Boil
Boil
Fill
Boil
Boil
Boil
Drain
Boil
Boil
Drain
Fill
Drain
Fill

Fill
Boil
Fill
Drain

sampleOutput:

Fill chocolate
Boil chocolate
Drain the boiled chocolate
Fill chocolate
Boil chocolate
Drain the boiled chocolate
Fill chocolate
Boil chocolate
Drain the boiled chocolate
Fill chocolate
Boil chocolate
Drain the boiled chocolate