
AP Physics C: Electricity and Magnetism

From the 2019 Administration

HumbleAcademy
航铂教育

HumbleAcademy
航铂教育

专业国际课程辅导
AP、IB、A Level、OSSD、国际学科竞赛、学术拓展训练

南京校区 秦淮区中山南路 1 号南京中心 47 楼


I Multiple Choice Questions

Time: 45 minutes
35 Questions

Directions: Each of the questions or incomplete statements below is followed by five suggested answers or completions. Select the one that is best in each case and then fill in the corresponding circle on the answer sheet.


1. Two positive point charges, both of magnitude $4.0 \times 10^{-6} \text{ C}$, are situated along the x -axis at $x_1 = -2.0 \text{ m}$ and $x_2 = +2.0 \text{ m}$. What is the electric potential at the origin of the xy -coordinate system?

(A) $-3.6 \times 10^4 \text{ V}$ (B) $-1.8 \times 10^4 \text{ V}$ (C) 0 V (D) $1.8 \times 10^4 \text{ V}$ (E) $3.6 \times 10^4 \text{ V}$




2. A grounded spherical conductor is on an insulating stand. A positively charged rod is brought close to the sphere but does not touch the sphere, as shown above. The rod is moved far away and then the grounding wire is removed. Which of the following describes the resulting charge on the sphere?

(A) Positive
(B) Negative
(C) No net charge, but it is polarized with positive charges on the left side of the sphere
(D) No net charge, but it is polarized with negative charges on the left side of the sphere
(E) No net charge and no polarization



3. Points A and B shown above are in the plane of the page and 5 meters apart. The points are located in a uniform electric field of magnitude 1000 V/m directed toward the bottom of the page. When a proton (of charge $+e$) moves from point A to point B , how much work is done on the proton by the electric field?


(A) -5000 eV (B) -3000 eV (C) $+3000 \text{ eV}$ (D) $+4000 \text{ eV}$ (E) $+5000 \text{ eV}$




4. An electric dipole consisting of a positive charge and a negative charge held a fixed distance apart is at rest in an external, nonuniform electric field E , as shown in the figure above. Which of the following best describes the net torque and net force exerted on the dipole?

<u>Net Torque</u>	<u>Net Force</u>
(A) Clockwise	To the left
(B) Clockwise	To the right
(C) Counterclockwise	To the left
(D) Counterclockwise	To the right
(E) Zero	Zero


5. Which of the following must be true for a Gaussian surface through which the net flux is zero?
- I. There are no charges inside the surface.
 - II. The net charge enclosed by the surface is zero.
 - III. The electric field is zero everywhere on the surface.
- (A) I only (B) II only (C) III only (D) I and II only (E) I, II, and III




Arrangement A



Arrangement B




Arrangement C




Arrangement D

6. Four isolated arrangements of charged spheres are created for an experiment, as shown above. Which of the following correctly compares the electric potential energy U of the arrangements? Assume $U = 0$ when the charges are an infinite distance apart.
- (A) $U_A > U_B > U_C > U_D$
 - (B) $U_A > U_C > U_B > U_D$
 - (C) $U_B > U_D > U_A > U_C$
 - (D) $U_D > U_C > U_B > U_A$
 - (E) $U_A > U_B > U_D > U_C$




7. Conducting spheres A and B of charges $-q$ and $+3q$, respectively, are separated by a distance d , as shown in the figure above. Which of the following statements is true about the two spheres?
- (A) The magnitude of the force sphere A exerts on sphere B is three times larger than the magnitude of the force sphere B exerts on sphere A.
 - (B) The magnitude of the force sphere B exerts on sphere A is three times larger than the magnitude of the force sphere A exerts on sphere B.
 - (C) The force sphere B exerts on sphere A is equal in magnitude to the force sphere A exerts on sphere B.
 - (D) If the spheres are free to move, the magnitude of the force sphere B exerts on sphere A will decrease as the spheres move.
 - (E) If the spheres are brought into contact with each other and then returned to the positions shown, the two spheres will attract each other.



8. Two conducting plates hold equal and opposite charges that create an electric field of magnitude $E = 95 \text{ N/C}$ that is directed to the right, as shown in the figure above. Points A and B are 0.75 cm apart with A closer to the positive plate. A proton is released from rest at point A. What is the kinetic energy of the proton when it reaches point B?
- (A) 0
 (B) $+1.14 \times 10^{-19} \text{ J}$
 (C) $+1.52 \times 10^{-17} \text{ J}$
 (D) $+1.92 \times 10^{-7} \text{ J}$
 (E) $+71 \text{ J}$

See the instruction for questions 9 to 10.




The figure above shows a cross section of a solid, isolated, metallic conductor in electrostatic equilibrium with a net charge $+Q$. The two ends of the conductor are spherical surfaces of radii r_X and r_Y , where $r_X < r_Y$. Points X and Y are on the conductor at each end.

9. Assuming that the electric potential is zero an infinite distance from the conductor, which of the following statements is true about the magnitude of the electric potential at points X and Y?
 - (A) It is greater at point X than at point Y.
 - (B) It is greater at point Y than at point X.
 - (C) It is zero at both points X and Y.
 - (D) It has the same nonzero value at both points X and Y.
 - (E) There is not enough information to determine at which point, if either, the magnitude of the electric potential is greater.
10. Which of the following is true about the magnitude of the electric field just outside the surface of the conductor at points X and Y?
 - (A) It is greater at point X than at point Y.
 - (B) It is greater at point Y than at point X.
 - (C) It is zero at both points X and Y.
 - (D) It has the same nonzero value at both points X and Y.
 - (E) There is not enough information to determine at which point, if either, the magnitude of the electric field is greater.

11. A parallel-plate capacitor is connected across a voltage V so that each plate of the capacitor collects a charge of magnitude Q . Which of the following is an expression for the energy stored in the capacitor?

(A) QV (B) $\frac{Q}{V}$ (C) $\frac{V}{Q}$ (D) $\frac{1}{2}QV$ (E) $\frac{1}{2}QV^2$

See the instruction for questions 12 to 13.



Two concentric spherical conducting shells and four labeled points are shown above. The outer shell has a net charge $Q = -20 \text{ nC}$. The inner shell has a net charge $q = +10 \text{ nC}$.


12. What is the charge on the outer surface of the outer shell?

- (A) -30 nC (B) -20 nC (C) -10 nC (D) $+10 \text{ nC}$ (E) $+30 \text{ nC}$

13. The magnitudes of the electric fields at the four labeled points in the figure are E_R , E_S , E_T , and E_U , respectively. Which of the following correctly ranks the points according to the magnitude of their electric fields?


- (A) $E_R = E_S = E_T = E_U$
 (B) $E_S > E_T > (E_R = E_U)$
 (C) $(E_S = E_T) > E_U > E_R$
 (D) $E_T > E_S > E_R > E_U$
 (E) $(E_S = E_T) > (E_R = E_U)$

14. A parallel plate capacitor is connected to a battery, fully charged, disconnected, and isolated from the battery. A dielectric slab is then inserted between the plates of the capacitor. Which of the following is a true statement about what happens when the dielectric slab is inserted?
- (A) The magnitude of the electric field between the plates of the capacitor will increase.
 - (B) The potential difference between the plates of the capacitor will decrease.
 - (C) The capacitance of the capacitor will decrease.
 - (D) The charge stored on the capacitor will increase.
 - (E) The energy stored in the capacitor will increase.



15. Four parallel plate capacitors all have the same plate area and have the plate separations shown above. Both capacitors A and B have air between the plates, while the space between the plates of both capacitors C and D is filled with a dielectric slab of dielectric constant $\kappa = 2$. Which of the following correctly ranks the capacitors in order of their capacitance from largest to smallest?
- (A) $B > (A = D) > C$
 - (B) $(A = C) > (B = D)$
 - (C) $C > (A = D) > B$
 - (D) $(B = D) > (A = C)$
 - (E) $D > C > B > A$

See the instruction for questions 16 to 17.




Two resistors of resistances R and $12\ \Omega$ are connected to a battery of emf 18 V , as shown in the figure above. The battery has an internal resistance of r . The current in the battery is 1.5 A , and the current in the $12\ \Omega$ resistor is 1.0 A .

16. What is the resistance R ?

- (A) 7.2 (B) 12 (C) 18 (D) 24 (E) 45


17. What is the internal resistance of the battery?

- (A) 4.0 (B) 6.0 (C) 12 (D) 18 (E) 36




18. The capacitor in the circuit represented above is uncharged when the switch is at position *B*. The switch is then moved to position *A*. What is the energy stored by the capacitor when the current in the circuit is 2.0 mA?
- (A) 0.8 mJ (B) 1.2 mJ (C) 8.0 mJ (D) 16 mJ (E) 18 mJ

See the instruction for questions 19 to 20.



A capacitor of capacitance C_a is first charged to a voltage V_0 , as shown above on the left. Without losing any charge, the capacitor is now disconnected from the voltage source and connected to a second initially uncharged capacitor of capacitance C_b that is three times C_a , and the circuit is allowed to reach equilibrium, as shown above on the right.


19. If Q_a is the new charge on capacitor C_a , the charge Q_b on capacitor C_b is given by
 - (A) 0
 - (B) $Q_a/3$
 - (C) $Q_a/2$
 - (D) Q_a
 - (E) $3Q_a$
20. The new voltage across capacitor C_a is V_a . How does this new voltage compare with the original voltage of V_0 ?
 - (A) $V_a > V_0$
 - (B) $V_a < V_0$
 - (C) $V_a = V_0$
 - (D) It depends on the value of C_a .
 - (E) It depends on the value of C_b .



21. A circuit contains three identical light bulbs and a switch S connected to an ideal battery of emf \mathcal{E} , as shown in the figure above. The switch is initially open and bulbs A and B have equal brightness, while C is not lit. What happens to the brightness of bulbs A and B when the switch S is closed and bulb C lights up?

<u>Bulb A</u>	<u>Bulb B</u>
(A) Remains the same	Becomes dimmer
(B) Becomes dimmer	Becomes dimmer
(C) Becomes brighter	Becomes dimmer
(D) Becomes brighter	Not lit
(E) Remains the same	Not lit



See the instruction for questions 22 to 23.




The circuit shown above has three capacitors and a 12 V battery. The capacitors are charged to steady state conditions.

22. What is the potential difference across capacitor C_1 ?
- (A) 3.0 V (B) 4.0 V (C) 6.0 V (D) 8.0 V (E) 12 V
23. One of the capacitors is removed from the circuit and isolated. While it still holds all of its charge, a piece of ceramic with dielectric constant of 2 is inserted and completely fills the space between the plates. U_i is the energy stored in the capacitor before the dielectric was inserted, and U_f is the energy stored in the capacitor after the dielectric was inserted. What is the ratio U_f/U_i ?
- (A) 1/4 (B) 1/2 (C) 1/1 (D) 2/1 (E) 4/1

24. A long, straight wire of radius R carries current I . The current is distributed over the cross-sectional area of the wire with a uniform current density. Which of the following graphs best represents the magnetic field strength produced by the current as a function of the distance r from the center of the wire?



See the instruction for questions 25 to 26.








Two wires perpendicular to the x -axis have currents I directed out of the page, as shown above. Each wire is a distance d from the y -axis. Point P lies on the y -axis at the coordinate $(0, a)$, and point R lies on the x -axis at the coordinate $(-d/2, 0)$.


25. Which of the following expressions represents the magnitude of the magnetic field at point R?

- (A) Zero (B) $\frac{\mu_0 I}{2\pi d}$ (C) $\frac{\mu_0 I}{\pi d}$ (D) $\frac{4\mu_0 I}{3\pi d}$ (E) $\frac{2\mu_0 I}{3\pi d}$

26. Which of the following best represents the direction of the net magnetic field at point P?

- (A)  (B)  (C)  (D)  (E) 

See the instruction for questions 27 to 28.



Three long, current-carrying wires are shown in the cross-sectional view above. The currents in wires R and S are out of the page, and the current in wire T is into the page. The currents in the wires have equal magnitude, and the wires are in the positions shown. Point P is halfway between wires S and T.


27. If B_S is the magnitude of the magnetic field at point P due to wire S, which of the following gives the magnitude and direction of the magnetic field at point P due to all three wires?

<u>Magnitude</u>	<u>Direction</u>
(A) $B_S/2$	Top of the page
(B) $B_S/2$	Bottom of the page
(C) B_S	Top of the page
(D) $5B_S/2$	Top of the page
(E) $5B_S/2$	Bottom of the page

28. To which of the following locations, if any, could wire S be moved so that the total magnetic force exerted on it by the other two wires is zero?

- (A) $-d < x < 0$
 (B) $0 < x < d$
 (C) $d < x < 2d$
 (D) $2d < x < 3d$
 (E) There is no position in the vicinity of the wires at which the magnetic force on wire S would be zero.

See the instruction for questions 29 to 30.



An electron is traveling with speed v when it enters a uniform magnetic field that is directed into the page, as shown above. Five paths in the magnetic field are labeled A, B, C, D, E.


29. Which labeled path best shows the path the electron will follow as it travels through the magnetic field?

- (A) Path A (B) Path B (C) Path C (D) Path D (E) Path E

30. The electron is replaced with a proton that is traveling at the same speed v in the same direction as it enters the magnetic field. Which of the following best describes the motion of the proton as it passes through the magnetic field?

- I. The speed of the proton changes less than the speed of the electron did.
- II. The proton is deflected in the opposite direction.
- III. The proton is deflected more than the electron.

- (A) I only (B) I and II only (C) II only (D) II and III only (E) I, II and III




31. An electron of mass m and charge $-e$ is traveling to the right parallel to a wire with speed v . The electron is a distance d from the wire. The wire is carrying a current I to the right, as shown in the figure above. Which of the following gives the magnitude and direction of the force exerted on the electron by the current-carrying wire?


<u>Magnitude</u>	<u>Direction</u>
(A) $\frac{\mu_0 I e v}{2\pi d}$	Toward the top of the page
(B) $\frac{\mu_0 I e v}{2\pi d}$	Out of the page
(C) $\frac{\mu_0 I e v}{2\pi d}$	Into the page
(D) $\frac{\mu_0 I e v}{2m\pi d}$	Toward the top of the page
(E) $\frac{\mu_0 I e v}{2m\pi d}$	Out of the page




32. Two small spheres have equal and opposite charges and are traveling parallel to each other with speed v to the right, as shown above. What is the direction of the magnetic field midway between the spheres at the instant shown?
- (A) Out of the page
 - (B) Into the page
 - (C) Toward the bottom of the page
 - (D) Toward the top of the page
 - (E) Undefined, since the magnitude of the magnetic field is zero.



33. A magnetic field of magnitude 4.0 T is directed at an angle of 30° to the plane of a rectangular loop of area 5.0 m^2 , as shown above. What is the magnetic flux through the loop?
- (A) $10 \text{ T} \cdot \text{m}^2$ (B) $12 \text{ T} \cdot \text{m}^2$ (C) $17 \text{ T} \cdot \text{m}^2$ (D) $20 \text{ T} \cdot \text{m}^2$ (E) $40 \text{ T} \cdot \text{m}^2$



34. A rectangular conducting loop is located above a long, straight wire carrying a current I to the right, as shown in the figure above. The wire and loop are both in the plane of the page. Which of the following will induce a clockwise current in the loop?
- (A) Decreasing the current in the wire
 - (B) Moving the loop to the right
 - (C) Moving the loop to the left
 - (D) Moving the loop up away from the wire
 - (E) Moving the loop down toward the wire



35. A wire loop with width w and height h is in a magnetic field that is directed into the page, as shown in the figure above. The magnitude B of the magnetic field changes with time t . The magnitude of the resulting induced emf in the wire loop is given as a function of time by the equation $\varepsilon = \beta h w t^3$, where β is a positive constant in units of T/s^4 . Which of the following is a possible expression for the magnitude of the magnetic field?

- (A) $\frac{1}{4}\beta t^3$ (B) $3\beta t^4$ (C) $3hw\beta t^2$ (D) $\frac{1}{4}hw\beta t^4$ (E) $\frac{1}{4}\beta t^4$