Cholangitis data

STAT 131A (Fall 2021)

Description of data

The data are from a randomized, double-blinded, placebo-controlled clinical trial of the immunosup-pressive drug D-penicillamine at the Mayo Clinic. Patients living with primary biliary cholangitis, a fatal chronic autoimmune disease of unknown cause affecting the liver, were referred to the Mayo Clinic. Of these, 312 were enrolled in the study and randomized to receive the drug or placebo. An additional 106 patients were enrolled, but did not consent to randomization so they received neither the drug nor the placebo. The resulting data thus includes observations from 418 patients. Of these 418, 25 patients received a liver transplant and were dropped from the study because they were in effect "cured" of primary biliary cholangitis. Note that the data related to the variables listed after **drug** were collected from each patient at the beginning of the study, prior to randomization to either drug or placebo.

Table 1: Description of variables.

Variable	Description Unique identifier				
id					
n_days	Number of days between registration and the earlier of death, transplantation, or end of study				
status	Status of the patient at end of study: C (not dead), CL (received liver transplant), or D (died)				
drug	Drug received: D-penicillamine or placebo				
age	Age at enrollment [days]				
sex	M (male) or F (female)				
ascites	Presence of ascites: N (No) or Y (Yes)				
hepatomegaly	Presence of hepatomegaly: N (No) or Y (Yes)				
spiders	Presence of spider angiomas: N (No) or Y (Yes)				
edema	Presence of edema: N (no edema and no diuretic				
	therapy for edema), S (edema present without diuretics, or edema resolved by diuretics), or Y (edema despite				
1 . 7 . 1 .	diuretic therapy)				
bilirubin	Serum bilirubin in [mg/dl]				
cholesterol	Serum cholesterol in [mg/dl]				
albumin	Albumin in [gm/dl]				
copper	Urine copper in [ug/day]				
alk_phos	Alkaline phosphatase in [U/liter]				
sgot	Serum glutamic-oxaloacetic transaminase in [U/ml]				

Variable	Description
triglycerides	Triglicerides in [mg/dl]
platelets	Platelets per cubic [ml/1000]
prothrombin	Prothrombin time in seconds [s]
stage	Histologic stage of disease: 1, 2, 3, or 4

Table 2: First 8 columns and a random selection of rows from the data.

id	n_days	status	drug	age	sex	ascites	hepatomegaly
218	2170	С	D-penicillamine	12636	F	N	N
276	1481	\mathbf{C}	D-penicillamine	18302	\mathbf{F}	N	N
52	2386	D	D-penicillamine	18460	M	N	N
171	2574	\mathbf{C}	D-penicillamine	19237	\mathbf{F}	N	N
378	1168	D	NA	21915	\mathbf{F}	N	Y
197	2365	\mathbf{C}	D-penicillamine	16300	\mathbf{F}	N	N