



# Discovering ONTAP clusters

## Cloud Manager

Ben Cammett, Tom Onacki  
December 03, 2020

# Table of Contents

- Discovering ONTAP clusters ..... 1
  - Viewing clusters from the Active IQ page. .... 1
  - Discovering clusters from the Canvas page. .... 2

# Discovering ONTAP clusters

Cloud Manager can discover the ONTAP clusters in your on-premises environment, in a NetApp Private Storage configuration, and in the IBM Cloud. Discovering an ONTAP cluster enables you to provision storage, view whether shelf and disk firmware is recommended, replicate data, back up data, and tier cold data from an on-prem cluster to the cloud.

## What you'll need

- A Connector installed in a cloud provider or on your premises.

If you want to tier cold data to the cloud, then you should review requirements for the Connector based on where you plan to tier cold data.

- [Learn about Connectors](#)
- [Switching between Connectors](#)
- [Learn about Cloud Tiering](#)

- The cluster management IP address and the password for the admin user account to add the cluster to Cloud Manager.

Cloud Manager discovers ONTAP clusters using HTTPS. If you use custom firewall policies, they must meet the following requirements:

- The Connector host must allow outbound HTTPS access through port 443.

If the Connector is in the cloud, all outbound communication is allowed by the predefined security group.

- The ONTAP cluster must allow inbound HTTPS access through port 443.

The default "mgmt" firewall policy allows inbound HTTPS access from all IP addresses. If you modified this default policy, or if you created your own firewall policy, you must associate the HTTPS protocol with that policy and enable access from the Connector host.

- A valid set of NetApp Support Site credentials for accessing the Active IQ page.

## Viewing clusters from the Active IQ page

You can use the Active IQ service in Cloud Manager to discover, view, and manage all your on-prem clusters in a single location.

**Note:** The Active IQ page shows systems with a valid support contract. If contracts expire, a grace period of 90 days is given in which systems continue to be visible. Thereafter, systems are not searchable or visible on the Active IQ page. See how to [renew your support contract from Active IQ Digital Advisor](#). However, if you have already discovered on-prem clusters, you can continue to manage in their working environment using the Cloud Manager UI.

## Steps

1. Click the **Active IQ** tab, enter your NetApp Support Site user name and password, and click **Save**.

The clusters that have a valid support contract are displayed along with a status of whether they have been discovered in Cloud Manager. Discovered clusters will also appear in their working environment.

Clusters	Licenses	Firmware Updates
Cluster Name	Cluster Status	OS Version
drgcsnsng	Undiscovered	9.4
drgcsnsng	Undiscovered	9.4
ccgsnprdsng	Undiscovered	9.4
<a href="#">sti6-vsims-ucs</a>	Discovered	9.4
<a href="#">sti6-vsims-ucs</a>	Discovered	9.4

## Discovering clusters from the Canvas page

You can discover your ONTAP clusters and add them to a working environment from the Canvas page.

### Steps

1. On the Canvas page, click **Add Working Environment** and select **On-Premises ONTAP**.
2. If you're prompted, create a Connector.

Refer to the links above for more details.

3. On the *ONTAP Cluster Details* page, enter the cluster management IP address, the password for the admin user account, and the location of the cluster.
4. On the Details page, enter a name and description for the working environment, and then click **Go**.

### Result

Cloud Manager discovers the cluster and adds it to the working environment. You can now create volumes, replicate data to and from the cluster, set up data tiering to the cloud, back up volumes to the cloud, and launch System Manager to perform advanced tasks.

## Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.