


Visual Analysis of the Evolution of Moisture Transport Patterns in the North Atlantic for different Climate Scenarios

December 5, 2023 Denis Streitmatter

Abteilung für Bild- und Signalverarbeitung

Introduction


- climate change is far more than just global avg. temperature rising
- climate change has a lot of complicated consequences (air pressure, winds, oceans ...)



Source: CDC

Example: Change of North Atlantic Oscillation

See Vietinghoff et al. [20]




Research Question

How do the Patterns of Moisture Transport change in the face of various climate scenarios in the North-East Atlantic?


The Max Planck Institute - Grand Ensemble

- released in 2019 by Maher et al. [13]




The Max Planck Institute - Grand Ensemble

- released in 2019 by Maher et al. [13]
- RCP-SCENARIO: IPCC term of climate change intencity, 3 different levels available




- released in 2019 by Maher et al. [13]
- RCP-SCENARIO: IPCC term of climate change intencity, 3 different levels available
- TYPE: area (land, ocean atmosphere)




The Max Planck Institute - Grand Ensemble

- released in 2019 by Maher et al. [13]
- RCP-SCENARIO: IPCC term of climate change intencity, 3 different levels available
- TYPE: area (land, ocean atmosphere)
- FIELD: different types of scalar fields




- released in 2019 by Maher et al. [13]
- RCP-SCENARIO: IPCC term of climate change intencity, 3 different levels available
- TYPE: area (land, ocean atmosphere)
- FIELD: different types of scalar fields
- MEMBER: 100 different simulations
 - ightarrow uncertain scalar fields



Quantifynig Moisture (Transport) - Water Vapor Integration

- Integrated Water Vapor (IWV) [3, 5, 7, 12]
- 2. Integrated Water Vapor Transport (IVT) [1, 2, 10, 14, 15, 19, 22]
- 3. Moisture Budgets [18, 21]




Integrated Water Vapor Transport

Proposed by Zhu and Newell, 1998 [22]:

• Goal: find atmospheric rivers


$$Q' = \hat{\mathbf{i}} \frac{1}{g} \int_{P_0}^{300hPa} \overline{q'u'} dp + \hat{\mathbf{j}} \frac{1}{g} \int_{P_0}^{300hPa} \overline{q'v'} dp$$

Since then in most cases: $||IVT||_2 \rightarrow Scalar$ field [1, 2, 10, 14, 15, 19]



Pattern Analysis with EOF

- For those familiar: it is related to PCA
- very widely used in geospatial sciences (see review paper from Hannachi et al. [8])
- can be used for dimensionality reduction, filtering, variability pattern recognition ...
- already been used for IVT fields [2, 9, 16]




Visualizing Uncertain Fields

Problem of high dimensionality: 2D scalar field, 100 members, change over time Ideas:

- reduce to mean
- Uncertain Isocontours (see first presentation)
- use animated Perlin noise to visualize uncertainity (see Coninx et al. [4])
- Visualizing Time: probably just an animation
- TODO: evaluate uncertainity vis. survey [11]



(b) Example of color scale visualiza-



(c) Our method: the color scale lookup is biased by a Perlin noise weighted by uncertainty data




(d) Example of our visualization

Techstack

- Dataset preparation: CDO [17]
- algorithm implementation: Julia [6]
- Important libraries:
 - (Geo)Makie for Visualisation
 - KMarkert/EmpiricalOrthogonal-Functions.jl





Literature |

- 1. R. P. Allan, D. A. Lavers, A. J. Champion, en, *International Journal of Climatology* **36**, 3191–3206 (2016).
- 2. O. O. Ayantobo, J. Wei, B. Kang, G. Wang, en, *Theoretical and Applied Climatology* **147**, 985–1002 (2022).
- 3. J.-W. Bao, S. A. Michelson, P. J. Neiman, F. M. Ralph, J. M. Wilczak, en, *Monthly Weather Review* **134**, 1063–1080 (2006).
- A. Coninx, G.-P. Bonneau, J. Droulez, G. Thibault, en, presented at the Proceedings of the ACM SIGGRAPH Symposium on Applied Perception in Graphics and Visualization, pp. 59–66.

Literature II

- J. Eiras-Barca, S. Brands, G. Miguez-Macho, en, *Journal of Geophysical Research: Atmospheres* 121, _eprint: https://onlinelibrary.wiley.com/doi/pdf/10.1002/2015JD023379, 931–948 (2016).
- 6. K. Gao et al., Computer Science Review **37**, 100254 (2020).
- 7. L. Gimeno, R. Nieto, M. Vázquez, D. Lavers, *Frontiers in Earth Science* **2** (2014).
- 8. A. Hannachi, I. T. Jolliffe, D. B. Stephenson, en, *International Journal of Climatology* **27**, 1119–1152 (2007).
- 9. X. Jiang, Y. Li, X. Wang, en, *Journal of Geographical Sciences* **19**, 153–163 (2009).

Literature III

- 10. Z. Jiang et al., en, Journal of Geophysical Research: Atmospheres **122**, 600–613 (2017).
- 11. A. Kamal et al., en, Journal of Visualization 24, 861–890 (2021).
- 12. Y. Ma, M. Lu, H. Chen, M. Pan, Y. Hong, en.
- 13. N. Maher et al., en, Journal of Advances in Modeling Earth Systems 11, 2050–2069 (2019).
- 14. F. M. Ralph et al., en, Journal of Hydrometeorology 18, 2577–2596 (2017).
- 15. F. M. Ralph *et al.*, Bulletin of the American Meteorological Society **100**, 269–289 (2019).
- 16. D. A. Salstein, R. D. Rosen, J. P. Peixoto, en, *Journal of the Atmospheric*


Literature IV

- U. Schulzweida, L. Kornblueh, R. Quast, CDO user guide, 2019.
- R. Seager et al., en, Journal of Climate 33, 7179–7196 (2020). 18.
- P. M. Sousa et al., en, Journal of Climate 33, 263-279 (2020).
- 20. D. Vietinghoff et al., en, presented at the 2021 IEEE 14th Pacific Visualization Symposium (PacificVis), pp. 71–80.
- Y. Yang et al., en, Atmosphere **13**, 1694 (2022).
- 22. Y. Zhu, R. E. Newell, en, *Monthly Weather Review* **126**, 725–735 (1998).

The Max Planck Institute - Grand Ensemble [13]

Field Types

- 32 different fields for the atmosphere
- Resolution: Lat/Long: 1.875°, Time: monthly averages, Vertical: 26 Levels from 10 to 100000 Pa
- Examples: evaporation, preciptation, horizontal wind speed, specific humidity



Integrated Water Vapor Transport

