

SQL Quick Reference from W3Schools

[< Previous](#)[Next >](#)

| SQL Statement | Syntax |
|---------------|---|
| AND / OR | SELECT column_name(s) FROM table_name WHERE condition AND OR condition |
| ALTER TABLE | ALTER TABLE table_name ADD column_name datatype or |

[HTML](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[PHP](#)[BOOTSTRAP](#)

FROM column_name


SELECT column_name AS column_a
FROM table_name

or

SELECT column_name
FROM table_name AS table_alias

BETWEEN

SELECT column_name(s)

**COLOR
PICKER****HOW
TO**

SQL Comments

SQL Database

SQL Create DB

SQL Drop DB

SQL Backup DB

SQL Create Table

SQL Drop Table

SQL Alter Table

SQL Constraints

SQL Not Null

SQL Unique

SQL Primary Key

SQL Foreign Key

SQL Check

SQL Default

SQL Index

SQL Auto Increment

SQL Dates

SQL Views

SQL Injection

SQL Hosting

SQL References

SQL Keywords

MySQL Functions

SQL Server Functions

MS Access Functions

SQL Operators

SQL Data Types

SQL Quick Ref

SQL Examples

SQL Examples

SQL Quiz

SQL Exercises

SQL Certificate

FROM table_name
 WHERE column_name
 BETWEEN value1 AND value2

CREATE
 DATABASE

CREATE DATABASE database_name

CREATE
 TABLE

CREATE TABLE table_name
 (
 column_name1 data_type,
 column_name2 data_type,
 column_name3 data_type,
 ...
)

CREATE
 INDEX

CREATE INDEX index_name
 ON table_name (column_name)

or

CREATE UNIQUE INDEX index_name
 ON table_name (column_name)

CREATE
 VIEW

CREATE VIEW view_name AS
 SELECT column_name(s)
 FROM table_name
 WHERE condition

DELETE

DELETE FROM table_name
 WHERE some_column=some_value

or

DELETE FROM table_name
 (**Note:** Deletes the entire table!!)

DELETE * FROM table_name
 (**Note:** Deletes the entire table!!)

DROP
 DATABASE

DROP DATABASE database_name

DROP
 INDEX

DROP INDEX table_name.index_name
 DROP INDEX index_name ON table_name
 DROP INDEX index_name (DB2/Oracle)
 ALTER TABLE table_name

Tabs

Dropdown

Accordion

Side

Navigation

Top

Navigation

Modal

Boxes

Progress

Bars

Parallax

Login

Form

HTML

Includes

Google

Maps

Range

Sliders

Tooltips

Slideshow

Filter

List

Sort

List

SHARE



CERTIFICATE

HTML

CSS

JavaScript

SQL

Python

PHP

| | |
|----------------|--|
| | DROP INDEX index_name (MySQL) |
| DROP TABLE | DROP TABLE table_name |
| EXISTS | IF EXISTS (SELECT * FROM table_name) BEGIN --do what needs to be done if exists END ELSE BEGIN --do what needs to be done if not END |
| GROUP BY | SELECT column_name, aggregate_function(column_name) FROM table_name WHERE column_name operator value GROUP BY column_name |
| HAVING | SELECT column_name, aggregate_function(column_name) FROM table_name WHERE column_name operator value GROUP BY column_name HAVING aggregate_function(column value |
| IN | SELECT column_name(s) FROM table_name WHERE column_name IN (value1,value2,..) |
| INSERT INTO | INSERT INTO table_name VALUES (value1, value2, value3,...); <i>or</i> INSERT INTO table_name (column1, column2, column3,...) VALUES (value1, value2, value3,...); |
| INNER JOIN | SELECT column_name(s) FROM table_name1 INNER JOIN table_name2 ON table_name1.column_name=table_n |

jQuery
Bootstrap
XML

[Read More](#)

| | |
|-----------------|--|
| LEFT JOIN | SELECT column_name(s) FROM table_name1 LEFT JOIN table_name2 ON table_name1.column_name=table_ |
| RIGHT JOIN | SELECT column_name(s) FROM table_name1 RIGHT JOIN table_name2 ON table_name1.column_name=table_ |
| FULL JOIN | SELECT column_name(s) FROM table_name1 FULL JOIN table_name2 ON table_name1.column_name=table_ |
| LIKE | SELECT column_name(s) FROM table_name WHERE column_name LIKE pattern |
| ORDER BY | SELECT column_name(s) FROM table_name ORDER BY column_name [ASC DES |
| SELECT | SELECT column_name(s) FROM table_name |
| SELECT * | SELECT * FROM table_name |
| SELECT DISTINCT | SELECT DISTINCT column_name(s) FROM table_name |
| SELECT INTO | SELECT * INTO new_table_name [IN external FROM old_table_name <i>or</i> SELECT column_name(s) INTO new_table_name [IN external FROM old_table_name |
| SELECT | SELECT TOP number percent column |

| | |
|-------------------|--|
| TOP | FROM table_name |
| TRUNCATE TABLE | TRUNCATE TABLE table_name |
| UNION | SELECT column_name(s) FROM tabl UNION SELECT column_name(s) FROM tabl |
| UNION ALL | SELECT column_name(s) FROM tabl UNION ALL SELECT column_name(s) FROM tabl |
| UPDATE | UPDATE table_name SET column1=value, column2=valu WHERE some_column=some_value |
| WHERE | SELECT column_name(s) FROM table_name WHERE column_name operator valu |

Source :**https://www.w3schools.com/sql/sql_quickref.asp**[< Previous](#)[Next >](#)[REPORT ERROR](#)[PRINT PAGE](#)[FORUM](#)[ABOUT](#)

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript
Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap

Top Examples

HTML Examples
CSS Examples
JavaScript
Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples

Web Certificates

HTML Certificate
CSS Certificate
JavaScript
Certificate
SQL Certificate
Python Certificate
jQuery Certificate
PHP Certificate

| | | | |
|-------------------------------|-----------------------------------|------------------------------------|---------------------------------|
| Java Tutorial | Reference | Bootstrap Examples | Bootstrap |
| C++ Tutorial | PHP Reference | PHP Examples | Certificate |
| | HTML Colors | jQuery Examples | XML Certificate |
| | jQuery Reference | Java Examples | |
| | Java Reference | XML Examples | Get Certified » |
| | Angular Reference | | |

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2019 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

