

For office use only

Team Control Number

For office use only

T1 _____

1919828

F1 _____

T2 _____

F2 _____

T3 _____

Problem Chosen

F3 _____

T4 _____

C

F4 _____

2019

MCM/ICM

Summary Sheet

The L^AT_EX Template for MCM Version v6.2.1

Summary

fhakfhw

Keywords: keyword1; keyword2

The L^AT_EX Template for MCM Version v6.2.1

January 26, 2019

Summary

fhakfhw

Keywords: keyword1; keyword2

Contents

1	Introduction	2
1.1	Background	2
1.2	Our Work	2
2	Assumptions and Notations	2
2.1	Assumptions	2
2.2	Notations	3
3	Model Construction	3
3.1	Additive Time Serious Model	3
3.2	ARIMA model	4
3.3	Gause-Lotka-Volterra Model	4
4	Data Analysis	4
4.1	Data Origin	4
4.2	Obvious Factors	4
4.3	Error Data Fix	5
5	Model Extension and Simulation Analysis	6
5.1	Problem 1	6
5.1.1	Sensitivity Analysis	6
6	Strengths and weaknesses	6
7	Conclusion	6
7.1	Strengths	6
7.2	Weaknesses	6
	Appendices	7
	Appendix A First appendix	7
	Appendix B Second appendix	7

1 Introduction

1.1 Background

In 2016, about 275 million people worldwide used drugs at least once, or 5.6 percent of the world's population aged 15 to 64. About 31 million drug users are suffering from drug addiction, which means their use is so harmful that they may need treatment. Preliminary estimates suggest that 13.8 million young people aged 15 to 16 worldwide used marijuana last year, or 5.6% of the population.

The world health organization reports that about 450,000 people died from drug use in 2015. Of these deaths, 167,750 were directly related to symptoms of drug use (mainly overdoses). The remaining deaths were indirectly related to drug use, including those from HIV and hepatitis c infection as a result of unsafe injection practices.

The harm caused by opioids continues to be the greatest, accounting for 76 per cent of deaths from drug-related conditions. Injecting drug users — some 10.6 million people worldwide in 2016 — bear the greatest health risks; More than half had hepatitis c and one in eight had HIV. Major figures on drug users have changed little in recent years, but this stability masks significant changes taking place in the drug market. Long-term availability of drugs such as heroin and cocaine is increasingly coexisting with new psychoactive substances, as is the non-medical use of prescription drugs (diverted from legal sources or manufactured illegally). Also increasing are the use of substances of unknown origin, which are supplied through illegal channels and are sold claiming to be medicines but destined for non-medical use. The range of substances and compounds available to drug users is unprecedented.[1]

1.2 Our Work

2 Assumptions and Notations

2.1 Assumptions

We make the following basic assumptions in order to simplify the problem. Each of our assumptions is justified and is consistent with the basic fact.

- **The reported counts contains all the cases of drug use in the states and counties.** There is no unreported drug use case and the report will not lead to a reduction in drug use.
- **The total population of the states and counties remains essentially stable in these years.** The effect of population density on drug use cases is constant.

- **The rest of America and the rest of the world have a constant impact on the five states.** We assume that the external influence on these five states remains the same.
- **States and counties have stable policies on drug use.** We assume that policy does not change during the study period.

2.2 Notations

The notation table [1] contains all the notations we use in this paper.

Table 1: Notations		
Symbol	Definition	Notes
h	hh	hhh

3 Model Construction

3.1 Additive Time Serious Model

From article[1], we learn that when forecasting sales figures, not only the sales history but also the future price of a product will influence the sales quantity. At first sight, multivariate time series seem to be the appropriate model for this task. Time series help to achieve various objectives:

- **Descriptive Analysis:** determines trends and patterns of future using graphs and other tools.
- **Forecasting:** It is used extensively in financial, business forecasting based on historical trends and patterns.
- **Explanative Analysis:** to study cross-correlation/relationship between two time-series and their dependency on one another.

The biggest advantage of using time series analysis is that it can be used to understand the past as well as predict the future. And there are two types of time series: the multiplicative time series and the additive time series.

- In a multiplicative time series, the components multiply together to make the time series. If you have an increasing trend, the amplitude of seasonal activity increases. Everything becomes more exaggerated. This is common when youre looking at web traffic.

- In an additive time series, the components add together to make the time series. If you have an increasing trend, you still see roughly the same size peaks and troughs throughout the time series. This is often seen in indexed time series where the absolute value is growing but changes stay relative.

So we choose to build the Additive Time Series Model (ATSM). Here is the reason

3.2 ARIMA model

In statistics and econometrics, and in particular in time series analysis, an autoregressive integrated moving average (ARIMA) model is a generalization of an autoregressive moving average (ARMA) model. Both of these models are fitted to time series data either to better understand the data or to predict future points in the series (forecasting). ARIMA models are applied in some cases where data show evidence of non-stationarity, where an initial differencing step (corresponding to the "integrated" part of the model) can be applied one or more times to eliminate the non-stationarity.

The AR part of ARIMA indicates that the evolving variable of interest is regressed on its own lagged (i.e., prior) values. The MA part indicates that the regression error is actually a linear combination of error terms whose values occurred contemporaneously and at various times in the past. The I (for "integrated") indicates that the data values have been replaced with the difference between their values and the previous values (and this differencing process may have been performed more than once). The purpose of each of these features is to make the model fit the data as well as possible.

3.3 Gause-Lotka-Volterra Model

4 Data Analysis

4.1 Data Origin

The major data source is the "MCM_NFLIS_Data.xlsx" file. It contains all incidents involved with narcotic analgesics and heroin occurring from 2010 to 2017. Hopefully it can figure out the drug crisis spreading amount the northeast U.S.

4.2 Obvious Factors

Some factors are provided directly and can be grabbed at the first time:

- **Substances of Drugs**

The main substances of all incidents were provided, hence we may separately analyze them to validate the model.

- **Case Count**

Many drugs involved in all these incidents, but they are not equally significant. The reported count recording the troubles they made can be a convincing factor to determine how influential one drug is.

- **Geography Location**

The specific county name in OH, KY, WV, VA, and PA are provided in detail. Thanks to [Simple Maps Corp.][1] and their generous contribution, we could get accurate longitude and latitude to locate a single county. That would be a great help in visualizing our analysis.

Table 2: The data example

ID	28221526017700008
Time	2018-02-28 22:15:26
PayMethod	Cash
Price	[0.982] Unit [Hainan Cherry Tomatoes] as [Season Fruit], Origin price [12.90] Discount Price [12.90]
isVip	False
SolderId	Merchant 22

4.3 Error Data Fix

Some of the purchasing method were mistagged or missed entirely. Those data are either moved in the correct type or in a special "unmarked" type.

Some fruit type are not marked correctly as so, and the similar solution is made, too.

Because of the binary stored float numbers can't be exact, all current numbers (the origin price, discount price, special bonus) are all truncated to 2 digits after the decimal dots.

5 Model Extension and Simulation Analysis

5.1 Problem 1

5.1.1 Sensitivity Analysis

6 Strengths and weaknesses

7 Conclusion

7.1 Strengths

- **Applies widely**

This system can be used for many types of airplanes, and it also solves the interference during the procedure of the boarding airplane, as described above we can get to the optimization boarding time. We also know that all the service is automate.

- **Improve the quality of the airport service**

Balancing the cost of the cost and the benefit, it will bring in more convenient for airport and passengers. It also saves many human resources for the airline.

7.2 Weaknesses

-

References

- [1] "WORLD DRUG REPORT 2018", <https://www.unodc.org/wdr2018/prelaunch/>
- [2] <http://www.latexstudio.net/>
- [3] <http://www.chinatex.org/>

Appendices

Appendix A First appendix

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Here are simulation programmes we used in our model as follow.

Appendix B Second appendix