



low_Egamma L_electron: max $C_{p\gamma}$ regions



L_electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_0 C_{p\gamma}=0.551792
 region: low_Egamma_L_electron_region_0 final-pair delta_xy=2.84707 rad
 outgoing-state purity: 0.602276
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21005$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=4.41786$
 $Q^2=0.0270148$, $x_B=0.00594677$, $t=-3.1342e-05$, $W^2=5.3956$, $y=0.220138$
 $\theta(\ell', \gamma)=21.6664$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.7377$ $p_x= 0.1451$ $p_y= -1.7316$ $p_z= 0.0000$
 P' $E= 2.4009$ $p_x= 0.0000$ $p_y= 2.2100$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.1451$ $p_y= -0.4785$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.9%)



L_electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_1 C_{p\gamma}=0.235948
region: low_Egamma L_electron_region_1 final-pair delta_xy=2.06167 rad
outgoing-state purity: 0.534258
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.05903$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=5.79231$
 $Q^2=0.233849$, $x_B=0.0674481$, $t=-0.00440684$, $W^2=4.11309$, $y=0.168012$
 $\theta(l', \gamma)=75.4705$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.8759$ $p_x= -0.4410$ $p_y= -1.8233$ $p_z= 0.0000$
 P' $E= 2.2626$ $p_x= 0.0000$ $p_y= 2.0590$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.4410$ $p_y= -0.2357$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L_electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_2 C_{p\gamma}=0.134239
region: low_Egamma_L_electron_region_2 final-pair delta_xy=1.47262 rad
outgoing-state purity: 0.513405
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.90432$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=3.04342$
 $Q^2=0.277528$, $x_B=0.12537$, $t=-0.0176063$, $W^2=2.81599$, $y=0.107272$
 $\theta(l', \gamma)=109.917$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.0157$ $p_x= 0.4976$ $p_y= -1.9533$ $p_z= 0.0000$
 P' $E= 2.1228$ $p_x= 0.0000$ $p_y= 1.9043$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4976$ $p_y= 0.0490$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
electron L, proton h=+1


$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
electron L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=98.4%)



L_electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_3 $C_{p\gamma}=0.0541766$
 region: low_Egamma L_electron_region_3 final-pair delta_xy=0.687223 rad
 outgoing-state purity: 0.502028
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.74629$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=0.883573$
 $Q^2=0.104362$, $x_B=0.141656$, $t=-0.0421244$, $W^2=1.51221$, $y=0.035701$
 $\theta(l', \gamma)=149.084$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.1563$ $p_x= -0.3172$ $p_y= -2.1328$ $p_z= 0.0000$
 P' $E= 1.9823$ $p_x= 0.0000$ $p_y= 1.7463$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.3172$ $p_y= 0.3865$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton h=+1

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=99.7%)

