



mid_Egamma L_proton: max $C_{e\gamma}$ regions



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_l_proton_region_0 $C_{e\gamma}=0.000889349$
region: mid_Egamma_L_proton_region_0 final-pair delta_xy=0.178039 rad
outgoing-state purity: 0.99974
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21987$
 $\theta_{in}=1.57079$, $\phi_\ell=1.66897$, $\phi_P=4.81056$
 $E_\gamma=1$, $\phi_\gamma=4.61421$
 $Q^2=10.9308$, $x_B=0.541961$, $t=-19.7041$, $W^2=10.118$, $y=0.977369$
 $\theta(\ell', \gamma)=10.2009$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 1.2286$ $p_x= 0.0980$ $p_y= -1.2247$ $p_z= 0.0000$
 P' $E= 2.4099$ $p_x= 0.0000$ $p_y= 2.2199$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron h=+1, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
electron h=+1, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_l_proton_region_1 $C_{\{e\gamma\}}=0.000660521$
 region: mid_Egamma_L_proton_region_1 final-pair delta_xy=0.178039 rad
 outgoing-state purity: 0.805001
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21987$
 $\theta_{in}=1.57079$, $\phi_l=0.294524$, $\phi_p=3.43612$
 $E_\gamma=1$, $\phi_\gamma=4.81056$
 $Q^2=7.46474$, $x_B=0.446912$, $t=-12.7427$, $W^2=10.118$, $y=0.809408$
 $\theta(l', \gamma)=10.2009$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.1286$ $p_y= 0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1286$ $p_y= -0.6457$ $p_z= 0.0000$
 l' $E= 1.2286$ $p_x= -0.0980$ $p_y= -1.2247$ $p_z= 0.0000$
 P' $E= 2.4099$ $p_x= 0.0000$ $p_y= 2.2199$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=97.1%)



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_l_proton_region_2 $C_{e\gamma}=0.00055819$
 region: mid_Egamma_L_proton_region_2 final-pair delta_xy=0.178039 rad
 outgoing-state purity: 0.728316
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21987$
 $\theta_{in}=1.57079$, $\phi_l=3.04342$, $\phi_P=6.18501$
 $E_\gamma=1$, $\phi_\gamma=4.61421$
 $Q^2=6.43386$, $x_B=0.410531$, $t=-10.8439$, $W^2=10.118$, $y=0.759452$
 $\theta(l', \gamma)=10.2009$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.2137$ $p_y= 0.2180$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2137$ $p_y= -0.2180$ $p_z= 0.0000$
 l' $E= 1.2286$ $p_x= 0.0980$ $p_y= -1.2247$ $p_z= 0.0000$
 P' $E= 2.4099$ $p_x= 0.0000$ $p_y= 2.2199$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=98.0%)

