



mid_Egamma L_proton: max C_{ep} regions



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_l_proton_region_0 C_{ep}=2.65303e-05
 region: mid_Egamma_L_proton_region_0 final-pair delta_xy=2.63292 rad
 outgoing-state purity: 0.590269
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.9752$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=5.49779$
 $Q^2=0.8178$, $x_B=0.102425$, $t=-0.0103578$, $W^2=8.0464$, $y=0.386914$
 $\theta(l', \gamma)=74.1447$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.4519$ $p_x= -0.7071$ $p_y= -1.2681$ $p_z= 0.0000$
 P' $E= 2.1866$ $p_x= 0.0000$ $p_y= 1.9752$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.7071$ $p_y= -0.7071$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_l_proton_region_1 C_{ep} =2.653e-05
region: mid_Egamma_L_proton_region_1 final-pair delta_xy=2.63292 rad
outgoing-state purity: 0.590269
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.9752$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=3.92699$
 $Q^2=0.8178$, $x_B=0.102425$, $t=-0.0103578$, $W^2=8.0464$, $y=0.386914$
 $\theta(l', \gamma)=74.1447$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.4519$ $p_x= 0.7071$ $p_y= -1.2681$ $p_z= 0.0000$
 P' $E= 2.1866$ $p_x= 0.0000$ $p_y= 1.9752$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.7071$ $p_y= -0.7071$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_l_proton_region_2 C_{ep} =7.26837e-06
region: mid_Egamma_L_proton_region_2 final-pair delta_xy=3.06173 rad
outgoing-state purity: 0.999997
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2} \sum_{h_e} \rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21987$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_P=4.71239$
 $E_\gamma=1$, $\phi_\gamma=4.81056$
 $Q^2=10.9143$, $x_B=0.541585$, $t=-19.7517$, $W^2=10.118$, $y=0.97657$
 $\theta(l', \gamma)=10.2009$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 l' $E= 1.2286$ $p_x= -0.0980$ $p_y= -1.2247$ $p_z= 0.0000$
 P' $E= 2.4099$ $p_x= 0.0000$ $p_y= 2.2199$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.0980$ $p_y= -0.9952$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_l_proton_region_3 $C_{ep}=5.00972e-06$
region: mid_Egamma_L_proton_region_3 final-pair delta_xy=2.54388 rad
outgoing-state purity: 0.993248
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.69594$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_P=4.71239$
 $E_\gamma=1$, $\phi_\gamma=3.43612$
 $Q^2=13.8186$, $x_B=0.739781$, $t=-15.1425$, $W^2=5.74055$, $y=0.905181$
 $\theta(l', \gamma)=107.371$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 l' $E= 1.7005$ $p_x= 0.9569$ $p_y= -1.4057$ $p_z= 0.0000$
 P' $E= 1.9381$ $p_x= 0.0000$ $p_y= 1.6959$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.9569$ $p_y= -0.2903$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=99.7%)

