



high_Egamma L electron: max C_{ep} regions



L electron characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_l_electron_region_0 $C_{ep}=0.000938517$
 region: high_Egamma_L_electron_region_0 final-pair delta_xy=2.7349 rad
 outgoing-state purity: 0.662373
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=0.161847$, $x_B=0.00971461$, $t=-8.37957e-05$, $W^2=17.3782$, $y=0.807336$
 $\theta(l', \gamma)=28.9269$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 0.4460$ $p_x= -0.1764$ $p_y= -0.4096$ $p_z= 0.0000$
 P' $E= 2.3925$ $p_x= 0.0000$ $p_y= 2.2010$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L electron characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_l_electron_region_1 C_{ep}=5.03558e-05
 region: high_Egamma_L_electron_region_1 final-pair delta_xy=1.58254 rad
 outgoing-state purity: 0.949032
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.708355$
 $\theta_{in}=1.57079$, $\phi_l=4.02517$, $\phi_P=0.883573$
 $E_\gamma=1.8$, $\phi_\gamma=3.53429$
 $Q^2=12.0252$, $x_B=0.697817$, $t=-1.47944$, $W^2=6.08723$, $y=0.835072$
 $\theta(l', \gamma)=156.827$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 l' $E= 1.6631$ $p_x= 1.6630$ $p_y= -0.0195$ $p_z= 0.0000$
 P' $E= 1.1754$ $p_x= 0.0000$ $p_y= 0.7084$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.6630$ $p_y= -0.6888$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=94.5%)



L electron characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_l_electron_region_2 $C_{\{ep\}}=5.01558e-05$
 region: high_Egamma_L_electron_region_2 final-pair delta_xy=1.61654 rad
 outgoing-state purity: 0.970954
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.601368$
 $\theta_{in}=1.57079$, $\phi_l=5.59596$, $\phi_p=2.45437$
 $E_\gamma=1.8$, $\phi_\gamma=5.98866$
 $Q^2=13.3722$, $x_B=0.742412$, $t=-1.92274$, $W^2=5.51948$, $y=0.872836$
 $\theta(l', \gamma)=160.504$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 l' $E= 1.7243$ $p_x= -1.7225$ $p_y= -0.0789$ $p_z= 0.0000$
 P' $E= 1.1142$ $p_x= 0.0000$ $p_y= 0.6014$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.7225$ $p_y= -0.5225$ $p_z= 0.0000$

Transverse plane



$h_e=+1$, $h_p=+1$, $h_\gamma=+1$
 electron L, proton h=+1

$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=95.3%)

