



high_Egamma L electron + Ty proton: max C_{ep} regions



L electron + Ty proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_lty_region_0 C_{ep} =0.0142742
region: high_Egamma_LTy_region_0 final-pair delta_xy=3.14159 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0956529$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_p=4.71239$
 $E_\gamma=1.8$, $\phi_\gamma=1.5708$
 $Q^2=16.8669$, $x_B=0.846865$, $t=-3.21819$, $W^2=3.92981$, $y=0.965151$
 $\theta(\ell',\gamma)=180$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.8957$ $p_x= -0.0000$ $p_y= -1.8957$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0957$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$

Transverse plane




$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=100.0%)



L electron + Ty proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_lty_region_1 C_{ep}=0.0139936
 region: high_Egamma_LTy_region_1 final-pair delta_xy=2.22659 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=1.8$, $\phi_\gamma=0.589049$
 $Q^2=16.7833$, $x_B=0.843345$, $t=-3.20225$, $W^2=3.99742$, $y=0.964378$
 $\theta(l', \gamma)=176.176$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 1.8884$ $p_x= -1.4966$ $p_y= -1.1515$ $p_z= 0.0000$
 P' $E= 0.9502$ $p_x= 0.0000$ $p_y= 0.1515$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.4966$ $p_y= 1.0000$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Ty


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Ty proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_lty_region_2 C_{ep}=0.0139936
 region: high_Egamma_LTy_region_2 final-pair delta_xy=2.22659 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_p=5.69414$
 $E_\gamma=1.8$, $\phi_\gamma=2.55254$
 $Q^2=16.7833$, $x_B=0.843345$, $t=-3.20225$, $W^2=3.99742$, $y=0.964378$
 $\theta(l', \gamma)=176.176$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 1.8884$ $p_x= 1.4966$ $p_y= -1.1515$ $p_z= 0.0000$
 P' $E= 0.9502$ $p_x= 0.0000$ $p_y= 0.1515$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.4966$ $p_y= 1.0000$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Ty


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Ty proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_lty_region_3 C_{ep} =0.0122091
 region: high_Egamma_LTy_region_3 final-pair delta_xy=1.58254 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |T_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.708355$
 $\theta_{in}=1.57079$, $\phi_l=5.89049$, $\phi_p=2.74889$
 $E_\gamma=1.8$, $\phi_\gamma=5.89049$
 $Q^2=14.2008$, $x_B=0.731691$, $t=-2.7095$, $W^2=6.08723$, $y=0.9405$
 $\theta(l', \gamma)=156.827$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 l' $E= 1.6631$ $p_x= -1.6630$ $p_y= -0.0195$ $p_z= 0.0000$
 P' $E= 1.1754$ $p_x= 0.0000$ $p_y= 0.7084$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.6630$ $p_y= -0.6888$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Ty

$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

