



high_Egamma Tx electron: max $C_{p\gamma}$ regions



Tx electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_tx_electron_region_0 $C_{\{p\gamma\}}=2.01986e-05$
 region: high_Egamma_Tx_electron_region_0 final-pair delta_xy=0.0981748 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0960515$
 $\theta_{in}=1.57079$, $\phi_i=1.5708$, $\phi_P=4.71239$
 $E_\gamma=1.8$, $\phi_\gamma=1.47262$
 $Q^2=16.8299$, $x_B=0.846565$, $t=-3.22016$, $W^2=3.93018$, $y=0.963378$
 $\theta(\ell',\gamma)=179.715$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.8956$ $p_x= -0.1764$ $p_y= -1.8874$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0961$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= 1.7913$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=-1$
 electron Tx, proton h=-1


$h_e=+1, h_p=+1, h_\gamma=+1$
 electron Tx, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=96.5%)



Tx electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_tx_electron_region_1 C_{p\gamma}=1.11227e-05
 region: high_Egamma_Tx_electron_region_1 final-pair delta_xy=0.883573 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{X,e},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.137832$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_P=5.69414$
 $E_\gamma=1.8$, $\phi_\gamma=2.45437$
 $Q^2=16.7203$, $x_B=0.843668$, $t=-3.15847$, $W^2=3.97812$, $y=0.960388$
 $\theta(l',\gamma)=176.769$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 1.8904$ $p_x= 1.3914$ $p_y= -1.2797$ $p_z= 0.0000$
 P' $E= 0.9481$ $p_x= 0.0000$ $p_y= 0.1378$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.3914$ $p_y= 1.1419$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_tx_electron_region_2 C_{p\gamma}=4.88405e-06
 region: high Egamma Tx_electron_region_2 final-pair delta_xy=0.981748 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_l=0.490874$, $\phi_P=3.63247$
 $E_\gamma=1.8$, $\phi_\gamma=0.589049$
 $Q^2=16.688$, $x_B=0.842591$, $t=-3.14552$, $W^2=3.99742$, $y=0.959761$
 $\theta(l',\gamma)=176.176$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.9618$ $p_y= 1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.9618$ $p_y= -1.0486$ $p_z= 0.0000$
 l' $E= 1.8884$ $p_x= -1.4966$ $p_y= -1.1515$ $p_z= 0.0000$
 P' $E= 0.9502$ $p_x= 0.0000$ $p_y= 0.1515$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.4966$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_tx_electron_region_3 $C_{\{p\}\gamma}=0$
 region: high_Egamma_Tx_electron_region_3 final-pair delta_xy=0.294524 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0993305$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=1.8$, $\phi_\gamma=1.86532$
 $Q^2=6.10718$, $x_B=0.666674$, $t=-2.79449$, $W^2=3.93333$, $y=0.443917$
 $\theta(l',\gamma)=179.128$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.8953$ $p_x= 0.5225$ $p_y= -1.8218$ $p_z= 0.0000$
 P' $E= 0.9432$ $p_x= 0.0000$ $p_y= 0.0993$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.5225$ $p_y= 1.7225$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=99.3%)

