



mid_Egamma L massless lepton + L proton: max $C_{p\gamma}$ regions



L massless lepton + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ll_region_0 C_{p\gamma}=0.98676
 region: mid_Egamma_LL_region_0 final-pair delta_xy=2.94524 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20638$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.71239$, $\phi_P=1.5708$
 $E_Y=1$, $\phi_Y=4.90874$
 $Q^2=0.068646$, $x_B=0.00746834$, $t=-4.94515e-05$, $W^2=10.0028$, $y=0.445416$
 $\theta(\ell', \gamma)=20.2945$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.2410$ $p_x= -0.1951$ $p_y= -1.2256$ $p_z= 0.0000$
 P' $E= 2.3975$ $p_x= 0.0000$ $p_y= 2.2064$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= 0.1951$ $p_y= -0.9808$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 massless lepton L, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 massless lepton L, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L massless lepton + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ll_region_1 C_{p\gamma}=0.32714
 region: mid_Egamma_LL_region_1 final-pair delta_xy=1.47262 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.49222$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.81056$, $\phi_P=1.66897$
 $E_Y=1$, $\phi_Y=0.0981748$
 $Q^2=1.73918$, $x_B=0.349813$, $t=-0.143555$, $W^2=4.11241$, $y=0.240926$
 $\theta(\ell', \gamma)=127.664$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 ℓ' $E= 1.8760$ $p_x= -0.9952$ $p_y= -1.5902$ $p_z= 0.0000$
 P' $E= 1.7625$ $p_x= 0.0000$ $p_y= 1.4922$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= 0.9952$ $p_y= 0.0980$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.6%)



L massless lepton + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ll_region_2 C_{p\gamma}=0.32714
 region: mid_Egamma_LL_region_2 final-pair delta_xy=1.47262 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.49222$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.61421$, $\phi_P=1.47262$
 $E_V=1$, $\phi_V=3.04342$
 $Q^2=1.73918$, $x_B=0.349813$, $t=-0.143555$, $W^2=4.11241$, $y=0.240926$
 $\theta(\ell', \gamma)=127.664$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E=$	2.2244	$p_x=$	-0.2180	$p_y=$	-2.2137	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	0.2180	$p_y=$	2.2137	$p_z=$	0.0000
ℓ'	$E=$	1.8760	$p_x=$	0.9952	$p_y=$	-1.5902	$p_z=$	0.0000
P'	$E=$	1.7625	$p_x=$	0.0000	$p_y=$	1.4922	$p_z=$	0.0000
q_γ	$E=$	1.0000	$p_x=$	-0.9952	$p_y=$	0.0980	$p_z=$	0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=99.6%)

