



high_Egamma Ty massless lepton: max $C_{p\gamma}$ regions



Ty massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ty_electron_region_0 C_{p\gamma}=3.83804e-13
 region: high_Egamma_Ty_electron_region_0 final-pair delta_xy=0.0981748 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\ell_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0960515$
 $\theta_{in}=1.57079$, $\phi_\ell=1.47262$, $\phi_P=4.61421$
 $E_\gamma=1.8$, $\phi_\gamma=1.47262$
 $Q^2=16.8664$, $x_B=0.846846$, $t=-3.21811$, $W^2=3.93018$, $y=0.965147$
 $\theta(\ell',\gamma)=179.715$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 1.8956$ $p_x= -0.1764$ $p_y= -1.8874$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0961$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= 1.7913$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 massless lepton Ty, proton h=+1


$h_e=-1, h_p=-1, h_\gamma=-1$
 massless lepton Ty, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=96.3%)



Ty massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ty_electron_region_1 C_{p\gamma}=0
 region: high_Egamma_Ty_electron_region_1 final-pair delta_xy=1.5708 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\ell_0},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.356666$
 $\theta_{in}=1.57079$, $\phi_\ell=0$, $\phi_P=3.14159$
 $E_\gamma=1.8$, $\phi_\gamma=0$
 $Q^2=16.1715$, $x_B=0.817396$, $t=-3.08551$, $W^2=4.49252$, $y=0.958721$
 $\theta(\ell',\gamma)=168.792$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.8350$ $p_x= -1.8000$ $p_y= -0.3567$ $p_z= 0.0000$
 P' $E= 1.0035$ $p_x= 0.0000$ $p_y= 0.3567$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.8000$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.3%)



Ty massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ty_electron_region_2 C_{p\gamma}=0
 region: high_Egamma_Ty_electron_region_2 final-pair delta_xy=0.19635 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{\gamma,\ell_0},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0972622$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=1.8$, $\phi_\gamma=1.37445$
 $Q^2=9.99498$, $x_B=0.766106$, $t=-2.79344$, $W^2=3.93133$, $y=0.632219$
 $\theta(\ell',\gamma)=179.426$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.8955$ $p_x= -0.3512$ $p_y= -1.8627$ $p_z= 0.0000$
 P' $E= 0.9430$ $p_x= 0.0000$ $p_y= 0.0973$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.3512$ $p_y= 1.7654$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=95.3%)



Ty massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ty_electron_region_3 C_{p\gamma}=0
 region: high_Egamma_Ty_electron_region_3 final-pair delta_xy=1.1781 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_y, l_0, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.190824$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_P=3.14159$
 $E_Y=1.8$, $\phi_Y=2.74889$
 $Q^2=0.971273$, $x_B=0.233797$, $t=-2.86193$, $W^2=4.06292$, $y=0.201316$
 $\theta(l', \gamma)=174.623$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.8813$ $p_x= 1.6630$ $p_y= -0.8797$ $p_z= 0.0000$
 P' $E= 0.9572$ $p_x= 0.0000$ $p_y= 0.1908$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= -1.6630$ $p_y= 0.6888$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=99.9%)

