



low_Egamma L electron + Tx proton: max P_W regions



L electron + Tx proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_ltx_region_0 P_W=0.331768
 region: low_Egamma_LTx_region_0
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96352$
 $\theta_{in}=1.57079$, $\phi_l=1.66897$, $\phi_p=4.81056$
 $E_\gamma=0.25$, $\phi_\gamma=1.66897$
 $Q^2=19.6484$, $x_B=0.994382$, $t=-17.4401$, $W^2=0.990843$, $y=0.957519$
 $\theta(l', \gamma)=175.01$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 2.2125$ $p_x= 0.0245$ $p_y= -2.2123$ $p_z= 0.0000$
 P' $E= 2.1761$ $p_x= 0.0000$ $p_y= 1.9635$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0245$ $p_y= 0.2488$ $p_z= 0.0000$

Transverse plane




$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=1, retained=99.5%)



L electron + Tx proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_ltx_region_1 P_W=0.320094
region: low_Egamma_LTx_region_1
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.0264$
 $\theta_{in}=1.57079$, $\phi_l=2.65072$, $\phi_p=5.79231$
 $E_\gamma=0.25$, $\phi_\gamma=2.65072$
 $Q^2=14.9516$, $x_B=0.959022$, $t=-13.2712$, $W^2=1.51871$, $y=0.755498$
 $\theta(l',\gamma)=123.996$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.9618$ $p_y= 1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.9618$ $p_y= -1.0486$ $p_z= 0.0000$
 l' $E= 2.1556$ $p_x= 0.2205$ $p_y= -2.1442$ $p_z= 0.0000$
 P' $E= 2.2330$ $p_x= 0.0000$ $p_y= 2.0264$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2205$ $p_y= 0.1178$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
electron L, proton Tx


$h_e=-1, h_p=+1, h_\gamma=+1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.6%)



L electron + Tx proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_ltx_region_2 P_W=0.308113
 region: low_Egamma_LTx_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.00644$
 $\theta_{in}=1.57079$, $\phi_l=0.687223$, $\phi_p=3.82882$
 $E_Y=0.25$, $\phi_Y=0.687223$
 $Q^2=16.4452$, $x_B=0.972157$, $t=-14.5969$, $W^2=1.35084$, $y=0.819743$
 $\theta(l', \gamma)=134.476$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 l' $E= 2.1736$ $p_x= -0.1933$ $p_y= -2.1650$ $p_z= 0.0000$
 P' $E= 2.2149$ $p_x= 0.0000$ $p_y= 2.0064$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= 0.1933$ $p_y= 0.1586$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_Y=+1$
 electron L, proton Tx


$h_e=-1, h_p=+1, h_Y=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.4%)



L electron + Tx proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_ltx_region_3 P_W=0.297686
 region: low_Egamma_LTx_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20723$
 $\theta_{in}=1.57079$, $\phi_l=5.20326$, $\phi_P=2.06167$
 $E_\gamma=0.25$, $\phi_\gamma=5.20326$
 $Q^2=1.30635$, $x_B=0.375519$, $t=-1.15953$, $W^2=3.05228$, $y=0.168579$
 $\theta(l', \gamma)=31.5197$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.0486$ $p_y= -1.9618$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.0486$ $p_y= 1.9618$ $p_z= 0.0000$
 l' $E= 1.9902$ $p_x= -0.1178$ $p_y= -1.9868$ $p_z= 0.0000$
 P' $E= 2.3983$ $p_x= 0.0000$ $p_y= 2.2072$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1178$ $p_y= -0.2205$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx

$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.6%)

