



low_Egamma L massless lepton: max $C_{\ell_0 p}$ regions



L massless lepton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_l_lepton_region_0 $C_{\ell_0 p}=3.11091e-13$
 region: low_Egamma_L_lepton_region_0 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96296$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.5708$, $\phi_P=4.71239$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=1.5708$
 $Q^2=19.6902$, $x_B=0.99463$, $t=-17.4772$, $W^2=0.986143$, $y=0.959318$
 $\theta(\ell', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.2130$ $p_x= -0.0000$ $p_y= -2.2130$ $p_z= 0.0000$
 P' $E= 2.1756$ $p_x= 0.0000$ $p_y= 1.9630$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_{\gamma}=+1$
 electron L, proton h=+1


$h_e=+1, h_p=+1, h_{\gamma}=-1$
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L massless lepton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_l_lepton_region_1 $C_{\{\ell_0 p\}}=5.38296e-14$
 region: low_Egamma_L_lepton_region_1 final-pair delta_xy=3.07198 rad
 outgoing-state purity: 0.569995
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.19996$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.30144$
 $Q^2=0.0215148$, $x_B=0.0100918$, $t=-9.11346e-05$, $W^2=2.99024$, $y=0.10331$
 $\theta(\ell', \gamma)=37.7383$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.9969$ $p_x= -0.1389$ $p_y= -1.9921$ $p_z= 0.0000$
 P' $E= 2.3916$ $p_x= 0.0000$ $p_y= 2.2000$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1389$ $p_y= -0.2079$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton characteristic max $C_{l_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_l_lepton_region_2 $C_{l_0 p}=1.26833\text{e-}14$
 region: low_Egamma_L_lepton_region_2 final-pair delta_xy=3.0459 rad
 outgoing-state purity: 0.538829
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{l_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.17199$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=3.82882$
 $Q^2=0.0411664$, $x_B=0.0215187$, $t=-0.000423492$, $W^2=2.75173$, $y=0.0927046$
 $\theta(l', \gamma)=56.1077$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.0226$ $p_x= 0.1933$ $p_y= -2.0134$ $p_z= 0.0000$
 P' $E= 2.3659$ $p_x= 0.0000$ $p_y= 2.1720$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1933$ $p_y= -0.1586$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_l_lepton_region_3 $C_{\ell_0 p}=1.76586e-17$
 region: low_Egamma_L_lepton_region_3 final-pair delta_xy=3.12919 rad
 outgoing-state purity: 0.999859
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22371$
 $\theta_{in}=1.57079$, $\phi_\ell=1.76715$, $\phi_P=4.90874$
 $E_\gamma=0.25$, $\phi_\gamma=4.61421$
 $Q^2=17.4253$, $x_B=0.882806$, $t=-19.5958$, $W^2=3.19307$, $y=0.956508$
 $\theta(\ell', \gamma)=6.33588$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.4340$ $p_y= 2.1817$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.4340$ $p_y= -2.1817$ $p_z= 0.0000$
 ℓ' $E= 1.9751$ $p_x= 0.0245$ $p_y= -1.9749$ $p_z= 0.0000$
 P' $E= 2.4134$ $p_x= 0.0000$ $p_y= 2.2237$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0245$ $p_y= -0.2488$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=+1

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=99.9%)

