



mid_Egamma L_electron: max $C_{e\gamma}$ regions



L_electron characteristic max C_{ey} configuration

3D momenta




c_e_gamma_mid_egamma_l_electron_region_0 $C_{\{e\}\gamma}=4.16738e-11$
 region: mid_Egamma L_electron_region_0 final-pair delta_xy=1.15564 rad
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.02682$
 $\theta_{in}=1.57079$, $\phi_l=4.02517$, $\phi_p=0.883573$
 $E_Y=1$, $\phi_Y=4.02517$
 $Q^2=3.72996$, $x_B=0.329206$, $t=-2.05314$, $W^2=8.48005$, $y=0.549049$
 $\theta(l', \gamma)=66.2131$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 l' $E= 1.4052$ $p_x= 0.6344$ $p_y= -1.2538$ $p_z= 0.0000$
 P' $E= 2.2333$ $p_x= 0.0000$ $p_y= 2.0268$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= -0.6344$ $p_y= -0.7730$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_Y=+1$
 electron L, proton h=+1
 $h_e=+1, h_p=-1, h_Y=+1$
 electron L, proton h=-1
 $h_e=+1, h_p=+1, h_Y=-1$
 electron L, proton h=+1
 $h_e=+1, h_p=-1, h_Y=+1$
 electron L, proton h=+1
 $h_e=+1, h_p=+1, h_Y=+1$
 electron L, proton h=-1
 $h_e=+1, h_p=-1, h_Y=-1$
 electron L, proton h=-1
 $h_e=+1, h_p=-1, h_Y=-1$
 electron L, proton h=+1
 $h_e=+1, h_p=+1, h_Y=-1$
 electron L, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L_electron characteristic max C_{ey} configuration

3D momenta




c_e_gamma_mid_egamma_l_electron_region_1 $C_{e\gamma}=4.12073e-11$
 region: mid_Egamma_L_electron_region_1 final-pair delta_xy=0.694195 rad
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.15447$
 $\theta_{in}=1.57079$, $\phi_l=5.10509$, $\phi_P=1.9635$
 $E_\gamma=1$, $\phi_\gamma=5.10509$
 $Q^2=1.32686$, $x_B=0.132588$, $t=-0.730363$, $W^2=9.56038$, $y=0.484949$
 $\theta(l', \gamma)=39.7745$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.8512$ $p_y= -2.0551$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.8512$ $p_y= 2.0551$ $p_z= 0.0000$
 l' $E= 1.2887$ $p_x= -0.3827$ $p_y= -1.2306$ $p_z= 0.0000$
 P' $E= 2.3498$ $p_x= 0.0000$ $p_y= 2.1545$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= 0.3827$ $p_y= -0.9239$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton h=+1
 $h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron L, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron L, proton h=+1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L_electron characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_l_electron_region_2 $C_{e\gamma}=3.6905e-11$
 region: mid_Egamma L_electron_region_2 final-pair delta_xy=2.64315 rad
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.27253$
 $\theta_{in}=1.57079$, $\phi_l=2.45437$, $\phi_P=5.59596$
 $E_\gamma=1$, $\phi_\gamma=2.45437$
 $Q^2=17.1944$, $x_B=0.917446$, $t=-9.46456$, $W^2=2.42703$, $y=0.908199$
 $\theta(l', \gamma)=151.441$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 l' $E= 2.0576$ $p_x= 0.7730$ $p_y= -1.9069$ $p_z= 0.0000$
 P' $E= 1.5809$ $p_x= 0.0000$ $p_y= 1.2725$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.7730$ $p_y= 0.6344$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=96.5%)



L_electron characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_l_electron_region_3 $C_{e\gamma}=3.57784e-11$
 region: mid_Egamma_L_electron_region_3 final-pair delta_xy=2.64315 rad
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.27253$
 $\theta_{in}=1.57079$, $\phi_l=0.687223$, $\phi_p=3.82882$
 $E_\gamma=1$, $\phi_\gamma=0.687223$
 $Q^2=17.1944$, $x_B=0.917446$, $t=-9.46456$, $W^2=2.42703$, $y=0.908199$
 $\theta(l', \gamma)=151.441$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 l' $E= 2.0576$ $p_x= -0.7730$ $p_y= -1.9069$ $p_z= 0.0000$
 P' $E= 1.5809$ $p_x= 0.0000$ $p_y= 1.2725$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.7730$ $p_y= 0.6344$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton $h=+1$

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton $h=+1$

Leading initial-ensemble/final-state components (N=2, retained=96.5%)

