



low_Egamma L_proton: max C_{ep} regions



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_0 $C_{\{ep\}}=1.38013e-12$
 region: low_Egamma_L_proton_region_0 final-pair delta_xy=2.88803 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.92943$
 $\theta_{in}=1.57079$, $\phi_l=3.14159$, $\phi_P=0$
 $E_\gamma=0.5$, $\phi_\gamma=3.14159$
 $Q^2=11.0917$, $x_B=0.837928$, $t=-8.59851$, $W^2=3.0252$, $y=0.641453$
 $\theta(l', \gamma)=104.528$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.9932$ $p_x= 0.5000$ $p_y= -1.9294$ $p_z= 0.0000$
 P' $E= 2.1454$ $p_x= 0.0000$ $p_y= 1.9294$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.5000$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L

$h_e=-1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton L


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron h=-1, proton L

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton L

$h_e=-1, h_p=-1, h_\gamma=-1$
 electron h=-1, proton L


$h_e=+1, h_p=-1, h_\gamma=-1$
 electron h=+1, proton L

Leading initial-ensemble/final-state components (N=7, retained=98.2%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_1 C_{ep} =1.19744e-12
 region: low_Egamma L_proton_region_1 final-pair delta_xy=2.92898 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.10758$
 $\theta_{in}=1.57079$, $\phi_l=5.59596$, $\phi_{P'}=2.45437$
 $E_\gamma=0.5$, $\phi_\gamma=5.59596$
 $Q^2=4.42478$, $x_B=0.548388$, $t=-3.43019$, $W^2=4.52377$, $y=0.391001$
 $\theta(l', \gamma)=62.807$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 l' $E= 1.8316$ $p_x= -0.3865$ $p_y= -1.7904$ $p_z= 0.0000$
 P' $E= 2.3069$ $p_x= 0.0000$ $p_y= 2.1076$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.3865$ $p_y= -0.3172$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_2 $C_{\{ep\}}=5.25649e-13$
region: low_Egamma_L_proton_region_2 final-pair delta_xy=3.01307 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.73371$
 $\theta_{in}=1.57079$, $\phi_l=2.15984$, $\phi_P=5.30144$
 $E_\gamma=0.5$, $\phi_\gamma=2.15984$
 $Q^2=18.2796$, $x_B=0.97184$, $t=-14.1708$, $W^2=1.40951$, $y=0.911479$
 $\theta(\ell', \gamma)=153.614$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.2358$ $p_y= 1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.2358$ $p_y= -1.8495$ $p_z= 0.0000$
 ℓ' $E= 2.1673$ $p_x= 0.2778$ $p_y= -2.1494$ $p_z= 0.0000$
 P' $E= 1.9712$ $p_x= 0.0000$ $p_y= 1.7337$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.2778$ $p_y= 0.4157$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=98.6%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_3 $C_{ep}=4.45352e-13$
region: low_Egamma L_proton_region_3 final-pair delta_xy=2.9759 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.76067$
 $\theta_{in}=1.57079$, $\phi_l=0.785398$, $\phi_p=3.92699$
 $E_\gamma=0.5$, $\phi_\gamma=0.785398$
 $Q^2=17.2995$, $x_B=0.95845$, $t=-13.411$, $W^2=1.62981$, $y=0.874661$
 $\theta(l', \gamma)=144.494$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= 0.0000$
 l' $E= 2.1436$ $p_x= -0.3536$ $p_y= -2.1142$ $p_z= 0.0000$
 P' $E= 1.9949$ $p_x= 0.0000$ $p_y= 1.7607$ $p_z= 0.0000$
 q_Y $E= 0.5000$ $p_x= 0.3536$ $p_y= 0.3536$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=97.0%)

