

1 SciTeX Writer: Modular Framework for
2 Version-Controlled Manuscripts, Supplementary
3 Materials, and Peer Review Responses
4 Your
Manuscript Title Here

5 Yusuke Watanabe First Author^{a,*}, Second Author^b, Third Author^c

6 ^aFirst Institution, Department, City, Country

7 ^bSecond Institution, Department, City, Country

8 ^cThird Institution, Department, City, Country

9 Abstract

10
11 Scientific manuscript preparation requires careful management of document
12 structure, version control, and reproducible compilation across diverse computing
13 environments. We present SciTeX Writer, a comprehensive LaTeX-based
14 framework designed to streamline the academic writing workflow while maintaining
15 consistency and reproducibility. The system employs container-based compilation
16 to ensure identical output regardless of the host environment, eliminating the
17 common "it works on my machine" problem. Through a modular architecture
18 that separates content from formatting, SciTeX Writer enables researchers
19 to focus on scientific writing while the system handles document structure,
20 figure format conversion, and version tracking. The framework supports
21 parallel development of main manuscripts, supplementary materials, and
22 revision documents, all sharing common metadata from a single source of
23 truth. Automatic handling of diverse image formats and systematic organization
24 of tables and figures reduces technical overhead. This self-documenting

*Corresponding author. Email: your.email@institution.edu
Preprint submitted to Journal Name Here

February 9, 2026

25 template demonstrates its own capabilities, providing researchers with a
26 production-ready system for manuscript preparation that scales from initial
27 draft to final submission Replace this text with your manuscript abstract.
28 Typically 150–250 words summarizing objectives, methods, key findings, and
29 conclusions.

30 *Keywords:* keyword one, keyword two, keyword three, keyword four,
31 keyword five

32 ▾ 0 figures, 0 tables, 21 words for abstract, and 69 words for main text

33 1. Introduction

34 The preparation of scientific manuscripts involves numerous technical
35 challenges that extend beyond the intellectual task of communicating research
36 findings [?]. Researchers must navigate complex typesetting systems, manage
37 multiple document versions, coordinate figures and tables across formats, and
38 ensure reproducible compilation environments [?]. These technical burdens
39 can distract from the primary goal of clear scientific communication and often
40 lead to inconsistencies, formatting errors, and wasted time troubleshooting
41 environment-specific compilation issues.

42 Traditional approaches to manuscript preparation typically rely on local
43 LaTeX installations, where the specific versions of packages and compilation
44 tools can vary significantly across different machines and over time [?]. This
45 variability creates reproducibility challenges, particularly in collaborative
46 environments where multiple authors work on different systems [?]. Furthermore,
47 the proliferation of image formats and the need to convert between them for
48 different submission requirements adds another layer of complexity. Researchers
49 often resort to ad-hoc scripts or manual processes to handle these conversions,
50 leading to potential errors and inconsistent results.

51 Existing solutions have addressed some aspects of this problem [?]. Overleaf
52 and similar cloud-based platforms provide consistent compilation environments
53 but require continuous internet connectivity and may not suit all research
54 workflows. Version control systems like Git effectively track changes but
55 require researchers to understand both LaTeX and version control simultaneously.
56 Template repositories exist for various journals, but they typically focus on
57 formatting requirements rather than workflow automation and often duplicate
58 common elements across documents.

59 The fundamental challenge lies in balancing flexibility with consistency.
60 Researchers need systems that accommodate diverse content types, multiple
61 output documents, and varying journal requirements while maintaining a
62 single source of truth for shared elements like author lists and bibliographies.
63 The system must be sufficiently automated to reduce technical overhead yet
64 transparent enough that researchers retain full control over their content.
65 Additionally, the solution must work reliably across different computing
66 environments without imposing steep learning curves or workflow disruptions.

67

68 SciTeX Writer addresses these challenges through a container-based, modular
69 architecture that separates content management from document compilation.
70 The framework organizes manuscripts into distinct directories for main text,
71 supplementary materials, and revision responses, while maintaining shared
72 metadata in a common location. By leveraging containerization technology,
73 the system guarantees identical compilation results regardless of the host
74 operating system or local software versions. Automatic format conversion for
75 figures and tables eliminates manual preprocessing steps. Replace this with
76 your introduction. Establish context, review relevant work [1], identify gaps,
77 and built-in version tracking with difference generation facilitates collaborative
78 writing and revision processes. This manuscript serves as a self-documenting
79 example, demonstrating the system's capabilities through its own structure

80 and compilation state your objectives.

81 2. Methods

82 The SciTeX Writer framework implements a modular architecture designed
83 around three core principles: reproducible compilation, content-structure
84 separation, and automated asset management. The system organizes documents
85 into three primary directories, each serving distinct purposes in the manuscript
86 lifecycle while sharing common resources to maintain consistency.

87 2.1. Repository Structure and Organization

88 The framework employs a hierarchical directory structure where the 00_shared/ directory serves as the single source of truth for metadata including title, author information, keywords, and bibliographic references. This centralized approach eliminates duplication and ensures consistency across all output documents. The 01_manuscript/ directory contains the main manuscript with subdirectories for content sections, figures, and tables. Similarly, 02_supplementary/ follows an identical structure for supplementary materials, while 03_revision/ organizes revision letters by reviewer. Each content section exists as an independent LaTeX file, facilitating modular development and enabling multiple authors to work on different sections simultaneously without merge conflicts.

98

99 2.1. Multi-Engine Compilation System

100 The framework implements a flexible multi-engine compilation architecture
101 that automatically selects the optimal LaTeX engine based on availability
102 and performance characteristics. Three compilation engines are supported:
103 Teetonic (ultra-fast, modern), latexmk (reliable, industry standard), and
104 traditional 3-pass compilation (maximum compatibility). The system auto-detects

105 installed engines and selects the best available option, with configurable
106 fallback ordering specified in the YAML configuration file.

107 Teetonic provides the fastest incremental builds (1–3 seconds), making it
108 ideal for active writing sessions where authors frequently recompile to preview
109 changes. The latexmk engine offers a balance of reliability and performance
110 (3–6 seconds), utilizing smart recompilation that tracks file dependencies.
111 The 3-pass engine ensures maximum compatibility (12–18 seconds) but lacks
112 incremental build support. Performance characteristics and trade-offs are
113 documented in Supplementary Table ??.

114 To ensure reproducible builds across diverse computing environments, the
115 framework leverages both Docker and Apptainer/Singularity containerization
116 technologies [?]. The compilation environment encapsulates specific versions
117 of TeX Live and all required packages, eliminating dependency on the host
118 system’s LaTeX installation. Users invoke compilation through shell scripts
119 that provide extensive command-line options (documented in Supplementary
120 Table ??). This containerized approach guarantees that the same source
121 files produce identical PDFs regardless of the underlying operating system,
122 making the system equally functional on Linux, macOS, Windows, and high-performance
123 computing clusters.

124 2.1. Automated Asset Processing

125 The system implements automatic format conversion for both figures and
126 tables through preprocessing scripts that execute during compilation [?].
127 For figures, the framework accepts common image formats including PNG,
128 JPEG, SVG, and PDF, automatically converting them to formats optimized
129 for LaTeX inclusion. Each figure resides in its own subdirectory within
130 01_manuscript/contents/figures/caption_and_media/, with the caption
131 defined in a corresponding .tex file. During compilation, a preprocessing
132 script scans these directories, generates figure inclusion code, and compiles

133 all figures into `FINAL.tex` for inclusion in the main document. Tables follow ■
134 an analogous structure, allowing authors to define complex table layouts ■
135 separately from their incorporation into the document flow [?]. ■

136 *2.1. Version Control and Difference Tracking* ■

137 The framework integrates with Git to provide systematic version tracking ■
138 and automatic generation of difference documents. When authors create a ■
139 new version through `make archive`, the system archives the current manuscript ■
140 with a timestamp and version number. Subsequently, invoking `make diff` ■
141 generates a PDF highlighting changes between versions using the `ltxdiff` ■
142 utility. This functionality proves particularly valuable during revision processes, ■
143 where journals often require marked-up versions showing modifications. The ■
144 revision directory structure accommodates multiple rounds of review, with ■
145 separate subdirectories for editor and reviewer responses, each containing ■
146 both the original comments and author responses in a structured format ■
147 that ensures complete documentation of the revision process. ■

148 *2.1. Manuscript Preparation* ■

149 This manuscript was prepared using SciTeX Writer [?], an open-source ■
150 scientific manuscript compilation system supporting multiple LaTeX compilation ■
151 engines including `latexmk`, traditional 3-pass compilation, and TeetonicReplace ■
152 this with your methods. Describe study design, data collection, and analysis ■
153 procedures [2]. Provide enough detail for reproducibility. ■

154 **3. Results** ■

155 The SciTeX Writer framework successfully demonstrates comprehensive ■
156 manuscript preparation capabilities through its modular design and automated ■
157 workflows. This section presents the key features and functionalities that ■

158 the system provides to researchers. The framework's architecture, illustrated
159 in Figure ??, implements a layered design from user interface to output
160 generation, while Figure ?? shows the detailed file organization that minimizes
161 conflicts during collaborative editing. The compilation workflow (Figure ??)
162 shows how the system automatically processes multiple asset types in parallel
163 while maintaining reproducibility across platforms. Figure ?? provides a
164 comprehensive mind map of all major capabilities, from compilation engines
165 to version control. □

166 3.1. Multi-Engine Compilation System □

167 SeiTEx Writer supports three compilation engines optimized for different
168 scenarios (Table ??): `latexmk` for rapid iterative development (~3s), `Teetonic`
169 for reproducible builds (~4–5s), and traditional 3-pass compilation for guaranteed
170 compatibility (~6–7s). The engine selection logic (Figure ??) automatically
171 detects the best available option, prioritizing speed while maintaining broad
172 compatibility. Users can override auto-detection through environment variables
173 or command-line arguments, providing flexibility for specific workflows or
174 computing environments. □

175 The compilation system provides extensive customization through command-line
176 options (Table ??). Quick compilation modes enable authors to iterate
177 rapidly during writing: `-no_figs` and `-no_tables` skip asset processing,
178 `-draft` uses single-pass compilation, and `-no_diff` omits difference generation.
179 These optimizations reduce compilation time from ~15s for full processing
180 to under 3s for ultra-fast draft mode, significantly improving the writing
181 experience. Environmental variables (Table ??) provide system-level configuration
182 for logging verbosity, engine priority, citation styles, and file paths. □

183 3.1. Cross-Platform Reproducibility □

184 The containerized compilation system achieves complete reproducibility
185 across different operating systems and computing environments. Testing
186 across Linux distributions, macOS, and Windows Subsystem for Linux confirmed
187 that identical source files produce byte-for-byte identical PDF outputs when
188 compiled using the same container image. This reproducibility extends to
189 high-performance computing environments where Singularity containers enable
190 compilation on systems without Docker support. The elimination of environment-dependent
191 compilation issues represents a significant improvement over traditional local
192 LaTeX installations, where package version mismatches frequently cause inconsistent
193 outputs or compilation failures.

194 3.1. *Automated Figure and Table Management*

195 The automatic asset processing system effectively handles diverse input
196 formats and streamlines figure incorporation [?]. The framework supports
197 multiple figure formats including raster images (PNG, JPEG, TIFF), vector
198 graphics (SVG, PDF), and diagram markup languages (Mermaid). Figure ??
199 demonstrates the framework's capability to include images with properly
200 formatted captions, while Figure ?? shows how multiple figures can be managed
201 systematically. Complex workflow diagrams, such as the compilation pipeline
202 shown in Figure ??, can be created using Mermaid syntax and automatically
203 rendered during compilation. The directory structure visualization Replace
204 this with your results. Present findings with references to figures (Figure ??)
205 exemplifies how technical diagrams integrate seamlessly with the manuscript
206 preparation workflow.

207 The preprocessing pipeline converts source images to optimal formats,
208 maintaining quality while ensuring compatibility with LaTeX compilation
209 requirements [?]. For tables, the system provides structured organization
210 through CSV-based workflows. Authors create tables as simple CSV files
211 paired with caption definitions, and the compilation system automatically
212 generates professionally-formatted LaTeX tables using the booktabs package.

213 Tables ??, ??, and ?? all demonstrate automatic CSV-to-LaTeX conversion,
214 showcasing the system's capability to handle diverse table structures from
215 simple configuration lists to categorized reference data. The separation of
216 content (CSV data) from presentation (LaTeX formatting) enables authors
217 to focus on data rather than typesetting syntax, while maintaining consistent
218 styling across all tables. ■

219 *3.1. Multi-file Bibliography Management* ■

220 The bibliography system (Figure ??) enables researchers to organize references
221 by topic across multiple .bib files in the `00_shared/bib_files/` directory. ■
222 For example, authors might maintain separate files for methodological references
223 (`methods_refs.bib`), field background (`field_background.bib`), and personal
224 publications (`my_papers.bib`). The compilation system automatically merges
225 these files while removing duplicates through a two-tier matching strategy:
226 DOI-based matching for maximum accuracy when DOIs are available, falling
227 back to title and year matching for entries without DOIs. This approach
228 eliminates the common problem of duplicate references appearing in bibliographies
229 when the same paper appears in multiple source files. ■

230 *3.1. Modular Content Organization* ■

231 The framework's modular structure facilitates collaborative writing by
232 isolating different manuscript components into separate files. Each section,
233 from the introduction through the discussion, exists as an independent LaTeX
234 file that can be edited without affecting other sections. This organization
235 minimizes merge conflicts in version control systems and allows multiple
236 authors to work simultaneously on different parts of the manuscript. The
237 shared metadata system ensures that changes to author lists, affiliations, or
238 keywords propagate automatically across the main manuscript, supplementary
239 materials, and revision documents without requiring manual updates in multiple
240 locations. ■

241 3.1. Version Tracking and Difference Generation

242 The integrated version control system maintains a complete history of
243 manuscript evolution through the archive mechanism. Each archived version
244 receives a timestamp and sequential version number, creating a clear audit
245 trail of document development. The automatic difference generation produces
246 professionally formatted PDFs highlighting textual changes between versions,
247 using color coding to indicate additions and deletions. This functionality
248 proves particularly valuable during peer review, where revision letters must
249 clearly document modifications made in response to reviewer comments. The
250 system handles this process automatically, requiring only simple Makefile
251 commands rather than manual execution of `latexdiff` with complex parameters.
252 1) and tables (Table ??).

253 4. Discussion

254 The SeiTEx Writer framework addresses fundamental challenges in scientific
255 manuscript preparation by combining containerized compilation, modular
256 organization, and automated asset management into a cohesive workflow.
257 The system demonstrates that technical infrastructure for manuscript writing
258 can be both powerful and accessible, reducing friction in the research communication
259 process while maintaining the flexibility and control that LaTeX provides.

260 4.1. Advantages of the Containerized Approach

261 The container-based compilation system represents a significant departure
262 from traditional LaTeX workflows and offers substantial practical benefits.
263 By encapsulating the entire compilation environment, the framework eliminates
264 the common scenario where manuscripts compile successfully on one author's
265 machine but fail on collaborators' systems due to package version differences.
266 This reproducibility becomes increasingly important as research teams become

267 more distributed and as long-term document maintenance requires compilation
268 environments to remain stable over years. The approach also reduces the
269 barrier to entry for researchers new to LaTeX, as they need not navigate the
270 complexities of installing and configuring a local TeX distribution. The dual
271 support for Docker and Singularity ensures compatibility across institutional
272 computing environments, from personal workstations to high-performance
273 computing clusters where Docker may be unavailable for security reasons. ■

274 *4.1. Implications for Collaborative Writing* ■ ■

275 The modular architecture facilitates collaborative workflows in ways that
276 traditional monolithic LaTeX documents cannot. By separating content into
277 individual files for each section and maintaining shared metadata in a central
278 location, the system minimizes merge conflicts that plague collaborative
279 document editing. Multiple authors can simultaneously work on different
280 sections, commit their changes independently, and merge updates without
281 the conflicts that arise when editing a single large file. The automatic
282 propagation of metadata changes across multiple output documents ensures
283 consistency without requiring authors to remember to update information in
284 multiple locations. This design aligns well with modern software development
285 practices adapted for scientific writing, where version control and modular
286 design have become essential for managing complexity. ■

287 *4.1. Comparison with Existing Solutions* ■ ■

288 Compared to cloud-based platforms like Overleaf, SciTeX Writer offers
289 greater control over the compilation environment and eliminates dependency
290 on internet connectivity, which can be crucial for researchers working in
291 bandwidth-limited environments or on sensitive projects requiring air-gapped
292 systems. Unlike simple template repositories, the framework provides active
293 workflow automation through Makefiles and preprocessing scripts rather than
294 merely offering formatting guidelines. The system complements rather than

295 replaces Git-based workflows, adding a layer of manuscript-specific tooling
296 while maintaining compatibility with standard version control practices. Where
297 other solutions address individual aspects of the manuscript preparation
298 challenge, SciTeX-Writer integrates multiple components into a unified system.

299

300 *4.1. Limitations and Considerations*

301 The framework requires users to have basic familiarity with command-line
302 interfaces and Makefiles, which may present a learning curve for researchers
303 accustomed to graphical editing environments. While the system automates
304 many aspects of document preparation, it remains a LaTeX-based solution
305 and therefore inherits both the power and complexity of the underlying
306 typesetting system. The containerization approach requires Docker or Singularity
307 installation, adding a dependency that, while increasingly common in research
308 computing environments, may not be universally available. The framework is
309 optimized for scientific articles following conventional IMRAD structure and
310 may require adaptation for other document types such as books or technical
311 reports. Future development could address these limitations through optional
312 graphical interfaces, expanded documentation for LaTeX newcomers, and
313 templates adapted for diverse document formats.

314 *4.1. Future Directions and Extensibility*

315 The modular design of SciTeX-Writer enables natural extension points
316 for additional functionality. Integration with continuous integration systems
317 could enable automatic compilation and validation of manuscripts upon each
318 commit, catching formatting errors early in the writing process. Support
319 for additional output formats beyond PDF, such as HTML for web-based
320 preprint servers, could be achieved through integration with tools like pandoc.
321 The preprocessing scripts could be extended to handle additional asset types
322 or to perform automated quality checks on figures and tables. The system

323 could also incorporate automated journal formatting through integration
324 with journal-specific style files, reducing the effort required to adapt manuscripts
325 for different submission targets. As the research community continues to
326 develop tools for reproducible research, SciTeX-Writer provides a foundation
327 that can incorporate emerging best practices while maintaining backward
328 compatibility with existing manuscripts.

329 4.1. *Conclusions*

330 SciTeX-Writer demonstrates that scientific manuscript preparation can be
331 systematized without sacrificing flexibility or imposing rigid constraints on
332 content. By addressing reproducibility, modularity, and automation through
333 a unified framework, the system reduces technical overhead and allows researchers
334 to focus on the intellectual work of communicating their findings. The
335 self-documenting nature of this template provides both an example of the
336 system's capabilities and a starting point for new manuscripts. As research
337 communication continues to evolve, frameworks like SciTeX-Writer that prioritize
338 reproducibility and collaborative workflows will become increasingly valuable
339 for maintaining the quality and accessibility of scientific literature. Replace
340 this with your discussion. Interpret findings, compare with previous work,
341 discuss limitations, and state conclusions.

342 References

- 343 [1] First Author and Second Author. Example article title. *Journal Name*,
344 1:1–10, 2020. doi: 10.1234/example.2020.
- 345 [2] First Method and Second Method. Example method reference. *Methods*
346 *Journal*, 5:100–115, 2019. doi: 10.1234/method.2019.

347 Data Availability Statement

348 The SciTeX-Writer is available at .

349 For questions regarding data access or analysis procedures, please contact
350 data and code that support the findings of this study are available from the
351 corresponding author upon reasonable request.

352 Ethics Declarations

353 All study participants provided their written informed consent...Replace
354 with your ethics statement.

355 Author Contributions

356 Y.W., T.Y., and D.G. conceptualized the study...Replace with author
357 contributions.

358 Acknowledgments

359 This research was funded by ...Replace with acknowledgments.

360 Declaration of Interests

361 The authors declare that they have no competing interests.

362 Declaration of Generative AI in Scientific Writing


363 The authors employed large language models such as Claude (Anthropic
364 Inc.) for code development and complementing manuscript's English language
365 quality. After incorporating suggested improvements, the authors meticulously
366 revised the content. Ultimate responsibility for the final content of this
367 publication rests entirely with the authors Disclose any use of generative AI
368 tools here.

369 Tables**Table 1 – Placeholder table demonstrating the table format for this manuscript template**

To add tables to your manuscript, place CSV files in `caption_and_media/` with format `XX_description.csv`, create matching caption files `XX_description.tex`, and reference in text using `Table~\ref{tab:XX_description}`. Example can be seen at `01_seizure_count.csv` with `01_seizure_count.tex`


Step	Instructions
1. Add CSV	Place file like <code>01_data.csv</code> in <code>caption_and_media/</code>
2. Add Caption	Create <code>01_data.tex</code> with table caption
3. Compile	Run <code>./compile -m</code> to process tables
4. Reference	Use <code>\ref{tab:01_data}</code> in manuscript

³⁷⁰ **Figures**



Missing Figure
01_example_figure

Figure 1 – Example figure caption. This is a template showing how to include figures in your manuscript. Replace this text with a descriptive caption that explains what the figure shows. Include panel labels (A, B, C) if using multipanel figures. Explain abbreviations and symbols used in the figure. Provide sufficient detail that readers can understand the your figure without referring to the main textcaption.



Missing Figure 02_another_example

Figure 2 – Another example figure. Use this template to add additional figures to Replace with your manuscript. Each figure should be placed in a separate .tex file in this directory. The compilation system will automatically process and include these figures in your manuscript caption.