
[illegible]

20

$$B \quad A \quad B \quad \overline{C}$$

D $ABC\bar{C}$ $A\bar{B}C$ $\bar{A}BC$

•

$$B \quad \overline{A} \quad \overline{B}$$
$$D \quad P(A \mid B) \quad P(A)$$
$$f(x) = \begin{cases} x, & 0 \leq x \leq 1 \\ a - x, & 1 \leq x \leq 2, \\ 0, & \text{otherwise} \end{cases}$$

•

D 0.5

$$N(\mathbf{1}, \mathbf{1}^2)$$
$$P(\left| \begin{array}{c} 1 \\ 1 \end{array} \right| 1) \quad P(\left| \begin{array}{c} 2 \\ 1 \end{array} \right| 1)$$

D 1 2

5 $Cov(,) = 0$.

A B
 C $D()$ D D D $E()$ E E
 5 4 20

1 3 4 3
 _____.

2 A B $P(A) = 0.5$ $P(B) = 0.4$ $P(A \cap B)$
 _____.

3 $P_k = a \frac{3^k}{k!}, (k = 0, 1, 2, 3, \dots)$ a
 _____.

4 $f(x) = \frac{1}{2}e^{-|x|}$ x
 $F(x) =$ _____.

5 4 1 0.5
 $D(3 - 2)$ _____.
 10 0.03
 0.02.
 . 1
 2

10 4 T
 0.75 1 2
 3

.

$$10 \qquad \qquad \qquad 1 \quad 6$$

$$x^2 \qquad x \quad 1 \quad 0$$

$$10$$

$$f(x) \qquad \begin{matrix} 2(1-x), & 0 \leq x \leq 1 \\ 0, & \end{matrix},$$

$$E \text{ , } D \text{ .}$$

$$10 \qquad \qquad \qquad (\text{ , })$$

<div></div>	0	1
0	$\frac{2}{25}$	b
1	a	$\frac{3}{25}$
2	$\frac{1}{25}$	$\frac{2}{25}$

$$P(\quad 1 | \quad 0) = \frac{3}{5}. \text{ (1) } \qquad a,b \qquad \qquad 2 \qquad a,b \qquad 1$$

$$10 \qquad \qquad \qquad (\text{ , })$$

$$f \left(x,y \right) \qquad \begin{matrix} 1, & 0 \leq x \leq 1, & 0 \leq y \leq 2x \\ 0, & \end{matrix}$$

$$1 \quad (\text{ , }) \qquad \qquad \qquad f \left(x \right) \quad f \left(x \right)$$

2

2

$f(z)$

5

5