

---

---

4 [ 1 ]

[ ]

(A)

C					100				
2012					6	28			
5					4	20			
1	C	2	D	3	B	4	A	5	D
5					4	20			
1	$\frac{3}{8}$	2	0.7						
3	$e^{-3}$	4	$\frac{1}{2}e^x, \quad x=0$				5	34	
1					$\frac{1}{2}e^{-x}, \quad x=0$				

(10 )

$$A_1 \text{ " " } A_2 \text{ " "}$$

$$B \text{ " "}$$

$$P(B) = \sum_{i=1}^2 P(A_i)P(B|A_i) = \frac{2}{3} \cdot 0.97 + \frac{1}{3} \cdot 0.98 = \frac{73}{75}$$

$$P(A_2|\bar{B}) = \frac{P(A_2)P(\bar{B}|A_2)}{P(\bar{B})} = \frac{\frac{1}{3} (1 - 0.98)}{1 - \frac{73}{75}} = \frac{1}{4}$$

(10 )

$$T \sim B(4, 0.75)$$

$$(1) P(T=1) = 1 - P(T=0) = 1 - (1 - 0.75)^4 = 1 - (0.25)^4 = \frac{255}{256}$$

$$(2) P(T=2) = C_4^2 (0.75)^2 \cdot (0.25)^2 = \frac{27}{128}$$

$$(3) P(4) = C_4^4 (0.75)^4 \frac{81}{256}$$

(10 )

(1, 6)

$$f(x) = \begin{cases} \frac{1}{5}, & 1 \leq x \leq 6 \\ 0, & \text{otherwise} \end{cases}$$

$\frac{1}{2}$

$$x^2 - x - 1 = 0 \quad x^2 - 4 = 0 \quad | \quad | \quad 2 \quad \frac{1}{2}$$

$$P(|X| \leq 2) = 1 - P(|X| > 2) = 1 - \int_2^{\infty} \frac{1}{5} dx = 1 - \frac{1}{5} = \frac{4}{5}$$

(10 )

$$E[X] = \int_0^1 x f(x) dx = \int_0^1 x \cdot 2(1-x) dx = \frac{1}{3}$$

$$E[X^2] = \int_0^1 x^2 f(x) dx = \int_0^1 x^2 \cdot 2(1-x) dx = \frac{1}{6}$$

$$D[X] = E[X^2] - (E[X])^2 = \frac{1}{6} - \left(\frac{1}{3}\right)^2 = \frac{1}{18}$$

(10 )

(1)  $a, b$

$$\frac{2}{25}b + a = \frac{3}{25} \quad \frac{1}{25} \frac{2}{25} = 1$$

$$a + b = \frac{17}{25}$$

$$P(X=1|Y=0) = \frac{P(X=0, Y=1)}{P(Y=0)} = \frac{\frac{b}{25}}{\frac{2}{25}b} = \frac{3}{5}$$

$$b = \frac{3}{25} \quad a + b = \frac{17}{25} \quad a = \frac{14}{25}$$

$$(2) \quad a = \frac{14}{25} \quad b = \frac{3}{25} \quad P(X=0) = \frac{5}{25}, P(X=0) = \frac{17}{25}$$

$\frac{1}{2}$

$$P(X=0, Y=0) = P(X=0)P(Y=0)$$

$\frac{1}{2}$

(10 )

(1)

$$x \in (0,1) \quad f(x) = \int_0^{2x} dy = 2x$$

$$x \in (0,1) \quad f(x) = 0$$

$$f(x) = \begin{cases} 2x, & 0 \leq x \leq 1 \\ 0, & \text{elsewhere} \end{cases} \quad \mathbb{P}_2$$

$$y \in (0,2) \quad f(y) = \int_{\frac{y}{2}}^1 dx = 1 - \frac{y}{2}$$

$$y \in (0,2) \quad f(y) = 0$$

$$f(y) = \begin{cases} 1 - \frac{y}{2}, & 0 \leq y \leq 2 \\ 0, & \text{elsewhere} \end{cases} \quad \mathbb{P}_2$$

(2)  $F(z)$ ,

$$z \leq 0 \quad F(z) = P(Z \leq z) = P(2 - Z \leq z) = 0 \quad \mathbb{P}_2$$

$$0 \leq z \leq 2 \quad F(z) = P(Z \leq z) = 1 - P(2 - Z \leq z) = 1 - P(2 - Z \leq z) = 1 - \int_{2-z}^2 f(x,y) dx dy$$

$$= 1 - \int_{\frac{z}{2}}^1 dx \int_0^{2x-z} dy = 1 - \frac{z^2}{4} \quad \mathbb{P}_2$$

$$z \geq 2 \quad F(z) = \int_{2-z}^2 f(x,y) dx dy = \int_0^1 dx \int_0^{2x} dy = 1 \quad \mathbb{P}_2$$

$$f(z) = F'(z) = \begin{cases} 1 - \frac{z}{2}, & 0 \leq z \leq 2 \\ 0, & \text{elsewhere} \end{cases}$$

$\mathbb{P}_0$