

# Assignment 2

## 1.1 Are either $\lceil \lg n \rceil!$ or $\lceil \lg \lg n \rceil!$ polynomially bounded?

Polynomially bounded means  $f_n = O(n^k)$  for some constant  $k$  (e.g., whether  $f_n \leq c \cdot n^k$  for constants  $c$  and  $k$  as  $n$  approaches  $\infty$ ).

For the first function, let  $n = 2^a$  (where  $a \in \mathbb{N}$ ). This reduces the  $\lg$  and removes the ceil.

$$\begin{aligned}\lceil \lg n \rceil! &\leq c \cdot n^k \\ \lg(2^a)! &\leq c \cdot (2^a)^k \\ a! &\leq c \cdot 2^{ak}\end{aligned}$$

## 1.2 Use induction to prove $F_i = \frac{\phi^i - \hat{\phi}^i}{\sqrt{5}}$ ; where $F_i = F_{i-2} + F_{i-1}$ , and $\phi$ is the golden ratio $\frac{1+\sqrt{5}}{2}$ .

## 1.3 Show that $k \lg k = \Theta(n)$ implies $k = \Theta\left(\frac{n}{\lg n}\right)$ .

## 1.4 Are either $2^{n+1}$ or $2^{2n}$ big- $O$ of $2^n$ ?

## 1.5 For each pair of functions $(A, B)$ , indicate whether $A$ is $O, o, \Omega, \omega$ , or $\Theta$ of $B$ . Assume $k \geq 1$ , $\epsilon > 0$ , $c > 1$ are constants.

$A$	$B$	$O$	$o$	$\Omega$	$\omega$	$\Theta$
$\lg^k n$	$n^\epsilon$	yes	yes	yes	yes	yes
$n^k$	$c^n$	yes	yes	yes	yes	yes
$\sqrt{n}$	$n^{\sin n}$	yes	yes	yes	yes	yes
$2^n$	$2^{n/2}$	yes	yes	yes	yes	yes
$n^{\lg c}$	$c^{\lg n}$	yes	yes	yes	yes	yes
$\lg(n!)$	$\lg(n^n)$	yes	yes	yes	yes	yes
$A$	$B$	yes	yes	yes	yes	yes

- 1.6 Order the following functions such that  $f_1 = \Omega(f_2)$ ,  $f_2 = \Omega(f_3)$ , ...,  $f_{29} = \Omega(f_{30})$ , and partition them into equivalence classes such that each function is big- $\Theta$  of each other.