

Rajshahi Govt. Mohila Polytechnic Institute

Name: Tasmira Easmin Richi

Roll: 491363

Technology: CMT


Semester: 4th

Shift: 2nd


Subject: Object Oriented Programming

Assignment


1. Hello world programming




2. দুটি সংখ্যার যোগফলের প্রোগ্রাম




3. ইনপুট নিয়ে দুটি সংখ্যার যোগফল নির্ণয় program



4. ইনপুট নিয়ে তিনটি সংখ্যার মধ্যে বড় সংখ্যাটি নির্ণয়ের প্রোগ্রাম



5. শর্তসাপেক্ষ ত্রিভুজের ক্ষেত্রফল নির্য program



The screenshot shows the Microsoft Visual Studio IDE with a C# program open. The program is titled "শর্তসাপেক্ষ_ত্রিভুজের_ক্ষেত্রফল_নির্য" and is located in the "Program.cs" file. The code defines a namespace, a class, and a static method Main that takes an array of strings as input. It prompts the user to enter the lengths of three sides, converts them to doubles, and then checks if they can form a valid triangle using the triangle inequality theorem. If valid, it calculates the area using Heron's formula and prints the result. If not valid, it prints "not a valid triangle".

```
using System;


namespace শর্তসাপেক্ষ_ত্রিভুজের_ক্ষেত্রফল_নির্য
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("enter the length of side 1:");
            double a = Convert.ToDouble(Console.ReadLine());
            Console.WriteLine("enter the length of side 2:");
            double b = Convert.ToDouble(Console.ReadLine());
            Console.WriteLine("enter the length of side 3:");
            double c = Convert.ToDouble(Console.ReadLine());

            if (a < 0 || b < 0 || c < 0 || (a + b <= c) || (a + c <= b) || (b + c <= a))
            {
                Console.WriteLine("not a valid triangle");
                Console.ReadKey();
            }

            double s = (a + b + c) / 2;
            double area = Math.Sqrt(s * (s - a) * (s - b) * (s - c));

            Console.WriteLine("area of a triangle= {0}", area);
            Console.ReadKey();
        }
    }
}
```

6. দ্বিঘাত সমীকরণ program




The screenshot shows the Microsoft Visual Studio IDE with a C# program open. The program is titled "দ্বিঘাত সমীকরণ এর প্রোগ্রাম" and is located in the "Program.cs" file. The code defines a namespace, a class, and a static method Main that takes an array of strings as input. It prompts the user to enter the coefficients a, b, and c of a quadratic equation. It then calculates the discriminant D = b^2 - 4ac. If D is greater than 0, it calculates the two real roots r1 and r2 using the quadratic formula and prints them. If D is equal to 0, it calculates the single real root r and prints it. If D is less than 0, it prints "Root are Imaginary".


```
using System;

namespace দ্বিঘাত সমীকরণ এর প্রোগ্রাম
{
    public class Program
    {
        public static void Main(string[] args)
        {
            double a = Convert.ToDouble(Console.ReadLine());
            double b = Convert.ToDouble(Console.ReadLine());
            double c = Convert.ToDouble(Console.ReadLine());
            Double D = (b * b - 4 * a * c);
            if (D > 0)
            {
                Double r1 = (-b + Math.Sqrt(D)) / 2 * a;
                Double r2 = (-b - Math.Sqrt(D)) / 2 * a;
                Console.WriteLine("Root is = {0}, {1}", r1, r2);
            }
            else if (D == 0)
            {
                double r = -b / 2 * a;
                Console.WriteLine("Root is = {0}", r);
            }
            else
            {
                Console.WriteLine("Root are Imaginary");
                Console.ReadKey();
            }
        }
    }
}
```


7. Data Abstraction program




8. Single Inheritance




9. Constructor Method



10. Destructor Method



11. Multilevel Inheritance




The screenshot shows the Microsoft Visual Studio IDE with a C# program titled "Multilevel Inheritance". The code is as follows:

```
using System;

namespace Multilevel_Inheritance
{
    public class Animal
    {
        public void Eat()
        {
            Console.WriteLine("Eating");
        }
    }
    public class Tiger : Animal
    {
        public void Roar()
        {
            Console.WriteLine("Roaring");
        }
    }
    public class BabyTiger : Tiger
    {
        public void Weep()
        {
            Console.WriteLine("Weeping");
        }
    }
    public class MultilevelInheritance
    {
        public static void Main(string[] args)
        {
            BabyTiger obj=new BabyTiger();

            obj.Eat();
        }
    }
}
```

The interface shows the file explorer on the left with "Program.cs" selected. The bottom status bar indicates the current line is 4, column 2, character 2.



The screenshot shows the same Visual Studio IDE but with the program running. The "Program.cs" file is open, and the "IntelliTrace" window on the right is active. The output console in the bottom right corner displays the following text:

```
Eating
Roaring
Weeping
```

The "IntelliTrace" window on the right contains the following text:

To view IntelliTrace data, you must break execution of your application.


[Break All](#)

More options:


- [Open IntelliTrace Settings](#)
- [Disable Just My Code](#)
- [Learn more about IntelliTrace](#)

The bottom status bar indicates the current line is 4, column 2, character 2.


12. Hierarchical Inheritance



13. Multiple Inheritance



14. Overloading Method (Polymorphism)



15. for loop a সিরিজের যোগফল($1+2+3+.....+100$)

