

Problem Statement and Goals

Mechatronics Engineering

Team #1, Back End Developers

Jessica Bae

Oliver Foote

Jonathan Hai

Anish Rangarajan

Nish Shah

Labeeb Zaker

Table 1: Revision History

Date	Developer(s)	Change
September 25th	N/A	Initial documentation

1 Problem Statement

1.1 Motivation Problem

Dr. Luciana Macedo investigates treatment strategies for elders with lumbar spinal disorders (LSS), particularly focused on Ecological Momentary Assessment (EMA). EMA aims to study the thoughts, experiences, and behaviours of patients' daily lives by repeatedly collecting data in their day-to-day environment, at or close to the time they carry out that particular behaviour.

Since Dr. Macedo's EMA work is focused on analyzing the daily activities and symptoms of mostly-elderly people with mobility issues, her solution needs to capture their slow and subtle movements. In order to accomplish this, she and her students have attempted to use various smart-watch-esque activity tracking devices along with various software applications to prompt their patients with questions. However, they have been frustrated with very limited success.

Their current system works on a time-based prompt-system, asking questions at regular intervals throughout the day. This isn't as useful, as they are rather interested in the experiences of their patients when certain events or triggers happen. In addition, all of her data collection methods are heavily segregated and inefficient. In order to report their symptoms, a patient must input their answers into a smart watch, a mobile app, a website, etc. According to Dr. Macedo, this is not quite user-friendly especially when it comes to a group of elderly patients, and incredibly annoying and difficult for a researcher to analyze the gathered data. Importantly, the existing commercial products are designed to capture the activities of healthy and active people, which contrasts with what she is trying to capture: shuffling, limping, slower walking, etc.

This solution device would have to capture the subtle and slow movement of elderly patients with lumbar spinal stenosis (LSS) and prompt them with pre-determined questions when they stop or make certain type of movements. It will then have to collect and send those data back to Dr. Macedo for her analysis.

1.2 Inputs and Outputs

[Inputs]

- Patient's movements
- Self responses to given prompt questions

[Outputs]

- Data points
- User-friendly graphs for interpretation

1.3 Stakeholders

- Dr. Luciana Macedo of School of Rehabilitation Science at McMaster University.

1.4 Environment

[\[Hardware and software —SS\]](#)

1.5 Constraints

Medical constraints.

2 Base Goals

Goal	Explanation and Reasoning
Tacking Minor Movements	Most activity trackers make it difficult to track minor movements. They are generally created for highly mobile individuals such as athletes or similar. Since our target audience will be older adults who have back and spinal problems, their movements will not be as pronounced as an athletic persons might be. For this reason we need to improve the sensitivity of these trackers and make sure minor movements are appropriately accounted for.
Event Based Prompting	We want our tracker to be able to prompt individuals when it detects that a particular event has occurred, such as no movement after a period of movement. Once prompted the individual will be asked to complete a Ecological Momentary Assessment (EMA) survey, in which they will be prompted with specific questions about why they stopped moving. Having some high visibility prompting system such as audio and visual queues would be helpful in ensuring users are properly notified that they should complete the EMA. This data collection is required for Dr. Macdeo's research.
Battery Life	We are seeking to reach a minimum battery life of one day which will allow for daytime tracking and nighttime charging. This is a relatively standard practice with most smartphones and activty trackers performing in this manner. If a user has experienced using one of these devices the expectation of nightly charging would be acceptable. By not requiring the user to charge the device during the day we will be able to successfully track their activities without potentially losing some data to charge the device halfway through.
Highly Simplistic User Interface/Hardware design	Bequase our user base is going to be the older adult population, some of whom many not use smartphones or smart activity trackers, it is essentially that the design of our user interface and hardware be intuitive to a user without a lot of experience using smart technology. This also improves the likelihood that a user will fill out the survery successfully and quickly when prompted to do so.
Graphical Presentation of Data	Dr. Macedo requested that we process the collected data into an easy to interept graphical representation that could be used for her research and displayed to the user to provide feedback on the activities that have been tracked throughout the day. This will allow the users to better understand their movements and keep them on track for rehabilitation purposes, and help "advise" Dr. Macedo's future recommendations for rehabilitation.

3 Stretch Goals

Goal	Explanation and Reasoning
Anomoly Detec- tion	We want to be able to detect when certain anamolies occur, such as a user suddenly stopping movement. The goal is to detect multiple different events to be defined later.
Geotagging Events and Movements	This would be an additional benefit to the researchers. This data can show if the majority of movement is happening close to home or away form home for example and along with the EMA survey can help researchers better understand how the users movements changed in a location and time based manner.
Movement based-charging system	Having a system that charges using movement could be benifical to users and help extend usable time. This would mean less charging and greater convinence. We could also strive to reduce the power draw of the device when it is not in use to improve convinence.
x	x.
x	x