pst-ovl

Helper functions for overlays; v.0.07b

Herbert Voß

April 13, 2023

Contents

1 Overlays

References 2

1 Overlays

Overlays are mainly of interest for making slides, and the overlay macros described in this section are mainly of interest to TeX macro writers who want to implement overlays in a slide macro package. For example, the seminar package, a LATeX style for notes and slides, uses PSTricks to implement overlays.

Overlays are made by creating an "'\hbox" and then outputting the box several times, printing different material in the box each time. The box is created by the commands

\psoverlaybox < stuff >\endpsoverlaybox

LATEX users can instead write:

\begin{psoverlaybox} <stuff> \end{psoverlaybox}

The material for overlay <number> should go within the scope of the command \psoverlay{number}

<number> can be any any number, after expansion. Anything not in the scope of any \psoverlay command goes
on overlay "'0", and material within the scope of \psoverlay{-1} goes on all the overlays. \psoverlay commands
can be nested and can be used in math mode. The command

 $\verb|\putoverlaybox| \{number\}|$

then prints overlay <number>. Here is an example:

References 2

Foam Cups Damage Environment

Study Says.

 $\begin{array}{c} \text{Less} \\ \text{than Paper Cups,} \end{array}$

```
\psoverlaybox
\psoverlay{-1}
\psframebox[framearc=.15,linewidth=1.5pt]{%
  \psoverlay{0}
  \parbox{3.5cm}{\raggedright
    Foam Cups Damage Environment {\psoverlay{1} Less than
    Paper Cups,} Study Says.}}
\endpsoverlaybox
\psputoverlaybox{0} \hspace{.5in} \psputoverlaybox{1}
```

It is possible to define macros which hold the numbers:

Foam Cups Damage Environment

Study Says.

Less than Paper Cups,

```
\def\all{-1} \def\main{0} \def\one{1}
\psoverlaybox
\psoverlay{\all}
\psframebox[framearc=.15,linewidth=1.5pt]{%
  \psoverlay{\main}
  \psoverlay{\main}
  \parbox{3.5cm}{\raggedright
    Foam Cups Damage Environment {\psoverlay{\one} Less than
        Paper Cups,} Study Says.}}
\endpsoverlaybox
\psputoverlaybox{\main} \hspace{.5in} \psputoverlaybox{\one}
```

References

- [1] Denis Girou. "Présentation de PSTricks". in Cahier GUTenberg: 16 (april 1994), pages 21-70.
- [2] Michel Goosens **andothers**. *The LATEX Graphics Companion*. Reading, Mass.: Addison-Wesley Publishing Company, 2007.
- [3] Laura E. Jackson and Herbert Voß. "Die Plot-Funktionen von pst-plot". in Die TeXnische Komödie: 2/02 (june 2002), pages 27–34.
- [4] Nikolai G. Kollock. PostScript richtig eingesetzt: vom Konzept zum praktischen Einsatz. Vaterstetten: IWT, 1989.

References 3

[5] Herbert Voß. "Die mathematischen Funktionen von PostScript". **in***Die TeXnische Komödie*: 1/02 (**march** 2002).

- [6] Herbert Voß. PSTricks Grafik für TEX und LATEX. 6. Heidelberg/Berlin: DANTE Lehmanns, 2010.
- [7] Herbert Voß. PSTricks Graphics for TeX and LaTeX. Cambridge: UIT, 2011.
- [8] Herbert Voß. Typesetting mathematics with LATEX. Cambridge: UIT, 2010.
- [9] Eric Weisstein. Wolfram MathWorld. 2007.
- [10] Timothy van Zandt. PSTricks PostScript macros for generic TeX. 1993.
- [11] Timothy van Zandt and Denis Girou. "Inside PSTricks". in TUGboat: 15 (september 1994), pages 239–246.

Index

```
\hbox, 1

Macro
    \hbox, 1
    \psoverlay, 1
    \putoverlaybox, 1

Package
    seminar, 1
\psoverlay, 1
\putoverlaybox, 1

seminar, 1
```