

/Users/dabowang/doris  
/be/src/exec/schema\_scanner  
/schema\_rowsets\_scanner.h

```
graph BT; A["/Users/dabowang/doris  
/be/src/exec/schema_scanner  
/schema_rowsets_scanner.h"] --> B["/Users/dabowang/doris  
/be/src/exec/schema_scanner  
/schema_rowsets_scanner.cpp"]; A --> C["/Users/dabowang/doris  
/be/src/exec/schema_scanner  
/schema_rowsets_scanner.cpp"];
```

The diagram illustrates a file dependency structure. At the top is a header file box containing the path `/Users/dabowang/doris/be/src/exec/schema_scanner/schema_rowsets_scanner.h`. Below it are two source file boxes. The left box contains the path `/Users/dabowang/doris/be/src/exec/schema_scanner/schema_rowsets_scanner.cpp`, and the right box contains the path `/Users/dabowang/doris/be/src/exec/schema_scanner/schema_rowsets_scanner.cpp`. Two blue arrows point from the bottom of each source file box to the bottom of the header file box, indicating that both source files include the header file.

/Users/dabowang/doris  
/be/src/exec/schema\_scanner  
/schema\_rowsets\_scanner.cpp

/Users/dabowang/doris  
/be/src/exec/schema\_scanner  
/schema\_rowsets\_scanner.cpp