

/Users/dabowang/doris
/be/src/vec/exec/scan
/new_odbc_scanner.h

```
graph BT; A["/Users/dabowang/doris<br>/be/src/vec/exec/scan<br>/new_odbc_scan_node.cpp"] --> C["/Users/dabowang/doris<br>/be/src/vec/exec/scan<br>/new_odbc_scanner.h"]; B["/Users/dabowang/doris<br>/be/src/vec/exec/scan<br>/new_odbc_scanner.cpp"] --> C;
```

The diagram illustrates a file dependency structure. At the top is a gray box containing the path to a header file: /Users/dabowang/doris/be/src/vec/exec/scan/new_odbc_scanner.h. Below this box are two white boxes. The left box contains the path to a source file: /Users/dabowang/doris/be/src/vec/exec/scan/new_odbc_scan_node.cpp. The right box contains the path to another source file: /Users/dabowang/doris/be/src/vec/exec/scan/new_odbc_scanner.cpp. Two blue arrows point from the bottom of each white box to the bottom of the gray box, indicating that both source files include the header file.

/Users/dabowang/doris
/be/src/vec/exec/scan
/new_odbc_scan_node.cpp

/Users/dabowang/doris
/be/src/vec/exec/scan
/new_odbc_scanner.cpp