

Chapter 17 Temperature, Thermal Expansion, and Ideal Gas Law

PHYS-102


Conceptual Questions

1. Which has more atoms: 1 kg of iron or 1 kg of aluminum? See the Periodic Table or Appendix F.

1 kg of aluminum will have more atoms. Aluminum has an atomic mass less than iron. Since each Al atom is less massive than Fe atom, there will be more Al atoms than Fe atoms in 1 kg.

10. Figure 17–18 shows a diagram of a simple thermostat used to control a furnace (or other heating or cooling system). The bimetallic strip consists of two strips of different metals bonded together. The electric switch (attached to the bimetallic strip) is a glass vessel containing liquid mercury that conducts electricity when it can flow to touch both contact wires. Explain how this device controls the furnace and how it can be set at different temperatures

The bimetallic strip is made of two types of metal joined together. The metal of the outside strip has a higher coefficient of linear expansion than that of the inside strip, so it will expand and contract more dramatically. If the temperature goes above the thermostat setting, the outer strip will expand more than the inner, causing the spiral to wind more tightly and tilt the glass vessel so that the liquid mercury flows away from the contact wires and the heater turns off. If the temperature goes below the thermostat setting, the vessel tilts back as the outer strip contracts more than the inner and the spiral opens, and the heater turns on. Moving the temperature setting lever changes the initial position of the glass vessel. For instance, if the lever is set at 50, the vessel is tilted with the mercury far from the contact wires. The outer strip has to shrink significantly to uncurl the spiral enough to tilt the vessel back.



13. When a cold mercury-in-glass thermometer is first placed in a hot tub of water, the mercury initially descends a bit and then rises. Explain.

Problems

17-1 Atomic Theory

1. How does the number of atoms in a 21.5-g gold ring compare to the number in a silver ring of the same mass?

17-2 Temperature and Thermometers

3. (a) “Room temperature” is often taken to be 68°F. What is this on the Celsius scale? (b) The temperature of the filament in a lightbulb is about 1900°C. What is this on the Fahrenheit scale?

17-4 Thermal Expansion

7. The Eiffel Tower (Fig. 17–19) is built of wrought iron approximately 300 m tall. Estimate how much its height changes between January (average temperature of 2°C) and July (average temperature of 25°C). Ignore the angles of the iron beams and treat the tower as a vertical beam



8. A concrete highway is built of slabs 12 m long (15°C). How wide should the expansion cracks between the slabs be (at 15°C) to prevent buckling if the range of temperature is –30°C to $\pm 50^\circ\text{C}$?

17. It is observed that 55.50mL of water at 20°C completely fills a container to the brim. When the container and the water are heated to 60°C, 0.35 g of water is lost. (a) What is the coefficient of volume expansion of the container? (b) What is the most likely material of the container? Density of water at 60°C is 0.98324 g/mL.

17-7 and 17-8 Ideal Gas Law

31. If 3.80 m^3 of a gas initially at STP is placed under a pressure of 3.20 atm, the temperature of the gas rises to 38.0°C . What is the volume?

34. If 14.00 mol of helium gas is at 10.0°C and a gauge pressure of 0.350 atm, calculate (a) the volume of the helium gas under these conditions, and (b) the temperature if the gas is compressed to precisely half the volume at a gauge pressure of 1.00 atm.

37. A storage tank at STP contains 28.5 kg of nitrogen (N_2). (a) What is the volume of the tank? (b) What is the pressure if an additional 25.0 kg of nitrogen is added without changing the temperature?

41. A sealed metal container contains a gas at 20.0°C and 1.00 atm. To what temperature must the gas be heated for the pressure to double to 2.00 atm? (Ignore expansion of the container.)

44. A helium-filled balloon escapes a child's hand at sea level and 20.0°C . When it reaches an altitude of 3600 m, where the temperature is 5.0°C and the pressure only 0.68 atm, how will its volume compare to that at sea level?

50. An air bubble at the bottom of a lake 37.0 m deep has a volume of 1.00 cm^3 . If the temperature at the bottom is 5.5°C and at the top 18.5°C , what is the volume of the bubble just before it reaches the surface?

17-9 Ideal Gas Law in Terms of Molecules; Avogadro's Number

51. Calculate the number of $\frac{\text{molecules}}{\text{m}^3}$ in an ideal gas at STP.

52. How many moles of water are there in 1.000 L at STP? How many molecules?

General Problems

69. A house has a volume of 870 m^3 . (a) What is the total mass of air inside the house at 15°C ? (b) If the temperature drops to -15°C , what mass of air enters or leaves the house?