

Subject: Mathematics

Investigating patterns in the product of Euler's totient function φ and the sum of divisors function σ

Research Question: What gives rise to the patterns and bounds in the graph of $y = \varphi(x) \cdot \sigma(x)$, and how does this relate to the Riemann zeta function and the Basel problem?

Word count: 225

Zhongyi Li, M26

1 Abstract

This paper aims to investigate patterns in the graph of $y = \varphi(x) \cdot \sigma(x)$.

Contents

1	Abstract	1
2	Introduction	3
3	The zeta function	3
4	An Explanation for the Patterns	4
5	Appendices	4

2 Introduction

Broadly speaking, number theory is the branch of mathematics concerned with the properties of integers. In a school setting, this often includes topics such as divisibility rules, prime factorization, and, most importantly, the **Fundamental Theorem of Arithmetic**.

Theorem 1 (Fundamental Theorem of Arithmetic) *Every integer $n > 1$ can be represented as a product of prime factors in precisely one way, up to the order of the factors.*

This theorem asserts that for any integer n , there exists a unique set of distinct prime numbers p_1, p_2, \dots, p_k , along with their respective exponents $\alpha_1, \alpha_2, \dots, \alpha_k$, such that

$$n = p_1^{\alpha_1} p_2^{\alpha_2} \dots p_k^{\alpha_k}.$$

This form of writing numbers as a product of primes is the key to the proofs delivered in this paper. For example, we can construct all the factors (positive divisors) of a number when given its prime factorization. Namely, they are precisely the numbers of the form

$$d = p_1^{\beta_1} p_2^{\beta_2} \dots p_k^{\beta_k},$$

where $\beta_i \leq \alpha_i$ for all $1 \leq i \leq k$.

3 The zeta function

hello [1] hello!!

4 An Explanation for the Patterns

5 Appendices

References

- [1] Johan Wästlund. *Summing inverse squares by euclidean geometry*. <https://www.math.chalmers.se/~wastlund/Cosmic.pdf>. Accessed: 2025-03-10. Gothenburg, Sweden, 2010.