First Name: _____ Student ID: _____

An Introduction to Calculus (2)

1. Find the following limits.

a.
$$\lim_{x \to 5} (2x + 3)$$

b.
$$\lim_{x\to 2} (-x^2 + 3x - 2)$$

c.
$$\lim_{x \to 1} \frac{x-1}{x+2}$$

d.
$$\lim_{x \to -1} (x^3 + x^2 + x + 1)$$

e.
$$\lim_{x \to 1} \frac{1 - x^3}{x^2 - 1}$$

f.
$$\lim_{x \to 1} \frac{\sqrt{x} - 2}{x - 4}$$

g.
$$\lim_{x \to 1} \frac{x^3 - x^2 - x + 1}{x^3 - 2x^2 + x}$$

h.
$$\lim_{x \to \frac{1}{2}} \frac{3-12x^2}{2x^2+x-1}$$

i.
$$\lim_{x \to 3} \frac{x^3 - 9x^2 + 27x - 27}{x^3 - 27}$$


j.
$$\lim_{x \to -1} \frac{\sqrt{x+9} - 2\sqrt{2}}{x+1}$$

$$k. \lim_{x \to 0} \frac{\sqrt{9-x} - \sqrt{9+x}}{x}$$

1.
$$\lim_{x \to 1} \frac{\sqrt{x} - 1}{\sqrt[3]{x} - 1}$$

2. If $\lim_{x \to 1} f(x) = -2$ and $\lim_{x \to 1} g(x) = 3$, then what is the value of $\lim_{x \to 1} \frac{[f(x)]^3 + [g(x)]^2}{5 - 2g(x)}$?

3. Let a
b be real numbers. Consider two linear functions as shown in the graph.



Evaluate $\lim_{x \to a} \frac{f(x)}{g(x)}$.

4. Consider the piecewise function f(x) defined below, where A is a constant.

$$f(x) = \begin{cases} A^2x - 3A & if \ x \ge 1 \\ -2 & if \ x < 1 \end{cases}$$

Determine all values of A so that $\lim_{x\to 1} f(x)$ exist.

5. The greatest integer function (or the step/floor function) is defined as f(x) = [x] = n, where n is an integer such that

$$n \le x < n+1$$

a. Sketch the graph of f(x)=[x].

- b. For what values of p do the following one-sided limits exist?
 - i. $\lim_{x \to p^-} f(x)$
 - ii. $\lim_{x \to p^+} f(x)$
- c. For what values of p do the right and left hand limits exist, but $\lim_{x \to p^-} f(x) \neq \lim_{x \to p^+} f(x)$?

d. For what values of p does $\lim_{x\to p} f(x)$ exist?

6. Analyse the continuity of the functions:

a.
$$f(x) = \begin{cases} \sin(x) - 1, & x < -\pi \\ x^2 - \pi^2, & -\pi \le x \le 0 \\ -\pi^2 + x, & x > 0 \end{cases}$$

b.
$$f(x) = \begin{cases} \frac{|x|}{x} & \text{if } x \ne 0 \\ a & \text{if } x = 0 \end{cases}$$
 where a is a real number.

- 7. Give an example of functions f(x) and g(x) such that $\lim_{x\to 1} (f(x) + g(x))$ exists but $\lim_{x\to 1} f(x)$ and $\lim_{x\to 1} g(x)$ do not exist.
- **8.** Give an example of function f(x) such that $\lim_{x\to 3} f^2(x)$ exists but $\lim_{x\to 3} f(x)$ do not exist.
- **9.** For each of the following, sketch the graph of a function f(x) that satisfies the given description.
- a. f is continuous for all $x\neq 2$, and has a removable discontinuity at x=2.
- b. The domain of f is $\{x | 0 \le x \le 1, x \in \mathbb{R}\}$, f is continuous from the right at x=0, continuous on 0 < x < 1, and has an infinite discontinuity at x=1.

Calculus Class 9 Homework

10. Find the value of *a* for which the following limit statement is true:

$$\lim_{x \to 1} \frac{\sqrt{a-x} - \sqrt{8+x}}{x-1} = -2$$

11. Evaluate the following limits, using an answer of $+\infty$ or $-\infty$ whenever appropriate.

a.
$$\lim_{x \to \infty} \frac{-14x + 37}{7x - 3}$$

b.
$$\lim_{x \to -\infty} \frac{100 - 3x^2 + 7x^5 - 6x^7}{2x^7 - 1}$$

$$c. \lim_{x \to -\infty} \left(x - \frac{x^2 - 4x + 1}{x - 3} \right)$$

d.
$$\lim_{x \to -\infty} \frac{\sqrt{x^2 + 2}}{x + 1}$$