





# Compass

Revision	Author	Date	Reviewer	Approved By	Changelog	JIRA Story
0.2	Lorin Atzberger - (p)	20 Aug 2020	<input type="checkbox"/> Li, Mingzhou <input type="checkbox"/> Adrian Tut <input checked="" type="checkbox"/> Zhang, Mingming	<input type="checkbox"/> Li, Mingzhou <input type="checkbox"/> Adrian Tut <input checked="" type="checkbox"/> Zhang, Mingming	<ul style="list-style-type: none"> <li>Modified the oriented texts to also work for texts along a path.</li> <li>Removed the anchors from the batch splitting by changing the positioning math.</li> <li>Moved the material changes to TextMaterial::update</li> <li>Move the <a href="#">request.info.coordinateSpace</a> code in ViewStyle.cpp</li> <li>Increment resources_version from '11.6' to '12.6'.<a href="#">Zhang, Mingming</a></li> </ul>	<div>  <a href="#">ATLAS-1000</a> - [Kipawa K2] - Support for offroad compass CLOSED         </div> <div>  <a href="#">ATLAS-1058</a> - Add oriented text support CLOSED         </div>
0.1	Zhang, Mingming	12 Aug 2020	<input type="checkbox"/> Li, Mingzhou <input checked="" type="checkbox"/> Adrian Tut <input type="checkbox"/> Razvan Oprea <input type="checkbox"/> Wu, Chong <input type="checkbox"/> Zhou, Jun <input type="checkbox"/> Wu, Chong	<input type="checkbox"/> Li, Mingzhou <input checked="" type="checkbox"/> Adrian Tut <input type="checkbox"/> Razvan Oprea <input type="checkbox"/> Wu, Chong <input type="checkbox"/> Zhou, Jun <input type="checkbox"/> Wu, Chong	Support for offroad compass and the sub-task: Add oriented text support	<div>  <a href="#">ATLAS-1000</a> - [Kipawa K2] - Support for offroad compass CLOSED         </div> <div>  <a href="#">ATLAS-1058</a> - Add oriented text support CLOSED         </div>

## Table of Contents

- [Introduction](#)
- [Requirements](#)
- [Design](#)
  - [Compass](#)
  - [Oriented text](#)
    - [Shader](#)
    - [Material](#)
- [Limitations and Constraints](#)
- [User Interfaces](#)
  - [Public API](#)
  - [Configuration](#)
- [Change Impact](#)
  - [Performance and Memory Impact](#)
  - [Backward Compatibility Impact](#)
- [Examples](#)
  - [use the default configuration](#)
  - [use the different color](#)
  - [show compass on the multi-views](#)

## Introduction

The user would like to be able to see the compass pointing north when navigating offroad so that he/she is aware of what is the direction where driving, it asks to support the feature of the compass on the map.

## Requirements


1. Overview page: <https://spaces.telenav.com:8443/display/TELENAVEU/K2+2020+Integration+Scope>
2. Updated Kipawa Flows: <https://spaces.telenav.com:8443/display/ARP/UPDATED+++Kipawa+Flows>
3. Zeplin: <https://app.zeplin.io/project/5ca7c52c65b9d234eaf55c34/screen/5cfef2c368714a15d2824204>

Compass is a feature to off-road, the design by UX is as below:

[Breadcrumbs and compass when the user drives off-road](#)

## Design

*Draw in world coordinate, not only support in 2D, but also in 3D.*




The rendering of compass follows below rules:

1. Ring always point North, regardless of the heading of the vehicle
2. Compass render size on screen remains unchanged across different zoom levels.

The "Compass" is composed of 2 parts, which can be configured individually:

- The hollow ring, configurable in size and color
- The configurable glyphs for the four directions (default is N/S/E/W), configurable in size and color

## Compass



## Oriented text

### Shader

Add three new shaders to support ORIENTED text mode, and change only happens in the vertex shader, we will use the MVP matrix to implement the orientation.

<https://bitbucket.telenav.com/projects/NAV/repos/atlas-resources/pull-requests/205/overview>

```
eOrientedTextGlyph,  
eOrientedTextShadow,  
eOrientedTextOutline,
```

the core code is like:

```
pos = a_position* u_view_settings.x // position multiplied by the scale (screen to world space scale) to keep the same size when camera zoom in/out
```



```
gl_Position = pos * mvp // pos * Proj * View * Trans
```

## Text Vertex Shader Comparison


Origin	New
<pre>void main() {     v_uv      = a_uv;     v_opacity = a_opacity;     #if PASS_MODE == 3         vsOut(UNIFORM_BLOCK(ub_proj,u_proj_matrix) * vec4(a_position + u_shadow_offset, 0.0, 1.0));     #else         vsOut(UNIFORM_BLOCK(ub_proj,u_proj_matrix) * vec4(a_position, 0.0, 1.0));     #endif }</pre>	<pre>void main() {     v_uv      = a_uv;     v_opacity = a_opacity;      #ifdef USE_ORIENTATION         highp vec2 pos = a_position;         pos *= UNIFORM_BLOCK(ub_vs,u_view_settings).x;         pos.y *= -1.0;      #if PASS_MODE == 3         vsOut(UNIFORM_BLOCK(ub_mvp,u_mvp_matrix) * vec4(pos + u_shadow_offset, 0.0, 1.0));     #else         vsOut(UNIFORM_BLOCK(ub_mvp,u_mvp_matrix) * vec4(pos, 0.0, 1.0));     #endif // PASS_MODE      #else      #if PASS_MODE == 3         vsOut(UNIFORM_BLOCK(ub_proj,u_proj_matrix) * vec4(a_position + u_shadow_offset, 0.0, 1.0));     #else         vsOut(UNIFORM_BLOCK(ub_proj,u_proj_matrix) * vec4(a_position, 0.0, 1.0));     #endif // PASS_MODE      #endif // USE_ORIENTATION }</pre>

## Material

**Origin** TextMaterial, each pass only supports one text shader, a simple mode that renders text in screen space.



**Now** TextMaterial, each pass can support two text shaders, except the existed simple mode, add an oriented mode that renders text in world space.



**when text.placement is "oriented",** text render will set the ActiveShader as the oriented one in each pass of TextMaterial's ActiveTechnique.

## Limitations and Constraints

### NOTE:

Add oriented text support in the world space(3D), now used in the POIFeature.

For LineFeature, it already has a strategy to support the oriented text(road name), which is that computing path angle of text for rotation it, it always draws in screen space.

Modified the oriented texts to also work for texts along a path. [Lorin Atzberger - \(p\)](#)20 Aug 2020

## User Interfaces

### Public API

Interface Signature	Usage	Sample Code
<pre>virtual bool ITnMapEngine::SetBool(ViewId viewId,                                 eParameter Bool param,                                 bool value);</pre>	Turn on/off compass display dynamically  The style is according to the compass configuration in <b>newstyle.tss</b>	<pre>... // Turn compass ON m_engine-&gt;SetBool(m_viewId, ITnMapEngine::eParameterBool_ShowCompass, <b>true</b>); ... // Turn compass OFF m_engine-&gt;SetBool(m_viewId, ITnMapEngine::eParameterBool_ShowCompass, <b>false</b>);</pre>
<pre>virtual bool GetBool(ViewId viewId,                     eParameterBool param,                     bool&amp; value) const;</pre>	Get a boolean of compass status(ON/OFF)	<pre>// get compass status(ON/OFF)  bool <b>isShowCompass</b>;  m_engine-&gt;GetBool(m_viewId, ITnMapEngine:: eParameterBool_ShowCompass, <b>isShowCompass</b>);</pre>

## Configuration

Add a new annotation named "compass" in newstyle.tss

```
layer_order

{

...
breadcrumb,
compass,
all-models,
smart-bubble,
cvp,

...
}

.....
```

```

layer<annotation> compass[annotation-data="compass"]
{
collision-enabled: disabled;
icon-image: "compass.png";
icon-image: stepped(time-of-day, [0:"compass.png", 1:"compass_night.png"]);
icon-placement: "oriented";
icon-layer-type: "3DImportant";
icon-size: animated(zoom, [14: 60pt, 18: 60pt]);
text-font: @text_regular;
text-placement: "oriented";
text-layer-type: "3DImportant";
text-layer-type: "2DImportant";
text-valignment: "center";
text-opacity: 1.0;
text-color: #000000;
[annotation-data="compass"]
{
text: "N";
text-size: 18;
text-color: animated(time-of-day, [0:#000000, 1:#ffffff]);
text-position-offset: [0,40];
}
[annotation-data="compass"]
{
text: "W";
text-size: 13;
text-opacity: 0.7;
text-color: animated(time-of-day, [0:#000000, 1:#ffffff]);
text-position-offset: [-35,0];
}
[annotation-data="compass"]
{
text: "E";
text-size: 13;
text-opacity: 0.7;
text-color: animated(time-of-day, [0:#000000, 1:#ffffff]);
text-position-offset: [35,0];
}
[annotation-data="compass"]
{
text: "S";
text-size: 13;
text-opacity: 0.7;
text-color: animated(time-of-day, [0:#000000, 1:#ffffff]);
text-position-offset: [0,-35];
}
};
....

```

## Change Impact

## Performance and Memory Impact

*the impact is low, there is only one compass texture + 4 direction glyphs("WSNE"), the vertices number is  $4(\text{compass}) + 4 \times 4(\text{"WSNE"})$*


## Backward Compatibility Impact

no impact, it is a new feature in ATLAS.

Increment resources\_version from '11.6' to '12.6'.

## Examples

use the default configuration



use the different color




```
[annotation-data="compass"]
{
text:"N";
text-size: 18;
text-position-offset: [0,40];
}
[annotation-data="compass"]
{
text: "W";
text-size: 13;
text-opacity: 0.7;

text-color:#ff0000;
text-position-offset: [-35,0];
}
[annotation-data="compass"]
{
text: "E";
text-size: 13;
text-opacity: 0.7;
text-color:#ff0000;
text-position-offset: [35,0];
}
[annotation-data="compass"]
{
text: "S";
text-size: 13;
text-opacity: 0.7;
text-color:#ff0000;


text-position-offset: [0,-35];
}
```

**2D**

**3D**




show compass on the multi-views



3D outline text

```
[annotation-data="compass"]
{
  text:"N";
  text-size: 18;
  text-color: animated(time-of-day, [0:#000000, 1:#ffffff]);
  text-outline-width: 2;
  text-outline-color: animated(time-of-day, [0:#ff0000, 1:#161616]);
  text-outline-opacity: 0.5;
  text-position-offset: [0,40];
}
```



The video:

