

主要是给出了两个 framework , 一个用于通过 3-SAT 证明 NP-hard , 这个结构与 3-SAT 对应 (可以做一点的修改) ;
 一个用于证 PSPACE-hard , 与 Super Mario Bros. Is HarderEasier than We Thought 和
 Gaming is a hard job, but someone has to do it 中的类似, 需要实现一个 open-close door

Classic Nintendo Games are (Computationally) Hard

Greg Aloupis* Erik D. Demaine† Alan Guo†‡ Giovanni Viglietta§

February 10, 2015

Abstract

We prove NP-hardness results for five of Nintendo’s largest video game franchises: Mario, Donkey Kong, Legend of Zelda, Metroid, and Pokémon. Our results apply to generalized versions of Super Mario Bros. 1–3, The Lost Levels, and Super Mario World; Donkey Kong Country 1–3; all Legend of Zelda games; all Metroid games; and all Pokémon role-playing games. In addition, we prove PSPACE-completeness of the Donkey Kong Country games and several Legend of Zelda games.

1 Introduction

A series of recent papers have analyzed the computational complexity of playing many different video games [1, 4, 5, 6], but the most well-known classic Nintendo games have yet to be included among these results. In this paper, we analyze some of the best-known Nintendo games of all time: Mario, Donkey Kong, Legend of Zelda, Metroid, and Pokémon. We prove that it is NP-hard, and in some cases PSPACE-hard, to play generalized versions of most games in these series. In particular, our NP-hardness results apply to the NES games Super Mario Bros. 1–3, Super Mario Bros.: The Lost Levels, and Super Mario World (developed by Nintendo); to the SNES games Donkey Kong Country 1–3 (developed by Rare Ltd.); to all Legend of Zelda games (developed by Nintendo);¹ to all Metroid games (developed by Nintendo); and to all Pokémon role-playing games (developed by Game Freak and Creatures Inc.).² Our PSPACE-hardness results apply to the SNES games Donkey Kong Country 1–3, and to The Legend of Zelda: A Link to the Past. Some of the aforementioned games are also complete for either NP or PSPACE. All of these results are new.³

*Chargé de Recherches du FNRS, Département d’Informatique, Université Libre de Bruxelles, aloupis.greg@gmail.com. Work initiated while at Institute of Information Science, Academia Sinica.

†MIT Computer Science and Artificial Intelligence Laboratory, 32 Vassar St., Cambridge, MA 02139, USA, {edemaine, aguo}@mit.edu

‡Partially supported by NSF grants CCF-0829672, CCF-1065125, and CCF-6922462.

§School of Electrical Engineering and Computer Science, University of Ottawa, Canada, viglietta@gmail.com.

¹We exclude the Zelda CD-i games by Philips Media, which Nintendo does not list as part of the Legend of Zelda series.

²All products, company names, brand names, trademarks, and sprites are properties of their respective owners. Sprites are used here under Fair Use for the educational purpose of illustrating mathematical theorems.

³A humorous paper (<http://www.cs.cmu.edu/~tom7/sigbovik/mariox.pdf>) and video (<http://www.youtube.com/watch?v=HhGI-GqAK9c>) by Vargomax V. Vargomax claims that “generalized Super Mario Bros. is NP-complete”, but both versions have no actual proof, only nonsensical content.

For these games, we consider the decision problem of reachability: given a stage or dungeon, is it possible to reach the goal point t from the start point s ? Our results apply to generalizations of the games where we *only* generalize the map size and leave all other mechanics of the games as they are in their original settings. Most of our NP-hardness proofs are by reduction from 3-SAT, and rely on a common construction. Similarly, our PSPACE-completeness results for Legend of Zelda: A Link to the Past and Donkey Kong Country games are by a reduction from True Quantified Boolean Formula (TQBF), and rely on a common construction (inspired by a metatheorem from [5]). In addition, we show that several Zelda games are PSPACE-complete by reducing from PushPush-1 [3].

We can obtain some positive results if we bound the “memory” of the game. For example, recall that in Super Mario Bros. everything substantially off screen resets to its initial state. Thus, if we generalize the stage size in Super Mario Bros. but keep the screen size constant, then reachability of the goal can be decided in polynomial time: the state space is polynomial in size, so we can simply traverse the entire state space and check whether the goal is reachable. Similar results hold for the other games if we bound the screen size in Donkey Kong Country or the room size in Legend of Zelda, Metroid, and Pokémon. The screen-size bound is more realistic (though fairly large in practice), while there is no standard size for rooms in Metroid and Pokémon.

Membership in PSPACE. Most of the games considered are easy to show belong to PSPACE, because every game element’s behavior is a simple (deterministic) function of the player’s moves. Therefore, we can solve a level by making moves nondeterministically while maintaining the current game state (which is polynomial), and use that $\text{NPSPACE} = \text{PSPACE}$.

Some other games, such as Legend of Zelda and its sequels, also include enemies and other game elements that behave pseudorandomly. As long as the random seed can be encoded in a polynomial number of bits, which is the case in all reasonable implementations, the problem remains in PSPACE.

In general, we may safely assume that any generalization of a commercial single-player game is in PSPACE. Indeed, these games are inherently designed to run smoothly in real time, so they must rely on a game engine that is at least in PSPACE, if not in P. Again, once a PSPACE game engine is given, the game can be played nondeterministically, maintaining a polynomial-size game state and using that $\text{NPSPACE} = \text{PSPACE}$.

Game model and glitches. We adopt an idealized model of the games in which we assume that the rules of the games are as (we imagine) the game developers intended rather than as they are implemented. In particular, we assume the absence of major game-breaking glitches (for an example of a major game-breaking glitch, see [16], in which the speed runner “beats” Super Mario World in less than 3 minutes by performing a sequence of seemingly arbitrary and nonsensical actions, which fools the game into thinking the game is won). We view these glitches not as inherently part of the game but rather as artifacts of imperfect implementation.

Organization. In Section 2, we present two general schematics used in almost all of our NP-hardness and PSPACE-hardness reductions. We show that, if the basic gadgets in one of the two constructions are implemented correctly, then the reduction from either 3-SAT or TQBF follows. In Section 3, we prove that generalized Super Mario Bros. is NP-hard by constructing the appropriate

gadgets for the construction given in Section 2. In Sections 4, 5, 6, and 7, we do the same for generalized Donkey Kong Country, Legend of Zelda, Metroid, and Pokémon, respectively. In addition, Sections 4 and 5 show that the Donkey Kong Country games and some Legend of Zelda games are PSPACE-complete, again by constructing the appropriate gadgets introduced in Section 2.

2 Frameworks for Platform Games

The general decision problem we consider for platform games is to determine whether it is possible to get from a given start point to a given goal point. This is a natural problem because the main challenge of platform games is to maneuver around enemies and obstacles in order to reach the end of each stage.

2.1 Framework for NP-hardness

We use a general framework for proving the NP-hardness of platform games, illustrated in Figure 1. This framework is similar to the NP-hardness proof of PushPush-1 [2]. With this framework in hand, we can prove hardness of individual games by just constructing the necessary gadgets.




Figure 1: General framework for NP-hardness

The framework reduces from the classic NP-complete problem 3-SAT: decide whether a 3-CNF Boolean formula can be made “true” by setting the variables appropriately. The player’s character starts at the position labeled Start, then proceeds to the Variable gadgets. Each Variable gadget forces the player to make an exclusive choice of “true” (x) or “false” ($\neg x$) value for a variable in the formula. Either choice enables the player to follow paths leading to Clause gadgets, corresponding to the clauses containing that literal (x or $\neg x$). These paths may cross each other, but Crossover gadgets prevent the player from switching between crossing paths. By visiting a Clause gadget,

the player can “unlock” the clause (a permanent state change), but cannot reach any of the other paths connecting to the Clause gadget. Finally, after traversing through all the Variable gadgets, the player must traverse a long “check” path, which passes through each Clause gadget, to reach the Finish position. The player can get through the check path if and only if each clause has been unlocked by some literal. Therefore, it suffices to implement Start, Variable, Clause, Finish, and Crossover gadgets to prove NP-hardness of each platform game.

The specific properties our gadgets must satisfy are the following.

Start and Finish. The Start and Finish gadgets contain the starting point and goal for the character, respectively. In most of our reductions, these gadgets are trivial, but in some cases we need the player to be in a certain state throughout the construction, which we can force by making the Finish accessible only if the player is in the desired state, and the desired state may be entered at the Start. For example, in the case of Super Mario Bros., we need Mario to be big throughout the stage, so we put a Super Mushroom at the start and a brick at the Finish, which can be broken through only if Mario is big.

Variable. Each Variable gadget must force the player to choose one of two paths, corresponding to the variable x_i or its negation $\neg x_i$ being chosen as the satisfied literal, such that once a path is taken, the other path can never be traversed. Each Variable gadget must be accessible from and only from the previous Variable gadget, independent of the choice made in the previous gadget, in such a way that entering from one literal does not allow traversal back into the negation of the literal.

Clause and Check. Each Clause gadget must be accessible from (and initially, only from) the literal paths corresponding to the literals appearing in the clause in the original Boolean formula. In addition, when the player visits a Clause gadget in this way, they may perform some action that “unlocks” the gadget. The Check path traverses every Clause gadget in sequence, and the player may pass through each Clause gadget via the Check path if and only if the Clause gadget is unlocked. Thus the Check path can be fully traversed only if all the Variable gadgets have been visited from literal paths. If the player traverses the entire Check path, they may access the Finish gadget.

Crossover. The Crossover gadget must allow traversal via two passages that cross each other, in such a way that there is no leakage between the two.

Remark 2.1. The Crossover gadget only needs to be *unidirectional*, in the sense that each of the two crossing paths needs to be traversed in only one direction. This is sufficient because, for each path visiting a clause from a literal, instead of backtracking to the literal after visiting the clause, we can reroute directly to visit the next clause, so the player is never required to traverse a literal path in both directions.

Remark 2.2. It is safe to further assume in a Crossover gadget that each of the two crossing paths is traversed at most once, and that one path is never traversed before the other path (i.e., if both paths are traversed, the order of traversal is fixed). This is sufficient because two literal paths either are the two sides of the same Variable (and hence only one gets traversed), or they come from different Variables, in which case the one from the earlier Variable in the sequence is

guaranteed to be traversed before the other (if it gets traversed at all). Thus it is safe to have a Crossover gadget, featuring two crossing paths A and B , which after traversing path B allows leakage from A to B . (However, leakage from B to A must still be prevented.)

2.2 Framework for PSPACE-hardness

For the PSPACE-hardness of Donkey Kong Country and Zelda: A Link to the Past, we apply a modified version of a framework described in [5, Metatheorem 4.c] and [6].

Our framework reduces from the PSPACE-complete problem True Quantified Boolean Formula (TQBF), and assumes the existence of a *Door gadget* and a *Crossover gadget*. A Door gadget's state may be *open* or *closed*, and the gadget may be “traversed” by the player if and only if it is open. A Door gadget also incorporates mechanisms to open and close it, which can be “operated” by the player.

Door gadget. A Door gadget scheme is illustrated in Figure 2.




Figure 2: Door gadget

Three distinct paths enter the gadget from the left and exit to the right, without leakage. The “traverse” path implements the actual door, and may be traversed if and only if the gadget is in the open state. The other two paths allow the player to open and close the door, respectively. There is a subtle difference between the two: whenever the player traverses the “close” path, they trigger a mechanism that closes the door in the traverse path; when the player traverses the “open” path, they are *allowed* to open the door, but they may choose not to.

Remark 2.3. It will be evident that opening a door whenever possible is never a “wrong” move in the player’s perspective. Hence, allowing the player to *decide* whether to open a door or not upon traversal of the “open” path, rather than *forcing* them to open it, has no real impact on the gadget’s functioning, but often allows for less complicated implementations of the gadget itself.

Remark 2.4. In the PSPACE-hardness framework of [5, Metatheorem 4.c], the approach is slightly different, in that Door gadgets do not incorporate any mechanism to operate them, but are operated from a distance, by walking on *pressure plates*. The advantage of such an approach is that it requires no Crossover gadget, but the drawback is that implementing pressure plates acting on arbitrarily distant doors may be problematic in some games.




Figure 3: General framework for PSPACE-hardness

Framework. The general framework yielding our reduction is sketched in Figure 3.

A given fully quantified Boolean formula $\exists x \forall y \exists z \cdots \varphi(x, y, z, \cdots)$, where φ is in 3-CNF, is translated into a row of *Quantifier gadgets*, followed by a row of *Clause gadgets*, connected by several paths.

Traversing a Quantifier gadget at any time sets the truth value of the corresponding Boolean variable. On the other hand, each Clause gadget can be traversed if and only if the corresponding clause of φ is satisfied by the current variable assignments. Whenever traversing an Existential Quantifier gadget, the player can choose the truth value of the corresponding variable. On the other hand, the first time a Universal Quantifier gadget is traversed, the corresponding variable is set to true.

When all the variables are set, the player attempts to traverse the Clause gadgets. If the player succeeds, they proceed to the “lower parts” of the Quantifier gadgets, where they are rerouted to the last Universal Quantifier gadget in the sequence. The corresponding variable is then set to false, and φ is “evaluated” again by making the player walk through all the Clause gadgets.

The process continues, forcing the player to “backtrack” several times, setting all possible combinations of truth values for the universally quantified variables, and choosing appropriate values for the existentially quantified variables in the attempt to satisfy φ .

Finally, when all the necessary variable assignments have been tested and φ keeps being satisfied, i.e., if the overall quantified Boolean formula is true, the exit becomes accessible, and the player may finish the level. Conversely, if the quantified Boolean formula is false, there is no way for the player to operate doors in order to reach the exit.

Next we show how to implement all the components of our framework using just Door gadgets, paths, and Crossover gadgets.

Clause. Clause gadgets are implemented as sketched in Figure 4.

There is a Door gadget for each literal in the clause, and the player may traverse the clause if and only if at least one of the doors is open. (For simplicity, the “open” and “close” paths of the Door gadgets are not displayed.)

Existential Quantifier. In Figure 5, the Existential Quantifier gadget for variable x is represented. x_1, x_2 , etc. (resp., \bar{x}_1, \bar{x}_2 , etc.) denote the positive (resp., negative) occurrences of x in the




Figure 4: Clause gadget. Labeled squares represent Door gadgets.

clauses of φ .




Figure 5: Existential Quantifier gadget. “ $+a$ ” (resp., “ $-a$ ”) is shorthand for “open (resp., close) the door labeled a ”.

When traversing the upper part of the gadget from left to right, the player must choose one of the two paths, thus setting the truth value of x to either true or false. This is done by appropriately opening or closing all the doors corresponding to occurrences of x in φ . For instance, in order to set the first occurrence of literal x to false, the player is diverted to the “close” path of the Door gadget labeled x_1 , and then rerouted to the Existential Quantifier gadget (this is formally equivalent to walking on a pressure plate, in the terminology of [5]). If the paths to and from the Door gadgets intersect some other paths, then Crossover gadgets are used, as Figure 6 exemplifies.

The doors labeled a and b in Figure 5 prevent leakage between the two different paths of the Existential Quantifier gadget, enforcing mutual exclusion.

Finally, the lower part of the gadget is traversed from right to left when the player backtracks, and it is simply a straight path.

Universal Quantifier. A Universal Quantifier gadget for variable x is shown in Figure 7.

When the player enters the gadget from the top left, door d gets closed and variable x is set to true. Then the player must exit to the top right, because door c cannot be traversed from right to left.

When backtracking the first time, the player enters from the bottom right and, because door d is still closed, they must take the upper path, thus setting variable x to false. Incidentally, door d gets opened and door a gets closed, thus preventing leakage to the top left entrance, and forcing the player to exit to the top right again.

Donkey Kong Country 1 and 2 (see Figures 21 and 22).

3 Super Mario Bros.

Super Mario Bros. is a platform video game created by Shigeru Miyamoto, developed by Nintendo, published for the Nintendo Entertainment System (NES) in 1985. In the game, the player controls Mario, an Italian plumber, and must navigate through worlds full of enemies and obstacles to rescue the kidnapped Princess Toadstool from Bowser. The game spawned over a dozen sequels (SMB 2, SMB 3, Super Mario World, Super Mario 64, Super Mario Sunshine, Super Mario Galaxy, etc.) across various gaming platforms. Mario's character became so popular that he became Nintendo's mascot and appeared in over 200 games.

The gameplay in Super Mario Bros. is simple. Initially, Mario is small (one tile tall) and dies upon harmful contact with an enemy. If Mario manages to obtain a Super Mushroom, then he becomes Super Mario, who is two tiles tall. Upon any harmful contact, Super Mario reverts back to normal Mario. If Mario obtains a Star, then he becomes invincible for a limited time. Mario's basic actions are limited to walking, running, crouching, and jumping. The height of a jump is normally 4 tiles, and it becomes 5 tiles when Mario runs. Mario can perform more advanced actions by combining basic moves. For example, crouching while running results in a *crouch-slide*, which will allow him to fit into narrow corridors while as Super Mario. Mario can also jump while crouching, allowing him to jump through narrow gaps.

Apart from solid ground, the basic environment also contains walls and mid-air platforms. These are typically constructed from three types of blocks: normal blocks, which are inert; item blocks, which release an item when hit by Mario from below; and bricks, which are destroyed upon activation. Mario usually obtains items by hitting item blocks.

Jumping on top of most enemies is non-harmful, specifically for all those used in our proof, though there are exceptions not encountered in our proof. In fact, Mario primarily defeats enemies by jumping on them. A staple enemy of the Mario series is the Goomba, which is a corrupted mushroom that walks back and forth and dies upon being stomped by Mario. Another key enemy is the Koopa, which does not play a role in our construction for Super Mario Bros. but will appear in one of our gadgets for Super Mario Bros. 3. Koopas come in two varieties. Both will keep walking in a direction, turning around if a wall is encountered, but Green Koopas fall off cliffs whereas Red Koopas treat cliffs as walls. We use only Red Koopas in our construction. When Mario jumps on a Koopa, it is not instantly defeated, but instead it temporarily hides in its shell, which Mario can then kick. Once kicked, a Koopa shell slides with constant velocity and bounces off surfaces, destroying bricks and activating item blocks if it hits them from the side. Finally, we will use Firebars, which are harmful segments of fire that rotate about an endpoint. There are many other items and enemies in the game, but they do not play a role in our proofs so we do not include them here. For more information on the game, see [7].

In this section, we prove the following:

Theorem 3.1. *It is NP-hard to decide whether the goal is reachable from the start of a stage in generalized Super Mario Bros.*

Proof. When generalizing the original Super Mario Bros., we assume that the screen size covers the entire level, because the game forbids Mario from going left of the screen. This generalization is not needed in later games, because those games allow Mario to go left.

We use the general framework provided in Section 2, so it remains only to implement the gadgets. The Start and Finish gadgets are straightforward. The Start gadget, shown in Figure 8, includes an item block containing a Super Mushroom which makes Mario into Super Mario. The Super Mushroom serves two purposes. First, Super Mario is two tiles tall, which prevents him from fitting into narrow horizontal corridors, a property essential to our other gadgets. Second, Super Mario is able to destroy bricks whereas normal Mario cannot. In order to force the player to take the Super Mushroom in the beginning, we block Mario’s path with bricks in the Finish gadget, shown in Figure 9.




Figure 8: Left: Start gadget for Super Mario Bros. Right: The item block contains a Super Mushroom




Figure 9: Finish gadget for Super Mario Bros.

Next, we implement the Variable gadget, illustrated in Figure 10. There are two entrances, one from each literal of the previous variable (if the variable is x_i , the two entrances come from x_{i-1} and $\neg x_{i-1}$). Once Mario falls down, he cannot jump back onto the ledges at the top, so Mario cannot go back to a previous variable. In particular, Mario cannot go back to the negation of the literal he chose. To choose which value to assign to the variable, Mario may fall down either the left passage or the right.

Now we present the Clause gadget, illustrated in Figure 11. The three entrances at the bottom correspond to the three literals that are in the clause. When the Clause is visited, Mario hits the item block, which releases a Star into the area above. The Star will bounce around that area until Mario comes through the Check path to pick it up, allowing him to traverse through the Firebars safely. Without a Star, Mario cannot get through the Firebars without getting hurt. Note that, despite the fact that a Star’s invulnerability effects on Mario last just a few seconds, the Star itself




Figure 10: Variable gadget for Super Mario Bros.

never vanishes until it is collected by Mario.




Figure 11: Clause gadget for Super Mario Bros.

Finally, we implement the Crossover gadget, illustrated in Figure 12. This unidirectional gadget enables Mario to traverse left-to-right or bottom-to-top, which suffices by Remark 2.1. Mario cannot enter this Crossover initially from the top or right.

Approaching from the left, Mario may get hurt by the Goomba and revert back to his small state, then walk through the narrow corridor and pick up a Super Mushroom from the item block on the other side, allowing him to break through the brick. Initially, there is no leakage to the bottom nor leakage to the top because small Mario cannot break bricks. Furthermore, there is not enough space for Mario to run and crouch-slide through the gap.

Approaching from the bottom, Mario may break the right brick on the lower level, jump onto the left brick of the lower level, break the left brick on the upper level, and jump onto the right brick of the upper level to proceed upwards. Mario must be big while traversing vertically in order to break the bricks, and because there is a one-way passage leading to the bottom entrance, Super Mario cannot break the bricks first, then return later as small Mario. Because Mario must be big this entire time, he cannot fit through the narrow gaps on the sides and so there is no horizontal leakage.

There may be leakage from the horizontal path to the vertical path *after* traversing the vertical path. This is because, once the bricks have been broken, even small Mario can exit from the top. Fortunately, Remark 2.2 says that such a leakage can safely be allowed. It suffices that no leakage

can occur from the vertical path to the horizontal one. □




Figure 12: Crossover gadget for Super Mario Bros.

Other Mario games. The NP-hardness from Theorem 3.1 holds just as well for the NES sequel, SMB: The Lost Levels (known as SMB 2 in Japan) because the gameplay mechanics are exactly the same. However, to extend the result to later games, we need to modify the Clause gadget (for both Super Mario Bros. 3 and Super Mario World) and the Crossover and Finish gadgets (for SMW). Because Firebars appear in neither SMB 3 nor SMW, we have to replace them with something else in the Clause gadget. For SMB 3, we replace the Firebars with a vertical tunnel of bricks, as shown in Figure 13. The three entrances corresponding to the literals are now on top, with a Red Koopa in each entrance. To unlock the gadget, Mario jumps on the Koopa and kicks its shell down, which breaks open the brick columns and then falls down into the pit, allowing Mario to pass through but not allowing him to re-use the shell for other clauses. (This gadget cannot be used for Super Mario Bros. because Koopa shells do not break blocks in that game.)

For SMW, we modify the Clause gadget for SMB by replacing the Firebars with Munchers, which are indestructible black plants attached to a ground surface which harms Mario when walked on.

To modify the Crossover gadget for SMW, we replace bricks with rotating blocks, which Super Mario may destroy by spin jumping on them from above; see Figure 14. A *spin jump* is a powerful jump performed by Mario, which destroys rotating blocks he lands on, but only if he is big. This crossover is again unidirectional, now supporting left-to-right and top-to-bottom traversals. Moreover, once again there may be leakage from the horizontal passage to the vertical passage after the




Figure 13: Clause gadget for Super Mario Bros. 3

latter has been traversed, but there is no leakage from vertical to horizontal. As before, this suffices by Remark 2.2.




Figure 14: Crossover gadget for Super Mario World

The Finish gadget for SMW is a straightforward modification, shown in Figure 15.



Figure 15: Finish gadget for Super Mario World

American SMB 2 (known as Super Mario USA in Japan) has somewhat different mechanics from those of the other SMB games. The main new mechanic is Mario’s ability to uproot plants growing in the ground, and also to stand on many types of enemy and pick them up. After doing so, Mario can walk and jump while carrying one such object overhead, and finally he can throw the object.

In American SMB 2, Mario can jump 5 tiles high by running or crouch-jumping (this is done by crouching for a short amount of time to “charge” and then jumping while charged). However, he can jump 3 tiles higher if he stands on a Ninji (who jumps up and down cyclically) and waiting for the appropriate time. In the following gadgets, we assume Mario to be small. He normally starts big, but we can enforce smallness by forcing him to fall into a pit full of spikes as the level starts. In order to become big again, he would have to find mushrooms (of which there are none in our levels) or kill a certain number of enemies (but we will ensure that he can kill no enemy).

Mario visits the Clause gadget (Figure 16) from one of the three routes containing a bomb plant. Mario can pick up the bombs and throw them to the breakable tiles below. Then he traverses the gadget from right to left. He has to pick up the Ninji and drop it in the bottom-left corner of the gadget in order to jump 8 tiles and exit to the left. Note that if he falls down after throwing a bomb, he gets stuck because he has no Ninji. Also, the Ninji is insufficient to let him jump from the lower part of the gadget to the literal paths.

In the Crossover gadget (Figure 17), Mario is allowed to go from left to right first, and from top to bottom after. To traverse left to right, he has to pick up the red Shy Guy, throw it onto the spikes, and jump on its head. Then the Shy Guy will lead Mario safely to the right. Because the Shy Guy is red (and not pink), it will not turn around at the edge of the platform after the spikes, and instead will fall into the pit, and allow Mario to jump to the upper platform and exit. If Mario tries to put the Shy Guy anywhere else, he either dies or gets stuck. To traverse top to bottom, Mario picks up the Ninji, takes it to the bottom platform, and uses it to make a high jump to the left. The Ninji is insufficient to jump to the Shy Guy area, and the Shy Guy is insufficient to allow Mario to perform a high jump. On the other hand, the Ninji cannot be used to traverse the spikes, because it only jumps in place.

In order to kill enemies (and get hearts that make him grow), Mario would have to throw something (either a bomb or another enemy) at them. However, by our design, Mario cannot carry enemies from one gadget to another, and he can never reach more than one object (bomb or enemy)




Figure 16: Clause gadget for American SMB 2

at a time within a gadget. Specifically, in order to make sure that Mario cannot carry an enemy from one gadget to another, we can connect gadgets with 1-tile-high tunnels that also include jumps and long falls, as the right path in Figure 17 suggests. Since Mario cannot carry an enemy through a 1-tile-high tunnel (the tunnel has to be at least 2 tiles high for him to carry an enemy overhead) he would have to throw such an enemy into the tunnel, and then follow it. This means in particular that the enemy must be a Shy Guy, because a Ninji does not walk. But if the tunnel ends with a wall that has to be jumped, there is no way Mario can pick up the Shy Guy again and carry it above the wall without being killed. Also note that, in a Crossover gadget, Mario cannot use the Ninji to kill the Shy Guy that may be in the pit. Indeed, Mario always throws objects diagonally downwards at a fixed angle, and when a Ninji that has been thrown hits the ground, its momentum makes it bounce forward by three or four tiles only.

Concluding, we have the following.

Theorem 3.2. *It is NP-hard to decide whether the goal is reachable from the start of a stage in generalized Super Mario Bros. 1–3, The Lost Levels, and Super Mario World.* \square

4 Donkey Kong Country

Donkey Kong Country is a platform video game developed by Rare Ltd. and published for the Super Nintendo Entertainment System (SNES) in 1994. Like Mario, the character of Donkey Kong was




Figure 17: Crossover gadget for American SMB 2

originally created by Shigeru Miyamoto, and appears in many other games as well. The premise of Donkey Kong Country is isomorphic to that of Super Mario Bros. In particular, King K. Rool has stolen Donkey Kong’s banana hoard, and the player controls Donkey Kong (and occasionally his small nephew Diddy Kong) to navigate through levels filled with enemies and obstacles in order to defeat K. Rool.

The gameplay of Donkey Kong Country is also quite simple. We only discuss gameplay mechanics necessary for our proof. For more information on the game, see [8]. Donkey Kong’s basic actions are walking, running, rolling, crouching, and jumping. He may also pick up Barrels and throw them, after which they roll along the ground until they hit a wall or an enemy, killing it. Donkey Kong can jump into Barrel Cannons, from which he may be fired in a straight line, defying gravity. Manual Barrel Cannons cycle through a preset set of angles at which Donkey Kong may be fired, which the player may choose with proper timing. Automatic Barrel Cannons fire Donkey Kong as soon as he jumps in. Zingers are enemies that resemble giant bees. They kill Donkey Kong on contact, and cannot be killed except by Barrels.

4.1 NP-hardness

In this section, we prove the following:

Theorem 4.1. *It is NP-hard to decide whether the goal is reachable from the start of a stage in generalized Donkey Kong Country.*

Proof. We show that Donkey Kong Country is NP-hard by reducing from 3-SAT. As in the proof for Super Mario Bros., we use the general framework provided in Section 2. The Start and Finish gadgets are trivial; they are simply the beginning and end parts of the level, respectively. The Variable gadget is analogous to the Variable gadget for Mario, replacing blocks with the appropriate terrain from Donkey Kong Country. The Clause gadget, illustrated in Figure 18, is also similar to that in Mario. When visiting the Clause gadget from a Variable gadget, Donkey Kong must pick up the Barrel and toss it down, after which it rolls and kills the Zinger (bee). The Barrel Cannon above each platform is used to return upward, and the platforms are sufficiently high that, if Donkey Kong drops down, he cannot jump back up onto the platforms.




Figure 18: Clause gadget for Donkey Kong

The final Check path, illustrated in Figure 19, is straightforward. The illustration is not drawn to scale, but the idea is that at the end, Donkey Kong enters the Automatic Barrel Cannons on the left, which blast him towards the Automatic Barrel Cannons on the right, which blast him downward toward the goal. There are Zingers positioned in the path, one per clause (these are the same Zingers that are in the Clause gadgets) so that Donkey Kong can reach the goal if and only if every Zinger has been killed.

Finally, we must implement the Crossover gadget (Figure 20), which is remarkably easy in Donkey Kong Country. Essentially, at every entrance/exit, there is a forward Automatic Barrel Cannon and a backward one. Therefore, the horizontal passage can be traversed without leakage to the vertical passage, and vice versa. \square

Other Donkey Kong games. Theorem 4.1 holds just as well for the sequels—Donkey Kong Country 2 and 3—because Zingers, Barrels, and Barrel Cannons are all present in these games.

4.2 PSPACE-completeness

We can prove PSPACE-completeness of Donkey Kong Country and its sequels, using the general PSPACE-hardness framework given in Section 2.




Figure 19: Clause check for Donkey Kong




Figure 20: Crossover gadget for Donkey Kong

Theorem 4.2. *It is PSPACE-complete to decide whether the goal is reachable from the start of a stage in generalized Donkey Kong Country 1.*

Proof. In all Donkey Kong Country games, we may assume that the player controls only a single Kong, by placing a DK barrel (a barrel containing the backup Kong member) at the start of the level, followed by a wall of red Zingers (which are not killable by Barrels).

We use an object from the game, the Tire, which behaves as follows: it is an object which can be pushed horizontally by the player, which causes it to roll in that direction, and if jumped on, the player bounces up very high.

The Crossover gadget has already been described, and the Door gadget is depicted in Figure 21. The door is closed if the Tire is located as shown in the picture, and is open if it is located up the slide. The ground is made of ice, so that both the Tire and the Kongs slide on it when they gain some speed. The right-facing Zingers (yellow) are static, while the left-facing ones (red) move from

left to right in swarms, as indicated by arrows.

If the door is closed, the player attempting to traverse it from the top Barrel will land on the Tire and will be stuck because of the surrounding Zingers. If the door is open, the player lands on the ground, slides rightward below the Zingers while crouching, and safely reaches the pit on the right.

If the player comes from the “open” entrance, and the door is closed, they can go left, push the Tire up the slope, and safely come back. The player cannot jump down the pit, because the red Zingers are covering it.

If the player comes from the “close” path, they must climb on the rope (when the red Zingers move to the right) and reach the upper path. If the Tire is on the edge of the slope (i.e., the door is open), the player incidentally pushes it to the right, thus making it slide down, and hence closing the door.

Membership in PSPACE follows from the remarks in the Introduction. \square

Donkey Kong Country sequels.

Theorem 4.3. *It is PSPACE-complete to decide whether the goal is reachable from the start of a stage in generalized Donkey Kong Country 2.*

Proof. We use an object from the game called a Hot Air Balloon, which works as follows: it acts as a platform on which the player may stand, and by default it slowly descends, unless it is above a Hot Air Current (a pillar of hot air), which forces it to ascend — while in the air, the player may influence the horizontal direction of the balloon.

The Door gadget is illustrated in Figure 22, where the door is closed if the blue Hot Air Balloon is positioned as depicted, and is open if the Balloon lies in the position marked with letter A.

When the player attempts to traverse the door from the Barrel above, they are shot between the two swarms of red Zingers (each Zinger moves left and right in a sinusoidal fashion), until they safely reach the Barrel below, if the door is open. Otherwise, if the door is closed, the player will land on the Balloon and will be stuck among Zingers.

If the player comes from the “open” entrance, they can decide to open the door, if it is closed. To do so, they climb on the Chain, wait for the red Zingers to move to the right, jump on the Balloon and quickly pull it to the left. Then the player jumps back to the Chain before hitting the red Zingers below, while the Balloon floats downward, across all the Zingers, and stops right above the lower left Barrel (letter A in Figure 22).

If the player comes from the “close” entrance, and the door is already closed, they will be shot down (avoiding the Zingers, if the timing is right) and safely reach the “close” exit. Otherwise, if the door is open, the player will land on the Balloon and will have to quickly maneuver it to the right to escape the red Zingers, until the long Hot Air Current will send the Balloon up (before the player has a chance to drive it back to the left) and it will ultimately close the door, while the player exits to the right upon entering the Barrel.

Membership in PSPACE follows from the remarks in the Introduction. \square

Theorem 4.4. *It is PSPACE-complete to decide whether the goal is reachable from the start of a stage in generalized Donkey Kong Country 3.*




Figure 21: Door gadget for Donkey Kong Country 1

Proof. The Door gadget is shown in Figure 23, where the door is open if and only if the Tracker Barrel is on the left, as in the picture. Operating each Handle opens the Gate with the same number, which then closes again after a few seconds.

Coming from the “traverse” entrance, if the player finds the Tracker Barrel below, they can use it to reach the “traverse” exit; otherwise they fall in the bottom corridor and they are stuck (jumping back up is impossible because it is too high).

Kongs cannot “escape” a Tracker Barrel after they enter it, because it keeps shooting them in the air, but follows their movements horizontally wherever they go, catching them again as they fall back down. The Tracker Barrel stops only if the Kongs enter a new Barrel after they are shot



Figure 22: Door gadget for Donkey Kong Country 2

(which is irrelevant here) or if the Tracker Barrel itself reaches its leftmost or rightmost position. For this reason, coming from the “close door” entrance when the door is open forces the player to move the Tracker Barrel all the way to the right, hence closing the door. Likewise, coming from the “open door” entrance when the door is closed makes the player move the Tracker Barrel all the way to the left, opening the door.

Membership in PSPACE follows from the remarks in the Introduction. \square

5 The Legend of Zelda

The Legend of Zelda is a high fantasy flip-screen overhead adventure video game developed by Nintendo and published for the NES in 1986. Like the Super Mario and Donkey Kong series, the Zelda series has spawned over a dozen sequels across various gaming platforms. The series features a young male swordsman named Link, usually clad in a green tunic. In the original Legend of Zelda game, the player controls Link and ventures on a quest through dungeons, collecting items and defeating enemies and bosses to rescue the kidnapped Princess Zelda from the antagonist, Ganon. The premise of the SNES sequel, The Legend of Zelda: A Link to the Past, is roughly the same. Here we consider both versions, although we do not describe in much detail the items or enemies found in the games. Instead, we refer the interested reader to [9] and [10]. Unlike the previous games we studied, The Legend of Zelda is nonlinear and the player must acquire new items from dungeons in order to access previously inaccessible areas. The game world is set in an overworld, Hyrule, with self-contained dungeons scattered across the world.

We have several different types of proofs, using different elements found in Zelda games. Pushable blocks play a large role in many puzzles in Zelda games, and we use these elements to prove that the original Legend of Zelda is NP-hard and that several later games are PSPACE-complete. The hookshot is also a recurring item in Zelda games (although it is absent from the original). With the hookshot, Link can grapple onto and pull himself towards distant objects. We use this item to prove that the rest of the Zelda games are NP-hard. Finally, an element found in most Zelda dungeons are switch-operated doors, which imply that some Zelda games (most notably, Legend of Zelda: A Link to the Past) are PSPACE-complete.

5.1 NP-hardness

Block pushing. Generalized Legend of Zelda is NP-hard by reduction from a puzzle similar to Push-1, because Legend of Zelda contains blocks which may be pushed according to the same rules as in Push-1 [2], except that in Zelda, each block may be pushed at most once. Fortunately, all of the gadgets in the reduction for Push-1 found in [2] still function as intended when each block can be pushed at most once, with the possible exception of the Lock gadget. However, a simple modification to the Lock gadget (illustrated in Figure 24) suffices. (Here we assume that Link has no items, in particular, no raft.) Therefore we obtain

Theorem 5.1. *It is NP-hard to decide whether a given target location is reachable from a given start location in generalized Legend of Zelda.* \square

Several of the later Zelda games contain ice block puzzles, which will be considered later, in the PSPACE-completeness section.




Figure 23: Door gadget for Donkey Kong Country 3




Figure 25: Variable gadget for Zelda




Figure 26: Clause gadget for Zelda




Figure 27: Check path for Zelda (with three clauses)

3D games, we attach a hookshot target onto the block (as blocks themselves are no longer valid hookshot targets), and add walls to the sides of platforms, because in 3D games Link can hookshot towards any visible direction.

Zelda II. Zelda II: The Adventure of Link is unique in that it features side-scrolling levels, with none of the usual mechanics in the top-down “overworld” that connects levels together. In the side-scrolling levels, Link is a 2×1 character who experiences gravity and can jump by a bounded height amidst a square grid of blocks and empty space, similar to Super Mario Bros. Link can also attack monsters, gain experience, etc., but we do not need monsters for proving NP-hardness. In fact, we just need one main feature—keys and locked doors—as illustrated in Figure 29. Keys are identical items that Link can permanently pick up. Locked doors are impassable, unless Link has a key, in which case touching the door consumes one key and makes the door permanently disappear. (Master keys and the Fairy spell are other ways to traverse doors, but we can assume they are unavailable to Link in the levels we create.)

Theorem 5.3. *It is NP-hard to decide whether a given target location is reachable from a given start location in generalized Legend of Zelda II: The Adventure of Link.*




Figure 28: Crossover gadget for Zelda




Figure 29: Keys and locked doors in Zelda II: The Adventure of Link

Proof. We apply Metatheorem 3.c from [5] because Zelda II keys and locked doors provide exactly the “cumulative keys” model required by the metatheorem; the metatheorem also requires one-way paths, which we can build with a big fall as in the Super Mario Bros. Variable gadget (Figure 10). For completeness, the reduction is from Hamiltonian cycle in directed planar graphs of degree 3; hence each vertex has either two incoming edges and one outgoing edge, or vice versa. The reduction represents each vertex by an area with two keys, and represents each directed edge by a one-way path obstructed by a single locked door, except for one forced edge (e.g., the sole outgoing or sole incoming edge of any vertex) which is blocked by $|V|$ locked doors. \square

5.2 PSPACE-completeness

Ice blocks. Recall that several Zelda dungeons contain ice blocks, which are pushed like normal blocks, except when pushed they slide all the way until they encounter an obstacle. These are the same rules as in PushPush1, which is PSPACE-complete, hence we get the following theorem.

Theorem 5.4. *It is PSPACE-complete to decide whether a given target location is reachable from a given start location in the generalized versions of the following games: Ocarina of Time, Majora’s Mask, Oracle of Seasons, The Minish Cap, and Twilight Princess.* \square

Doors and switches. Most Zelda dungeons feature switch-operated doors. The following proof works for Legend of Zelda: A Link to the Past, but may be adapted to several other Zelda games. We use the general PSPACE-hardness framework detailed in Section 2.

Teleporter tiles. In our proof of the following theorem (PSPACE-completeness of LoZ: ALttP) we use teleporter tiles from the game which, when stepped on, sends Link to a fixed destination. The teleporter tiles are one-way.

Theorem 5.5. *It is PSPACE-complete to decide whether a given target location is reachable from a given start location in generalized Legend of Zelda: A Link to the Past.*

Proof. In our generalization, we stipulate that the open-closed state of dungeon Gates that are operated by Floor Switches is “remembered” by the game, even if the player exits the room containing such Gates. Floor Switches toggle the open-closed state of some Gates, and Crystal Switches toggle the raised-lowered state of all the Pillars in the dungeon. The main difference between Gates and Pillars is that Gates are always closed when the player enters the dungeon, while Pillars may be either lowered or raised (which means that they are, respectively, traversable and not traversable).

The Crossover gadget has already been described, and the Door gadget is depicted in the lower part of Figure 30.

The general construction is as follows. The player first traverses each Door gadget through its “initialize” path, thus pushing Floor Switch number 2 and opening the corresponding Gates. Floor Switches are placed at the bottom of pits, so that the player must fall on them from above, and then immediately walk in the Teleporter, which implies that the player operates each Floor Switch exactly once per traversal.

After doing this for all Door gadgets, the player reaches the gadget on top of Figure 30 and has to operate the Crystal Switch, which toggles the state of every Pillar. Then the player may enter the Teleporter, which is followed by a path that leads to the first Quantifier gadget, and to the rest of the construction described in [5, Metatheorem 4.c].

From now on, in each Door gadget, the invariant is that Gates number 1 are open if and only if Gates number 2 are closed. The door is considered open if and only if Gates number 1 are open, hence the “traverse” path works trivially.

Keeping the invariant in mind, it is easy to see how the “open” and “close” paths work. If the door is in the “wrong” state, then the player must take the route through the two Floor Switches and toggle the state of every Gate in the gadget. If the door is in the “correct” state already, then the player must take the other route, which avoids the Floor Switches. Again, each Floor Switch must be pressed exactly once per traversal.

Observe that paths in each Door gadget may also be stretched and deformed, in such a way that all the elements with the same number lie in the same dungeon room.

Membership in PSPACE follows from the remarks in the Introduction. □

6 Metroid

Metroid is an action-adventure video game co-developed by Nintendo Research and Development 1 and Intelligent Systems, and published for the NES in 1986. Like the previous games we have described, Metroid continued to spawn numerous sequels across gaming platforms. The original Metroid, as well as Super Metroid (SNES), were two-dimensional side-scrolling flip-screen games.




Figure 30: Door gadget for Zelda

In Metroid, the player controls Samus, a female space bounty hunter, and explores planet Zebes to retrieve Metroids (life-draining creatures), which were stolen by Space Pirates. Like The Legend of Zelda, Metroid is an open-ended nonlinear game in which players must discover and acquire items in order to access previously inaccessible areas. However, unlike the world of Zelda, the world of Metroid is essentially one very large overworld with no nicely self-contained dungeons, and hence is at first glance much less structured.

The mechanics of Metroid are also simple. Samus can walk, jump, or shoot. Samus may shoot left, right, or upwards (but not downwards). In addition, when standing on the ground, Samus can enter Morph Ball mode, which makes her one tile tall instead of two, and allows her to roll. However, while in Morph Ball, Samus cannot attack or jump, but only roll left or right and fall, and eventually morph back into her normal form. The only enemy in the game we use in our proof

is the Zoomer, which is simply a creature that walks along whatever surface it adheres to, and deals damage to Samus upon contact, but may be killed by Samus' normal weapon. If two Zoomers going in opposite directions meet, they traverse each other without colliding. Samus starts with 30 health points, and loses 8 points upon contact with a Zoomer. When a Zoomer is killed it may drop an orb that, if collected by Samus, increases her health by 5 points. However, Samus' health may never increase above 99 points. For more details on the game, we refer the interested reader to [11].

In this section, we prove the following:

Theorem 6.1. *It is NP-hard to decide whether a given target location is reachable from a given start location in generalized Metroid.*

Proof. We use the same framework given by Section 2. In our construction, Samus has acquired no special items yet except the Morph Ball. The Start and Finish gadgets are trivial, and the Variable gadget is the same as in our proofs for Mario and Donkey Kong.

The first nontrivial gadget we implement is the Clause gadget (Figure 31). It has literals coming from below, with the Check path on top. It works as follows. Samus approaches from below, and can shoot upward through the gap and kill all the Zoomers (which are moving clockwise around the platform), freeing up the space for later traversal in Morph Ball mode. After killing the Zoomers, Samus cannot jump and sneak into the passageway, because it requires Morph Ball mode. Furthermore, if no literal is visited, then Samus cannot pass through from above because the corridor is completely filled with Zoomers. Indeed, if the central platform is large enough, there are enough Zoomers to kill Samus even if she has 99 health points. Moreover, Samus cannot traverse from the Check path down to the literal wires because she would have to jump and morph in mid-air.




Figure 31: Clause gadget for Metroid

The second nontrivial gadget is the Crossover gadget (Figure 32). It can be traversed from the top-left (respectively, top-right) corner to the bottom-right (respectively, bottom-left) corner,

without leakage. Hence this Crossover gadget is unidirectional, which suffices by Remark 2.1. Each of the two upper platforms is covered with Zoomers, except for a three-tile-wide area, which moves around the platform as the Zoomers move. The only way Samus can get past an upper platform is to wait above it until the area devoid of Zoomers passes below her. Then she can quickly go down, follow the Zoomers toward the center of the gadget, and fall down onto the lower platform. This platform is traversed by two streams of Zoomers, going in opposite directions, timed in such a way that, if Samus comes from the upper-left (respectively, upper-right) platform, she is forced to go right (respectively, left) to run away from the Zoomers. Note that the three platforms have the same size and shape, hence each Zooter's cyclic path has the same period. Moreover, if the platforms are large enough and the streams of Zoomers are long enough, there are enough Zoomers to kill Samus if she deviates from her intended behavior, even if she has 99 health points and she keeps jumping as soon as she reaches the bottom platform. Observe that Samus could get in the area just below each of the three platforms, if she sneaks into a lateral passageway while falling in Morph Ball mode. However, after she has done so, she is unable to exit, because she cannot jump in Morph Ball mode or morph in mid-air.




Figure 32: Crossover gadget for Metroid

□

Other Metroid games. Theorem 6.1 holds just as well for all other Metroid games, as the Morph Ball and Zoomers are present also in the sequels. However, our gadgets may require some modifications, as in later games (e.g., Super Metroid) Samus can shoot downward and can morph in mid-air. Such modifications are straightforward if additional game elements are used, such as

enemies called Rippers, which fly horizontally back and forth and cannot be killed by Samus’ normal weapon. For the 3D Metroid games, one can modify the 2D construction to have very small depth, so that the third dimension becomes irrelevant.

7 Pokémon

Pokémon is a series of overhead role-playing games developed by Game Freak for various handheld Nintendo consoles, including Game Boy, Game Boy Color, Game Boy Advance, and the Nintendo DS. There are various versions of Pokémon, but the core mechanics of the game are invariant throughout. The player controls a young teenager and wanders through the land capturing and training creatures called Pokémon (short for Pocket Monsters). At any one time, the player may hold up to six Pokémon in their team. Each Pokémon has a Level, which indicates roughly how experienced it is, as well as battle stats: attack, defense, speed, special attack, and special defense. In addition, each Pokémon has hit points (HP), which indicate how much damage it can take before “fainting”, as well as power points (PP) for each move, which indicate how many times it may use that move. Pokémon battles are two-player simultaneous move games, and in each round the Pokémon with higher speed attacks first. The battle ends when all of one trainer’s Pokémon have fainted.

Pokémon is NP-hard because it has blocks that the player can push according to the rules of Push-1 [2]. Therefore we immediately have

Theorem 7.1. *It is NP-hard to decide whether a given target location is reachable from a given start location in generalized Pokémon.* □

In this section, we give an alternate proof that Pokémon is NP-hard using no elements of the game except enemy Trainers and the game’s battle mechanics (and thus no blocks). Therefore we obtain the following stronger result:

Theorem 7.2. *It is NP-complete to decide whether a given target location is reachable from a given start location in generalized Pokémon in which the only overworld game elements are enemy Trainers.*

Proof. We briefly describe the mechanism for enemy Trainer encounters in the Pokémon games. Each enemy Trainer has an orientation (which direction they are facing), a range of sight, and a set of Pokémon. If the player walks into the line of sight of the Trainer (and if such a line of sight is not occluded by some other element, e.g., another Trainer), the player is forced to stop, the Trainer walks toward the player until they are adjacent, and then battle ensues. Additionally, if the player approaches a Trainer from outside the Trainer’s line of sight (i.e., from behind or the sides), the player may talk to the Trainer, activating the battle. If the player wins the battle, the Trainer will not move or attack again.

We prove NP-hardness by using the framework in Section 2. Start and Finish gadgets are trivial, hence it suffices to implement the Variable, Clause, and Crossover gadgets.

In our implementations, we use three kinds of objects. Walls, represented by dark grey blocks, cannot be occupied or walked through. Trainers’ lines of sight are indicated by translucent rectangles. We have two types of Trainers. Weak Trainers, represented by red rectangles, are Trainers whom the player can defeat with certainty without expending any effort, i.e., without consuming

PP or taking damage. Strong Trainers, represented by blue rectangles, are Trainers against whom the player will always lose.

We can implement weak and strong Trainers as follows (a construction due to Istvan Chung). Weak Trainers each hold a Level 100 Electrode with maximum Speed and equipped with only the Self Destruct move. Strong Trainers each hold two Snorlaxes, with Speed of 30. The player has no items, and only one Pokémon in his team. For Generation I and II games (Red/Blue/Yellow and Gold/Silver/Crystal versions respectively), the player holds a Gastly which has learned Self Destruct using TM36, and its PP for its other moves have all been expended, so it can only use Self Destruct in battle. When the player encounters a weak Trainer, the enemy Electrode will move first and use Self Destruct, which deals no damage to Gastly because Self Destruct is a Normal type attack and Gastly is Ghost type, so the weak Trainer immediately loses. When the player encounters a strong Trainer, Gastly moves first and uses Self Destruct, causing the player to lose (even if it defeats the enemy Snorlax, the opponent holds another one). This implementation only works in Generations I and II because TM36 exists only in Generation I and the Time Capsule feature in Generation II allows a Gastly with Self Destruct to be traded from Generation I to Generation II. In Generations III, IV, and V, Gastly can be replaced by Duskull, which is allowed to learn the move Memento, which serves the same purpose as Self Destruct, via breeding.

We now implement each gadget. The Variable gadget, illustrated in Figure 33, must force the player to choose either an a -to- b traversal or an a -to- c traversal. We show that this is the case. The player enters through a . If the player wants to exit through b , they walk into the Trainer's line of sight, luring the Trainer down and opening up the passage to b , but closing the passage to c . On the other hand, if the player wants to exit through c , they walk up to the Trainer and talk to him, disabling the Trainer, so that they may walk around and exit through c .




Figure 33: Variable gadget for Pokémon

The Clause gadget, depicted in Figure 34, is unlocked whenever the player enters from one of the top paths and talks to one of the three weak Trainers, disabling him. When the Check path is traversed, every weak guard who has not been disabled is lured down by the player, thus getting out of the line of sight of the rightmost strong Trainer. Eventually the player must cross that line of sight, and is reached by the strong Trainer if and only if no weak Trainer blocks him, which happens if and only if the Clause gadget is still locked. The leftmost strong Trainer prevents leakage from the Check path to the literals, in case the leftmost weak Trainer has been lured down.

Before presenting the Crossover gadget, we introduce the *Single-use path*, a path that can only be traversed once, and only in one direction. This is implemented by the gadget in Figure 35, which can be traversed only once, from a to b . Clearly, the player cannot enter via b , because that lures the weak Trainer to block the passage. Suppose the player enters through a . They can safely walk to b , because the weak Trainer is blocking the bottom strong Trainer's line of sight. However, to reach b , the player must lure the weak Trainer out of the line of sight of the strong Trainer, hence




Figure 34: Clause gadget for Pokémon

the player may never return in the reverse direction. Also, there is a strong Trainer above the weak Trainer, preventing the player from disabling the weak Trainer by entering from a .




Figure 35: Single-use path for Pokémon

Finally, the Crossover gadget is shown in Figure 36. Each of its two passages, x -to- x' and y -to- y' , is unidirectional and may be traversed only once, which suffices due to Remarks 2.1 and 2.2.

Because the Crossover gadget is symmetric, we assume, without loss of generality, that the player attempts to traverse the x -to- x' passage first. Upon entering from x , they go down and disable the bottom weak Trainer, then go back up and proceed to the right. Observe that the top-left part of the gadget is a “crossroads” made of four isometric copies of the Single-use path of Figure 35. Upon reaching it, the player is forced to go either down or right. If they go down, they eventually get stuck, because the crossroads is now unreachable due to the just traversed Single-use path, and the y' exit is unreachable too, because the top weak Trainer is lured all the way down to block the player, as soon as they attempt to exit. On the other hand, if the player proceeds to the right upon entering the crossroads, they can safely reach the x' exit, because the leftmost weak Trainer has been previously disabled. Note that, by doing so, the player incidentally crosses the line of sight of the top weak Trainer, luring him down and disabling him.

Now, if the player wishes to traverse the y -to- y' passage, they must take the vertical Single-use paths of the crossroads, because the other two have already been traversed. At this point, the player has no choice but to exit from y' , which is safely reachable because the top weak Trainer has already been disabled during the first traversal of the gadget, and is not blocking the way out.

NP. To show that Pokémon with only enemy Trainers is in NP, note that once a Trainer has been battled, they become inert. Moreover, each actual battle is bounded in length by a constant, because eventually all Pokémon must expend all their PP for their moves and use Struggle, a standard physical attack which hurts the opponent as well as the user. Moreover, each Pokémon only has four different attacks, so the branching factor of the game tree for each battle is constant (and hence the size of the game tree is also constant). Therefore, the player may nondeterministically




Figure 36: Crossover gadget for Pokémon

guess a solution path through the overworld, and for each battle compute the winning strategy in constant time. \square

Other Pokémon games. Theorem 7.2 actually holds for all Pokémon role-playing games, because the only actual Pokémon used in the construction were from the first generation, which is present in all the games, and enemy Trainers are of course present in all the games as well.

References

- [1] Graham Cormode. The hardness of the Lemmings game, or Oh no, more NP-completeness proofs. In *Proceedings of the 3rd International Conference on Fun with Algorithms*, May 2004, pages 65–76.
- [2] Erik D. Demaine, Martin L. Demaine, and Joseph O’Rourke. PushPush and Push-1 are NP-hard in 2D. In *Proceedings of the 12th Annual Canadian Conference on Computational Geometry*, August 2000, pages 211–219.

- [3] Erik D. Demaine, Michael Hoffmann, and Markus Holzer. PushPush- k is PSPACE-Complete. In *Proceedings of the 3rd International Conference on Fun with Algorithms*, May 2004, pages 159–170.
- [4] Michal Forišek. Computational complexity of two-dimensional platform games. In *Proceedings of the 5th International Conference on Fun with Algorithms*, June 2010, pages 214–226.
- [5] Giovanni Viglietta. *Gaming is a hard job, but someone has to do it! Theory of Computing Systems*, 54(4):595–621, 2014.
- [6] Giovanni Viglietta. Lemmings is PSPACE-complete. In *Proceedings of the 7th International conference on Fun with Algorithms*, July 2014, pages 340–351.
- [7] http://www.mariowiki.com/Super_Mario_Bros.
- [8] http://donkeykong.wikia.com/wiki/Donkey_Kong_Country
- [9] [http://www.zeldawiki.org/The_Legend_of_Zelda_\(Game\)](http://www.zeldawiki.org/The_Legend_of_Zelda_(Game))
- [10] http://www.zeldawiki.org/The_Legend_of_Zelda:_A_Link_to_the_Past
- [11] [http://www.metroidwiki.org/wiki/Metroid_\(game\)](http://www.metroidwiki.org/wiki/Metroid_(game))
- [12] <http://spriters-resource.com/>
- [13] <http://www.videogamesprites.net/>
- [14] <http://www.nesmaps.com/>
- [15] <http://www.snesmaps.com/>
- [16] Masterjun. SNES Super Mario World (USA) “glitched” in 02:36.4, 2012. <http://www.youtube.com/watch?v=Syo5sI-iOgY>, retrieved April 14, 2012.

Acknowledgments

This work was initiated at the 25th Bellairs Winter Workshop on Computational Geometry, co-organized by Erik Demaine and Godfried Toussaint, held on February 6–12, 2010, in Holetown, Barbados. We thank the other participants of that workshop—Brad Ballinger, Nadia Benbernou, Prosenjit Bose, David Charlton, Sébastien Collette, Mirela Damian, Martin Demaine, Karim Douïeb, Vida Dujmović, Robin Flatland, Ferran Hurtado, John Iacono, Krishnam Raju Jampani, Stefan Langerman, Anna Lubiw, Pat Morin, Vera Sacristán, Diane Souvaine, and Ryuhei Uehara—for providing a stimulating research environment. In particular, Nadia Benbernou was involved in initial discussions of Super Mario Bros.

We thank readers Bob Beals, Curtis Bright, Istvan Chung, Peter Schmidt-Nielsen, Patrick Xia, and the anonymous referees for helpful comments and corrections, and for “beta-testing” our constructions.

We also thank The Spriters Resource [12], VideoGameSprites [13], NES Maps [14], and SNES Maps [15] for serving as indispensable tools for providing easy and comprehensive access to the sprites used in our figures.

Greg Aloupis would like to thank James Lamarche for countless hours of cooperative research on Nintendo games over the years.

Finally, of course, we thank Nintendo and the associated developers for bringing these timeless classics to the world.