$N(1700) \ 3/2^-$

$$I(J^P) = \frac{1}{2}(\frac{3}{2})$$
 Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

N(1700) POLE POSITION

RFAI PA	ART
---------	------------

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
1650 to 1750 (≈ 1700) OUR ESTIM	MATE			
1780 ± 35	SOKHOYAN	15A	DPWA	Multichannel
$1757 \pm 4 \pm 1$	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
1700	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$
1660 ± 30	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following	data for averages	s, fits,	limits, e	etc. • • •
1770 ± 40	ANISOVICH	12A	DPWA	Multichannel
1662	SHRESTHA	12A	DPWA	Multichannel
1806 ± 23	BATINIC	10	DPWA	$\pi N \rightarrow N \pi, N \eta$
1704	VRANA	00	DPWA	Multichannel
-2×IMAGINARY PART				
VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
100 to 300 OUR ESTIMATE				
420 ± 140	SOKHOYAN	15A	DPWA	Multichannel
$136\pm7\pm4$	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
120	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$
90± 40	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following	data for averages	s, fits,	limits, e	etc. • • •
420 ± 180	ANISOVICH	12A	DPWA	Multichannel
55	SHRESTHA	12A	DPWA	Multichannel
129± 33	BATINIC	10	DPWA	$\pi N \rightarrow N \pi, N \eta$
156	VRANA	00	DPWA	Multichannel

N(1700) ELASTIC POLE RESIDUE

MODULUS |r|

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
5 to 50 OUR ESTIMATE				
60 ± 30	SOKHOYAN	15A	DPWA	Multichannel
$7\pm \ 1\pm 1$	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
5	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$
6± 3	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following	data for averages	s, fits,	limits, e	etc. • • •
50 ± 40	ANISOVICH	12A	DPWA	Multichannel
7	BATINIC	10	DPWA	π N $ ightarrow$ N π , N η

PHASE θ

VALUE (°)	DOCUMENT ID		TECN	COMMENT
-120 to 20 OUR ESTIMATE				
-115 ± 30	SOKHOYAN	15A	DPWA	Multichannel
$-113 \pm \ 4 \pm 2$	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
0 ± 50	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following	data for average	s, fits,	limits, e	etc. • • •
-100 ± 40	ANISOVICH	12A	DPWA	Multichannel
- 34	BATINIC	10	DPWA	$\pi N \rightarrow N \pi, N \eta$

N(1700) INELASTIC POLE RESIDUE

The "normalized residue" is the residue divided by $\Gamma_{pole}/2.$

Normalized residue in $N\pi \to N(1700) \to \Delta \pi$, S-wave

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
$0.33 \!\pm\! 0.10$	-70 ± 25	SOKHOYAN 15/	DPWA	Multichannel
• • • We do not	t use the following data	for averages, fits, li	mits, etc.	• • •
0.34 ± 0.21	-60 ± 40	ANISOVICH 12/	DPWA	Multichannel

Normalized residue in $N\pi \to N(1700) \to \Delta\pi$, *D*-wave

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.10 ± 0.06	75 ± 30	SOKHOYAN 15A	DPWA	Multichannel
• • • We do not	t use the following data	for averages, fits, lim	its, etc.	• • •
0.08 ± 0.06	90 + 35	ANISOVICH 12A	DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N\sigma$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.13 + 0.08	-100 + 35	SOKHOYAN 15A	DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N(1440)\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.13 ± 0.05	40 ± 35	SOKHOYAN	15A DPWA	Multichannel

Normalized residue in $N\pi \to N(1700) \to N(1520)\pi$, P-wave

MODULUS	PHASE (°)	DOCUMENT ID		TECN	COMMENT
0.07 ± 0.03	160 ± 45	SOKHOYAN	15A	DPWA	Multichannel

N(1700) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
1650 to 1750 (≈ 1700) OUR ESTII	MATE			
1800 ± 35	SOKHOYAN	15A	DPWA	Multichannel
1675 ± 25	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
1731 ± 15	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

 \bullet \bullet We do not use the following data for averages, fits, limits, etc. \bullet \bullet

1790 ± 40	ANISOVICH	12A	DPWA Multichannel
1665± 3	SHRESTHA	12A	DPWA Multichannel
1817 ± 22	BATINIC	10	DPWA $\pi N \rightarrow N \pi$, $N \eta$
1736 ± 33	VRANA	00	DPWA Multichannel

N(1700) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
100 to 250 (≈ 150) OUR ESTIMAT	ΓΕ			
400 ± 100	SOKHOYAN	15A	DPWA	Multichannel
90± 40	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
110 ± 30	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
ullet $ullet$ We do not use the following	data for averages	s, fits,	limits, e	etc. • • •
390 ± 140	ANISOVICH	12A	DPWA	Multichannel
56± 8	SHRESTHA	12A	DPWA	Multichannel
134 ± 37	BATINIC	10	DPWA	$\pi N \rightarrow N \pi, N \eta$
175 ± 133	VRANA	00	DPWA	Multichannel

N(1700) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

	Mode	Fraction (Γ_i/Γ)	
$\overline{\Gamma_1}$	$N\pi$	7–17 %	
Γ_2	$N\eta$	seen	
Γ_3	$N\omega$		
Γ_4	$N\pi\pi$	60–90 %	
Γ_5	$\Delta(1232)\pi$	55–85 %	
Γ_6	${\it \Delta}(1232)\pi$, $\it S$ -wave	50–80 %	
Γ_7	${\it \Delta}(1232)\pi$, ${\it D}$ -wave	4–14 %	
Γ ₈	$N(1440)\pi$	3–11 %	
Γ_9	$N(1520)\pi$	<4 %	
Γ_{10}	$N\rho$, $S=3/2$, S -wave	seen	
Γ_{11}	$N\sigma$	2–14 %	
Γ_{12}	$p\gamma$	0.01-0.05 %	
Γ_{13}	$p\gamma$, helicity=1/2	0.0–0.024 %	
Γ_{14}	$p\gamma$, helicity=3/2	0.002-0.026 %	
Γ_{15}	$n\gamma$	0.01-0.13 %	
Γ_{16}	$n\gamma$, helicity $=1/2$	0.0–0.09 %	
Γ ₁₇	$n\gamma$, helicity=3/2	0.01–0.05 %	

N(1700) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{ ext{total}}$					Γ_1/Γ
VALUE (%)	DOCUMENT ID		TECN	COMMENT	
12 ±5 OUR ESTIMATE					
15 ±6	SOKHOYAN	15A		Multichannel	
11 ±5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
8 ±3• • We do not use the following of	HOEHLER	79 : fits	IPWA	$\pi N \rightarrow \pi N$	
_	_				
$\begin{array}{ccc} 12 & \pm 5 \\ 2.8 \pm 0.5 \end{array}$	ANISOVICH SHRESTHA	12A 12A		Multichannel Multichannel	
9 ±6	BATINIC	10		$\pi N \rightarrow N\pi, N\eta$	
4 ±2	VRANA	00		Multichannel	
$\Gamma(N\eta)/\Gamma_{\text{total}}$					Γ_2/Γ
VALUE (%)	DOCUMENT ID		TECN	COMMENT	
• • • We do not use the following of	data for averages	s, fits,	limits, e	etc. • • •	
14±5	BATINIC	10	DPWA	$\pi N \rightarrow N \pi, N \eta$	
10 ± 5	THOMA	80	DPWA	Multichannel	
0 ± 1	VRANA	00	DPWA	Multichannel	
$\Gamma(N\omega)/\Gamma_{ m total}$					Г- /Г
	DOCUMENT ID		TECN	COMMENT	Г3/Г
<u>VALUE (%)</u> 22+12	DENISENICO	16	TECN DDWA	<u>COMMENT</u> Multichannel	
22±12	DENISENKO	16	DPWA	iviuitichannei	
$\Gamma(\Delta(1232)\pi$, <i>S</i> -wave $)/\Gamma_{total}$					Γ_6/Γ
VALUE (%)	DOCUMENT ID		TECN	COMMENT	•
65±15	SOKHOYAN	15A	DPWA	Multichannel	
• • • We do not use the following of	data for averages	s, fits,	limits, e	etc. • • •	
72±23	ANISOVICH	12A	DPWA	Multichannel	
31± 9	SHRESTHA	12A	DPWA	Multichannel	
11± 1	VRANA	00	DPWA	Multichannel	
F(A(1222) - Durana) /F					г /г
$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$	DOCUMENT ID		TE 611	CO. 41 45 4 7	Γ_7/Γ
VALUE (%)	DOCUMENT ID	45.	TECN	COMMENT	
$9\pm~5$	SOKHOYAN				
• • • We do not use the following of					
<10	ANISOVICH			Multichannel	
3 ± 2 79 ± 56	SHRESTHA VRANA	12A 00		Multichannel Multichannel	
79±50	VICANA	00	DEVVA	Multichanne	
$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$					Γ_8/Γ
VALUE (%)	DOCUMENT ID		TECN	COMMENT	
7 ± 4	SOKHOYAN	15A	DPWA	Multichannel	
=/A//4=00\ \ /=					_ '-
$\Gamma(N(1520)\pi)/\Gamma_{total}$					Г9/Г
VALUE (%)	DOCUMENT ID				
<4	SOKHOYAN	15A	DPWA	Multichannel	
HTTP://PDG.LBL.GOV	Page 4		Creat	ed: 5/30/2017	17:20

$\Gamma(N\rho, S=3/2, S-wave)/\Gamma_{total}$					Γ_{10}/Γ
VALUE (%)	DOCUMENT ID		TECN	COMMENT	
• • • We do not use the following	data for average	s, fits,	limits, e	tc. • • •	
$38\pm 6 \\ 7\pm 1$	SHRESTHA VRANA	12A 00		Multichannel Multichannel	
$\Gamma(N\sigma)/\Gamma_{total}$					Γ ₁₁ /Γ
VALUE (%)	DOCUMENT ID			COMMENT	
8± 6• • We do not use the following	SOKHOYAN				
24 ± 6					
18 ± 12	SHRESTHA THOMA			Multichannel Multichannel	
0± 1	VRANA			Multichannel	
N(1700) PHOTON D	ECAY AMPL	ITUE	ES AT	THE POLE	
$N(1700) \rightarrow p\gamma$, helicity-1/2	amplitude $A_{1/2}$	' 2			
MODULUS (GeV $^{-1/2}$) PHASE (°)	DOCUMEN	T ID	TE	CN COMMENT	
0.047 ± 0.016 75 ± 30	SOKHOY	ΆN	15A DF	PWA Multichan	nel
$N(1700) \rightarrow p\gamma$, helicity-3/2	amplitude A _{3/}	'2			
MODULUS ($GeV^{-1/2}$) PHASE ($^{\circ}$)	DOCUMEN	T ID	TE	CN COMMENT	
-0.041 ± 0.014 0 \pm 20	SOKHOY	ΆN	15A DF	PWA Multichani	nel
$N(1700)$ BREIT-WIGI $N(1700) ightarrow p\gamma$, helicity-1/2 γ	amplitude $A_{1/2}$	'2			
	DOCUMENT ID				
0.041 ± 0.017	ANISOVICH				
• • • We do not use the following					
0.021 ± 0.005	SHRESTHA		DPWA	Multichannel	
$N(1700) \rightarrow p\gamma$, helicity-3/2	amplitude A _{3/}	2			
$VALUE (GeV^{-1/2})$	DOCUMENT ID		TECN	COMMENT	
-0.037 ± 0.014	SOKHOYAN			Multichannel	
• • We do not use the following		s, fits,	limits, e	tc. • • •	
-0.034 ± 0.013	ANISOVICH			Multichannel	
0.050 ± 0.009	SHRESTHA	12A	DPWA	Multichannel	
$N(1700) \rightarrow n\gamma$, helicity-1/2	amplitude $A_{1/1}$	2			
$VALUE (GeV^{-1/2})$	DOCUMENT ID		TECN	COMMENT	
0.025 ± 0.010	ANISOVICH			Multichannel	
• • • We do not use the following	data for average	s, fits,	limits, e	tc. • • •	
-0.049 ± 0.008	SHRESTHA	12A	DPWA	Multichannel	

$N(1700) \rightarrow n\gamma$, helicity-3/2 amplitude A_{3/2}

$VALUE~({ m GeV}^{-1/2})$	DOCUMENT ID		TECN	COMMENT	
$-0.032\!\pm\!0.018$	ANISOVICH 1	13 B	DPWA	Multichannel	
ullet $ullet$ We do not use the following data for averages, fits, limits, etc. $ullet$ $ullet$					
$-0.092\!\pm\!0.014$	SHRESTHA 1	12A	DPWA	Multichannel	

N(1700) FOOTNOTES

N(1700) REFERENCES

For early references, see Physics Letters 111B 1 (1982).

DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan et al. (C	BELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive et al.	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc et al.	,
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich et al.	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich et al.	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic et al.	(ZAGR)
THOMA	80	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, TS.H. Le	ee (PITT, ANL)
HOEHLER	93	π N Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMÙ, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky et al.	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP

 $^{^{1}}$ Fit to the amplitudes of HOEHLER 79.