$$\eta$$
(1295)


$$I^{G}(J^{PC}) = 0^{+}(0^{-+})$$

See also the mini-review under  $\eta(1405)$ 

## $\eta$ (1295) MASS

VALUE (MeV)	EVTS	DOCUMENT IL	)	TECN	COMMENT		
1294±4 OUR AVERAGE Error includes scale factor of 1.6. See the ideogram below.							
$1302 \pm 9 \pm 8$	20k	ADAMS	<b>01</b> B	B852	18 GeV $\pi^- p \rightarrow$		
					$\kappa^+ \kappa^- \pi^0 n$		
$1282\!\pm\!5$	9082	MANAK	00A	MPS	$18 \pi^- p \rightarrow \eta \pi^+ \pi^- n$		
$1299\!\pm\!4$	2100	ALDE	<b>97</b> B	GAM4	$100 \pi^{-} p \rightarrow \eta \pi^{0} \pi^{0} n$		
$1295\!\pm\!4$		FUKUI	<b>91</b> C	SPEC	8.95 $\pi^- p \rightarrow$		
					$\eta \pi^+ \pi^- n$		

• • • We do not use the following data for averages, fits, limits, etc. • • •



 $^{1}\,\mathrm{PWA}$  analysis of AUGUSTIN 92 assigns 0  $^{-+}$  quantum numbers to this state rather than  $^{1++}$  as before.

Created: 5/30/2017 17:21

### $\eta$ (1295) WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	COMMENT
55± 5 OUR AVE	RAGE				
$57 \pm 23 \pm 21$	20k	ADAMS	<b>01</b> B	B852	18 GeV $\pi^- p \rightarrow$
					$K^+K^-\pi^0n$
$66\pm13$	9082	MANAK	00A	MPS	$18 \pi^- p \rightarrow \eta \pi^+ \pi^- n$
53± 6		FUKUI	<b>91</b> C	SPEC	8.95 $\pi^- p \rightarrow$
					$\eta\pi^+\pi^-$ n

• • • We do not use the following data for averages, fits, limits, etc. • • •

<40	2100	ALDE	<b>97</b> B	GAM4	$100 \ \pi^- p \rightarrow \eta \pi^0 \pi^0 n$
$44\pm20$		<sup>2</sup> AUGUSTIN	90	DM2	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$
$\sim 70$		STANTON	79	CNTR	$8.4 \pi^- p \rightarrow n\eta 2\pi$

 $<sup>^2</sup>$  PWA analysis of AUGUSTIN 92 assigns  $0^{-+}$  quantum numbers to this state rather than 1<sup>++</sup> as before.

### $\eta$ (1295) DECAY MODES

	Mode	Fraction $(\Gamma_i/\Gamma)$
	$\eta \pi^+ \pi^-$	seen
$\Gamma_2$	$a_0(980)\pi$	seen
$\Gamma_3$	$rac{\gamma}{\eta}rac{\gamma}{\pi}$ 0 $\pi$ 0	
$\Gamma_4$	$\eta  \pi^0  \pi^0$	seen
$\Gamma_5$	$\eta(\pi\pi)_{S ext{-}wave}$	seen
Γ <sub>6</sub> Γ <sub>7</sub>	$\sigma\eta$	
Γ <sub>7</sub>	$K\overline{K}\pi$	

# $\eta(1295) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(total)$

#### $\Gamma(\eta \pi^+ \pi^-) \times \Gamma(\gamma \gamma) / \Gamma_{\text{total}}$ $\Gamma_1\Gamma_3/\Gamma$ TECN **ACCIARRI** 01G L3 < 0.066 • • We do not use the following data for averages, fits, limits, etc.

TPC  $e^+e^- \rightarrow e^+e^- \eta \pi^+ \pi^-$ CBAL  $e^+e^- \rightarrow e^+e^- \eta \pi \pi$ **AIHARA** 88C TPC < 0.6 90 < 0.3 ANTREASYAN 87

 $\Gamma(K\overline{K}\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$  $\Gamma_7\Gamma_3/\Gamma$ TECN COMMENT DOCUMENT ID

• • • We do not use the following data for averages, fits, limits, etc. • •

**3,4** AHOHE CLE2  $10.6 \stackrel{e^+e^-}{e^+e^-} \stackrel{\rightarrow}{\underset{S}{\kappa^{\pm}}} \pi^{\mp}$ < 0.014 90

Created: 5/30/2017 17:21

 $<sup>^3</sup>$  Using  $\eta(1295)$  mass and width 1294 MeV and 55 MeV, respectively.  $^4$  Assuming three-body phase-space decay to  $K_{S}^0\,K^{\pm}\,\pi^{\mp}.$ 

# $\eta$ (1295) BRANCHING RATIOS

			•			
$\Gamma(a_0(980)$	π)/[	total				$\Gamma_2/\Gamma$
<u>VALUE</u>		DOCUMENT ID		TECN	COMMENT	
• • • We do	o not	use the following	data for averag	es, fits,	limits, e	etc. • • •
not seen			BERTIN	97	OBLX	$0.0  \overline{p}  \rho \rightarrow \\ \kappa^{\pm} (\kappa^0)  \pi^{\mp}  \pi^{+}  \pi^{-}$
seen			BIRMAN	88	MPS	$8 \pi^{-} p \rightarrow K^{+} \overline{K}^{0} \pi^{-} n$
large			ANDO	86	SPEC	$8 \pi^- p \rightarrow \eta \pi^+ \pi^- n$
large			STANTON	79	CNTR	$8.4 \ \pi^- p \rightarrow n \eta 2\pi$
Γ(a <sub>0</sub> (980)	π)/Γ	$-(\eta\pi^0\pi^0)$				$\Gamma_2/\Gamma_4$
VALUE			DOCUMENT ID			
$0.65 \pm 0.10$			<sup>5</sup> ALDE	<b>97</b> B	GAM4	$100 \pi^- p \rightarrow \eta \pi^0 \pi^0 n$
<sup>5</sup> Assumin	g tha	t $a_0(980)$ decays	only to $\eta\pi$ .			
$\Gamma(\eta(\pi\pi)_{\mathcal{S}}$	-wav	$_{e})/\Gamma ig(\eta \pi^0 \pi^0ig)$				Γ <sub>5</sub> /Γ <sub>4</sub>
VALUE			DOCUMENT ID		TECN	
$0.35 \pm 0.10$		ALDE	<b>97</b> B	GAM4	$100 \pi^- p \rightarrow \eta \pi^0 \pi^0 n$	
Γ(a <sub>0</sub> (980)	π)/Γ	$\overline{}(\sigma\eta)$				$\Gamma_2/\Gamma_6$
VALUE		<u>EVTS</u>	DOCUMENT ID	)	TECN	
$0.48 \pm 0.22$		9082	MANAK	00A	MPS	$18 \pi^- p \rightarrow \eta \pi^+ \pi^- n$
		η(	1295) REFER	ENCE	:S	
AHOHE ACCIARRI ADAMS MANAK ALDE BERTIN AUGUSTIN FUKUI AUGUSTIN AIHARA BIRMAN ANTREASYAN ANDO STANTON	05 01G 01B 00A 97B 97 92 91C 90 88C 88 87 86 79	PR D71 072001 PL B501 1 PL B516 264 PR D62 012003 PAN 60 386 Translated from YAI PL B400 226 PR D46 1951 PL B267 293 PR D42 10 PR D38 1 PRL 61 1557 PR D36 2633 PRL 57 1296 PRL 42 346	R. Ahohe et M. Acciarri et G.S. Adams J.J. Manak et D. Alde et a G. S. Eukui et J.E. Augustin S. Fukui et a J.E. Augustin H. Aihara et A. Birman et D. Antreasyal A. Ando et a N.R. Stanton	et al. et al. it al. l. al. al. G. Cos al. et al. al. al. al.	(SUG	(CLEO Collab.) (L3 Collab.) (BNL E852 Collab.) (BNL E852 Collab.) (GAMS Collab.) (OBELIX Collab.) (DM2 Collab.) (I, NAGO, KEK, KYOT+) (DM2 Collab.) (TPC-2γ Collab.) (BNL, FSU, IND, MASD) JP (Crystal Ball Collab.) (, KYOT, NIRS, SAGA+) IJP (OSU, CARL, MCGI+) JP

Created: 5/30/2017 17:21