$$\pi_1(1400)$$

$$I^{G}(J^{PC}) = 1^{-}(1^{-+})$$


See also the mini-review under non- $q\overline{q}$ candidates in PDG 06, Journal of Physics **G33** 1 (2006).

$\pi_1(1400)$ MASS

| VALUE (MeV) EVTS | | DOCUMENT ID | | TECN CHG | | COMMENT | | |
|------------------|----------|--------------|----------------|--------------------|-------------|------------|--------|--|
| 1354 | ±25 | OUR | AVERAGE | Error includes sc | ale fac | ctor of 1. | 8. See | the ideogram below. |
| 1257 | ± 20 | ± 25 | 23.5k | ADAMS | 07 B | B852 | | $18 \pi^- p \rightarrow \eta \pi^0 n$ |
| 1384 | ± 20 | ± 35 | 90k | SALVINI | 04 | OBLX | | $\overline{p}p \rightarrow 2\pi^{+}2\pi^{-}$ |
| 1360 | ± 25 | | | ABELE | 99 | CBAR | | $0.0 \ \overline{p}p \rightarrow \pi^0 \pi^0 \eta$ |
| 1400 | ± 20 | ± 20 | | ABELE | 98 B | CBAR | | $0.0 \; \overline{p} n \rightarrow \; \pi^- \pi^0 \eta$ |
| 1370 | ± 16 | $+50 \\ -30$ | | $^{ m 1}$ THOMPSON | 97 | MPS | | 18 $\pi^- p \rightarrow \eta \pi^- p$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

 $^{^3}$ Seen in the P_0 -wave intensity of the $\eta\pi^0$ system, unnatural parity exchange.



¹ Natural parity exchange, questioned by DZIERBA 03.

²Unnatural parity exchange.

π_1 (1400) WIDTH

| VALUE (MeV) EVTS | | EVTS | DOCUMENT ID | | TECN CHG | COMMENT | | |
|---|--|--------|--|-------------|----------------|---|--|--|
| 330 ± | 35 OUR A | VERAGE | | | | | | |
| 354 \pm | 64 ± 58 | 23.5k | ADAMS | 07 B | B852 | $18 \pi^- p \rightarrow \eta \pi^0 n$ | | |
| $378 \pm$ | 50 ± 50 | 90k | SALVINI | 04 | OBLX | $\overline{p}p \rightarrow 2\pi^{+}2\pi^{-}$ | | |
| 220 \pm | 90 | | ABELE | 99 | CBAR | $0.0 \; \overline{p} p \rightarrow \; \pi^0 \pi^0 \eta$ | | |
| 310 ± | $50 + 50 \\ - 30$ | | ABELE | 98 B | CBAR | $0.0 \; \overline{p} n \rightarrow \; \pi^- \pi^0 \eta$ | | |
| 385 ± | $\begin{array}{cc} + & 65 \\ -105 \end{array}$ | | ⁴ THOMPSON | 97 | MPS | $18 \pi^- p \rightarrow \eta \pi^- p$ | | |
| ◆ We do not use the following data for averages, fits, limits, etc. | | | | | | | | |
| 143.2± 180 ± | 12.5 20 | | ⁵ AOYAGI ⁶ ALDE | 93 88B | BKEI GAM4 0 | $\pi^- p \rightarrow \eta \pi^- p$ $100 \pi^- p \rightarrow \eta \pi^0 n$ | | |

$\pi_1(1400)$ DECAY MODES

| | Mode | Fraction (Γ_i/Γ) |
|-----------------------|--------------|------------------------------|
| $\overline{\Gamma_1}$ | $\eta\pi^0$ | seen |
| Γ_2 | $\eta \pi^-$ | seen |
| Γ ₃ | $\eta'\pi$ | |

π_1 (1400) BRANCHING RATIOS

| $\Gamma(\eta\pi^0)/\Gamma_{ m total}$ | | | | | Γ_1/Γ |
|---------------------------------------|---------------------|-------------|-----------|--------|---|
| VALUE | DOCUMENT ID | | TECN | CHG | COMMENT |
| • • • We do not use the following | g data for averages | , fits, | limits, e | etc. • | • • |
| not seen | PROKOSHKIN | 95 в | GAM4 | | $100 \pi^- p \rightarrow$ |
| not seen | ⁷ BUGG | 94 | RVUE | | $\eta \pi^0 n \over \overline{p} p 	o \eta 2 \pi^0$ |
| not seen | ⁸ APEL | 81 | NICE | 0 | 40 $\pi^- p \rightarrow$ |
| | | | | | $\eta\pi^0$ n |

 $^{^{7}}$ Using Crystal Barrel data. 8 A general fit allowing S, D, and P waves (including m=0) is not done because of limited statistics.

| $\Gamma(\eta\pi^-)/\Gamma_{total}$ | | | | | | Γ_2/Γ |
|--------------------------------------|-------------|-------------------|---------|-----------|------------------------------|---------------------|
| VALUE | | DOCUMENT ID | | TECN | COMMENT | |
| ullet $ullet$ We do not use the | following o | lata for averages | , fits, | limits, e | etc. • • • | |
| possibly seen | | BELADIDZE | 93 | VES | $37\pi^- N \rightarrow \eta$ | π^- N |
| $\Gamma(\eta'\pi)/\Gamma(\eta\pi^0)$ | | | | | | Γ_3/Γ_1 |
| VALUE | CL% | DOCUMENT ID | | TECN | COMMENT | |
| ullet $ullet$ We do not use the | following o | lata for averages | , fits, | limits, e | etc. • • • | |
| < 0.80 | 95 | BOUTEMEUR | 90 | GAM4 | 100 $\pi^- p \rightarrow$ | 4 γ n |
| | | | | | | |

Created: 5/30/2017 17:21

 $^{^4}$ Resolution is not unfolded, natural parity exchange, questioned by DZIERBA 03. 5 Unnatural parity exchange. 6 Seen in the P_0 -wave intensity of the $\eta\pi^0$ system, unnatural parity exchange.

$\pi_1(1400)$ REFERENCES

| ADAMS 0 | 07B | PL B657 27 | G.S. Adams et al. | (BNL E852 | Collab.) |
|--------------|-----|--------------------------|------------------------------|------------------|---------------|
| PDG 0 | 06 | JP G33 1 | WM. Yao et al. | | Collab.) |
| SALVINI C | 04 | EPJ C35 21 | P. Salvini et al. | (OBELIX | Collab.) |
| DZIERBA C | 03 | PR D67 094015 | A.R. Dzierba et al. | ` | , |
| ABELE 9 | 99 | PL B446 349 | A. Abele et al. | (Crystal Barrel | Collab.) |
| ABELE 9 | 98B | PL B423 175 | A. Abele et al. | (Crystal Barrel | Collab.) |
| THOMPSON 9 | 97 | PRL 79 1630 | D.R. Thompson et al. | (BNL E852 | Collab.) |
| PROKOSHKIN 9 | 95B | PAN 58 606 | Y.D. Prokoshkin, S.A. Sadovs | sky | (SERP) |
| | | Translated from YAF 58 (| 562. | · | ` ' |
| BUGG 9 | 94 | PR D50 4412 | D.V. Bugg et al. | | (LOQM) |
| AOYAGI 9 | 93 | PL B314 246 | H. Aoyagi et al. | (BKEI | Collab.) |
| BELADIDZE 9 | 93 | PL B313 276 | G.M. Beladidze et al. | (VES | Collab.) |
| BOUTEMEUR 9 | 90 | Hadron 89 Conf. p 119 | M. Boutemeur, M. Poulet | (SERP, BELG, | LANL+) |
| ALDE 8 | 88B | PL B205 397 | D.M. Alde et al. (S | SERP, BELG, LANL | , LAPP) IGJPC |
| APEL 8 | 81 | NP B193 269 | W.D. Apel et al. | (SERP, | CERNÍ) |
| | | | | • | |

Created: 5/30/2017 17:21