



Construction time-influencing factors: the contractor's perspective

Raymond N. Nkado

To cite this article: Raymond N. Nkado (1995) Construction time-influencing factors: the contractor's perspective, *Construction Management and Economics*, 13:1, 81-89, DOI: [10.1080/01446199500000009](https://doi.org/10.1080/01446199500000009)

To link to this article: <https://doi.org/10.1080/01446199500000009>



Published online: 28 Jul 2006.



Submit your article to this journal [↗](#)



Article views: 231



View related articles [↗](#)



Citing articles: 3 View citing articles [↗](#)

Construction time-influencing factors: the contractor's perspective

RAYMOND N. NKADO

Department of Building and Quantity Surveying, University of the Witwatersrand, Johannesburg 2050, South Africa

Received 11 May 1994; revised 12 July 1994

The result of a preliminary survey of factors affecting construction time is described. The objective of the survey which was conducted in the UK was to prioritize factors which are taken into consideration by accomplished contractors in planning the construction time of buildings. A significant degree of consistency in ranking 'time-influencing factors' was found. The most important factors are apparently those which can readily be identified or deduced from project information and whose impact on construction time can generally be assessed explicitly by mathematical and judgemental analyses.

Keywords: Construction time, influencing factors, ranking, contractor, descriptive survey.

Introduction

Various factors affect the construction time of buildings and to varying degrees. The objective of this paper is to prioritize time-influencing factors from the viewpoint of those involved with construction activities on sites, i.e. the contractors. Nkado (1991) has shown that prioritizing time-influencing factors is a useful basis for modelling and predicting construction time.

Construction time can be regarded as the elapsed period from the commencement of site works to the completion and handover of a building to the client. The construction time of a building is usually specified prior to the commencement of construction. Construction time can also be deduced from the client's brief or derived by the construction planner from available project information.

Construction time, although only a part of the life-cycle duration of buildings, is increasingly important for several reasons. The construction period demands the focus of attention of all the key participants in the construction process. It is during this period that the greatest part of the resources for a scheme is irreversibly committed. Furthermore, construction time is a basis for evaluating the success of a project and the efficiency of the project organization. Indeed, completing projects on time is symbolic of an efficient construction industry (NEDO, 1988). In contrast, severe criticisms of the

industry arise when buildings take much longer than planned to erect (Bennett *et al.*, 1979; Flanagan *et al.*, 1986; Southgate, 1988; Mobbs, 1989).

Time-influencing factors

There is no consensus in the literature on the identification of factors which affect stipulated, planned or achieved construction times of buildings. One reason for this is that researchers have largely viewed the subject from diverse perspectives. Such viewpoints include identification of discrete factors which affect productivity on-site and taking a systems view of the construction process and end-product.

The factors which have been described as affecting site productivity and, impliedly, construction time include buildability (Ferguson, 1983), management and leadership (Grant, 1984), knowledge of subcontractors work, the nature of relationships between the general contractor, subcontractor and client's agent (Russell and McGowan, 1987) and the degree of coordination in design information and the completeness of project information (Gordon, 1988).

Ahuja and Nandakumar (1984) listed other factors that ultimately affect site productivity such as work space availability, attendance of operatives, learning curve, weather, labour relations, project complexity,

foundation condition and effectiveness of supervision. Singh (1984) indicated that the time outcome of a project would be affected by the form of the construction, the size of the project (as measured by the gross floor area, GFA), the number of storeys, the contractual system, the tendering procedure, the existence of a basement, the management efficiency of the construction firm and the development of coordination between the various agencies involved in the construction.

From a systems viewpoint, the construction project can be distinguished from the environment in which the project takes place. Sidwell (1982) opined that the environment describes all external influences on the building process. Walker (1980) enumerated factors in the environment which can affect the construction time, cost and quality performance of a project as legal/political, institutional, cultural/sociological, technological and economic/competitive. Hughes (1989) added to this list aesthetic, financial and physical factors. According to Farzard (1984) the following additional factors reflect the environment of developing countries: educational, natural resources, industry, religious and demographic factors.

Time-influencing factors need to be prioritized if used as a basis to model construction time. Gray (1986) and Nkado (1992) have demonstrated how models for predicting construction times at an early design stage mostly seek to avail the design team of the expertise of the construction planner so that the impact on time of design decisions can be evaluated quickly and guide the development of the design. Therefore, planners' perspective of important factors affecting construction time is relevant for modelling construction time.

Hypothesis

The survey described below tests the hypothesis that 'factors that affect construction time can be prioritized'.

Assumption

The underlying assumption is that participants in the survey are competent and experienced and have exercised sound judgement in their response. Steps were taken in administering the postal survey to ensure that the basic assumption was met.

Methodology

Questionnaire

The descriptive survey method was used. A questionnaire was designed to sample the opinion of experienced

construction planners on factors which are considered in estimating construction time. Basic criteria advocated by Leedy (1989, p. 143) and considered in designing the questionnaire included using unmistakably clear and courteous language, addressing a specific research objective, brevity, checks for consistency and an offer of the results of the study to the respondents. The questionnaire is shown in the Appendix.

Factors identified in the literature were listed in the questionnaire under six headings: client, design and specialist consultants, contract, project, site management and external influences. A total of 33 specific factors and 28 ranking options were listed. Respondents were requested to indicate whether or not they consider the individual factors in estimating construction time.

Provisions were made for and respondents urged to indicate additional factors thought to influence construction time. Respondents were also asked to indicate whether they assess such factors intuitively or explicitly. However, this was mainly used with the ranking to cross-check the consistency of factor identification by individual respondents. Finally, ranking the factors was requested in the order of 1 for 'very important', 2 for 'important' and 3 for 'not so important'.

'Closed' type questions were used, that is, typical factors were listed for the respondents to evaluate. 'Open' type questions would require the respondents to enumerate and subsequently evaluate the factors.

The closed format provides a clear advantage in this case. First, it is easier to respond to and, consequently, is expected to draw a higher response. Second, it limits the terminologies used to describe the issues raised. This greatly simplifies subsequent analysis of the response. Third, the goal of the survey can be met. No originality of factors is sought since these are well documented in the literature.

The possible disadvantages of this format of questioning are a lack of evidence that respondents have really thought through the questions before answering and the possibility of bias. Also it is difficult to ascertain that all the needed questions have been asked. However, these shortcomings were mitigated in the study by an appropriate choice of survey population comprising motivated and competent respondents and a provision for inclusion of additional factors or comments.

Survey population

Main contractors were the target population for the investigation because, of the key participants in the complex building industry, they are generally involved with the overall planning and implementation of the building process.

The National Contractors Group (NCG) was selected as the survey population on the basis of a non-

probability, convenience sampling (Leedy, 1989, p. 152) to meet the criteria of wide scope of operation and high levels of experience and sophistication of the firm. In this case, however, Maxwell and Delaney (1989, p. 50) asserted that generalization of results to a larger population can be made only on non-statistical or substantive grounds.

The NCG is a representative sector of construction practice in the UK. It is one of approximately eight organizations affiliated to the Building Employers Confederation (BEC) which is the principal organization representing building contractors in the UK (Ball, 1988).

The NCG¹ with a total share of 30–40% of overall UK construction output in 1991, comprises the largest companies in the membership of the BEC. The policy of the NCG is to ensure that its members maintain high standards of reliability and efficiency; also that members must, among other things, use every endeavour to complete contracts on time and within cost limits and place particular emphasis on the achievement of quality. The range of work undertaken by the NCG includes general contracting, civil engineering and house building in the UK and abroad.

The NCG had 71 member firms in 1989, all of which were approached in the survey. The responses and data received represent those of a cross-section of sophisticated firms with sophisticated organizational set-ups.

Bias

Leedy (1989, p. 166) has defined bias as any influence, condition or set of conditions that singly or together distort the data from what may have been obtained under the conditions of pure chance. It is hardly possible to eliminate bias completely in a study of this kind. Bias operates at two levels in a descriptive survey: the level of selection of the sample from the population and the level of response from the sample. At the level of sample selection, bias is most influential in a 'convenience' sample but does not invalidate the use of the technique in the appropriate circumstance as in this study.

An equal opportunity was given to all member firms of the survey population, the NCG, to participate in the survey. Furthermore, the survey was directed at the same senior management level in each firm. Thus, no deliberate attempt was made to introduce bias into the sample. The possible reasons for non-response, a potential source of bias at the level of response from the sample, is discussed with the analysis of results below.

Returns and analysis

Completed questionnaires were received from 29 of the 71 member firms of the NCG. This 41% response is considered satisfactory for surveys of this type.

Non-response

Three firms expressly declined to participate in the survey, stating such reasons as 'lack of resources to deal with', 'matter of policy not to participate in surveys of this kind' and 'lack of interest'. These might also be some of the reasons for non-response from the rest of the survey population.

Non-response in this case should not invalidate the outcome of the survey. Rather it does imply that the responses received are of intrinsic interest, coming from a cross-section of willing participants. The number of comments on the questions indicated enthusiasm in those who did respond.

Missing values

Table 2 shows that 56 ranking values (approximately 7% of the total data set) are missing. Though numerically small, the effect of the missing values is to reduce to 18 the number of valid cases having ranking values for all the variables (see Table 3). A way to redress this unwelcome impact is to substitute each missing rank with the mean of the respondents' rank for the variable as in Table 4. An alternative approach not adopted here is to substitute missing values with random ranks.

Analysis

Each rank in Table 2 represents the degree of importance that a planner assigned to a variable that they already considered influential on construction time.

Although repetitive ranking was allowed, a visual inspection shows no apparent use of a particular rank across the factors by any one respondent. This indicates that thoughtful assessments were made and that the planners actually expressed their opinion in ranking the factors, as requested. Therefore, the stated hypothesis is supported on substantive grounds. However, a statistical test of the hypothesis will yield further insight.

Concordance test

The Kendall coefficient of concordance, W (adjusted for tied ranks) is used to test the null hypothesis that the 29 sets of rankings are independent or unrelated at the 5% significance level.

When the number of variables, N is ≥ 7 as in this case, significance testing is based on the chi-square distribu-

¹ Market share was extracted from records in the Centre for Strategic Studies in Construction, University of Reading.

Table 1 Factor labels (for Table 2)

Label	Factor and variable name for SPSS ^a
F0	Financial ability of client (CLIENT1)
F1	Previous working relationship with client (CLIENT2)
F2	Category of client (public, private) (CLIENT4)
F3	Priority on construction time (by client) (CLIENT4)
F4	Specified sequence of completion (by client) (CLIENT5)
F5	Possible changes to initial design (by client) (CLIENT6)
F6	Project information (completeness and timeliness) (DTEAM1)
F7	Buildability of design (DTEAM2)
F8	Ease of communication (provision for) (DTEAM3)
F9	Previous working relationship with design team (DTEAM4)
FA	Priority on construction time (by design team) (DTEAM5)
FB	Main contract; suitability to project type (CONTRAC1)
FC	Use of standard form of contract (CONTRAC2)
FD	Function/end use of building (PROJEC1)
FE	Size of building (PROJEC2)
FF	Complexity of building (PROJEC3)
FG	Form of construction (PROJEC4)
FH	Incorporation of special plant in finished project (PROJEC5)
FI	Previous experience on project type (contractor's) (PROJEC6)
FJ	Location of project (PROJEC7)
FK	Proportion of main versus subcontractors work (PROJEC8)
FL	Availability of suitable management team given current work-load (SITEMGT1)
FM	Previous performance of site management team (SITEMGT2)
FN	Level of resource deployment (SITEMGT3)
FO	Weather (EXT1)
FP	Regulations (building, fire, etc.) (EXT2)
FQ	Statutory undertakers (water, gas, etc.) (EXT3)
FR	Contractor's programming of construction work (PROGRAM)

^a Statistical Packages for Social Sciences.

tion with $(N - 1)$ degrees of freedom (Siegel and Castellan, 1988). The chi-square statistic is computed as: $\chi^2 = k(N - 1)W$ where k is the number of respondents.

Table 3 shows the result of the concordance test when cases with missing values are removed from the analysis (i.e. listwise deletion of missing data). Table 4 shows the results when missing values are replaced with the mean rank and clearly indicates little difference to the previous analysis. The mean rank for each factor is computed after standardizing the ranks given by each respondent

to the factors. These results are produced by the SPSS software.

Results

Tables 3 and 4 show that the statistic, W is very significant. The low probability under the null hypothesis associated with the observed value of W enables us to reject the null hypothesis that the respondents' ratings are unrelated to each other. We may therefore conclude with confidence that the agreement among the 29 respondents is higher than it would be by chance had their rankings been random or independent. Thus, there is a good degree of consistency among respondents in prioritizing the factors which affect construction time. Therefore, the stated hypothesis is supported.

The second part of Tables 3 and 4 show the resulting consensual ordering of factors. The ten most important factors from Table 3 appear to be client's specified sequence of completion, contractor's programming of the construction work, form of construction, client's and designer's priority on construction time, complexity of project, project location, buildability of design, availability of construction management team and completeness and timeliness of project information. In general, the contractor can readily identify or deduce these factors from project information and documents. Although the contractor does not originate the majority of these factors, he can make explicit mathematical or judgemental assessment of their impact on construction time. This could explain why they are rated so highly.

The ten least important factors appear to be the form of contract and its suitability to the project, the work of statutory undertakers, previous working relationship with and provision for ease of communication with the design team (as established by the design team), the weather, whether the client is a public or a private organization, effect of building and fire regulations and possibility of variations to design.

Even when these factors are clearly identified from project information, it is difficult to explicitly evaluate their impact on construction time. In the traditional system of building procurement, adverse effect of most of these factors on construction time are usually mitigated by a formal extension of contract period or extra payment or both.

Additional factors suggested

Fourteen respondents suggested a total of 68 additional factors, the majority of which were variants of the listed factors. However, the unique factors among these are the following.

Table 2 Ranking of factors

Number of firm	Factors																											
	F0	F1	F2	F3	F4	F5	F6	F7	F8	F9	FA	FB	FC	FD	FE	FF	FG	FH	FI	FJ	FK	FL	FM	FN	FO	FP	FQ	FR
1	1	1	2	1	1	2	1	1	2	2	1	1	2	1	1	1	1	2	2	2	2	1	1	1	2	2	1	1
2	3	2	3	1	1	2	1	2	2	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	2	3	1	1
3	1	2	3	1	1	3	3	1	3	2	1	3	3	2	1	1	1	1	1	2	3	1	2	2	3	3	3	1
4	*	*	*	*	*	*	*	*	*	*	*	*	*	1	2	3	3	1	3	3	2	2	2	2	1	1	1	3
5	2	2	2	1	1	3	2	1	3	2	1	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	1
6	1	2	2	3	1	2	1	1	1	2	1	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1
7	2	2	2	1	1	2	1	2	2	2	1	2	2	1	1	2	1	2	2	1	1	1	1	1	2	2	2	1
8	*	1	1	1	2	3	1	2	2	1	1	2	2	1	2	2	2	2	2	1	1	1	1	2	3	2	2	1
9	2	1	2	1	1	2	1	1	*	*	1	*	1	1	2	1	1	2	2	1	2	2	2	1	2	2	2	1
10	*	2	2	1	2	2	1	2	2	3	1	2	1	1	3	2	3	2	2	2	2	1	2	3	1	3	2	1
11	2	2	1	1	1	1	1	1	2	1	1	2	2	1	2	1	1	1	1	1	1	2	1	1	2	2	2	1
12	3	2	3	2	1	3	2	2	3	2	2	1	1	1	1	1	1	1	1	1	1	1	2	2	3	2	2	1
13	1	1	2	1	1	2	1	1	2	1	1	1	1	3	2	2	2	1	2	1	1	1	2	1	3	3	2	2
14	1	2	2	2	1	2	1	1	2	2	1	2	2	1	1	1	1	1	2	1	2	1	1	1	1	2	1	1
15	3	2	2	1	1	3	2	1	3	2	1	3	3	2	2	1	1	2	2	1	2	2	3	2	2	3	2	1
16	3	3	2	1	1	2	2	2	3	3	1	2	3	2	2	2	1	2	2	2	1	1	2	2	2	2	1	1
17	1	2	3	2	1	3	1	1	2	2	2	2	2	1	2	1	1	1	1	1	2	2	2	1	2	2	2	1
18	3	3	1	2	3	*	1	2	3	3	3	1	2	1	3	2	3	3	3	1	1	1	2	3	2	3	1	1
19	2	2	3	1	1	3	2	2	3	3	1	2	2	2	2	2	2	2	3	2	2	3	3	2	3	3	3	1
20	*	1	*	*	2	*	2	2	*	1	*	*	*	*	2	2	2	2	1	1	2	*	2	2	2	*	*	1
21	*	1	*	3	2	3	*	*	*	*	*	*	*	3	2	1	1	2	2	1	3	2	2	*	3	3	2	1
22	3	*	2	2	1	3	2	2	*	1	2	*	*	1	1	1	1	2	3	1	1	1	1	2	2	*	2	1
23	1	2	2	1	1	2	2	1	2	2	1	*	*	1	1	1	1	1	1	1	1	1	1	*	1	2	2	1
24	2	3	3	1	1	3	1	1	3	3	1	3	3	2	1	1	1	2	2	1	2	1	2	2	3	3	1	1
25	1	3	2	1	1	3	1	1	3	1	2	2	2	2	1	1	1	1	2	1	1	1	2	2	3	3	2	1
26	1	1	2	1	1	1	1	1	3	2	1	1	3	1	1	1	1	1	1	1	*	1	3	1	1	2	1	1
27	3	2	3	1	1	2	1	1	3	2	1	1	1	3	2	1	1	2	3	1	2	1	2	2	1	3	3	1
28	1	1	1	*	2	3	*	*	*	*	*	1	2	2	2	2	1	2	1	2	2	1	1	2	3	3	2	1
29	1	2	2	1	1	3	1	1	2	2	1	1	2	1	1	1	1	1	1	1	2	1	2	1	2	3	3	1
Σx	44	50	55	35	35	63	36	36	54	48	31	40	47	43	48	40	39	46	49	38	47	37	51	45	60	65	51	32
\bar{x}	1.8	1.9	2.1	1.3	1.3	2.4	1.4	1.4	2.3	1.9	1.2	1.7	2.0	1.5	1.7	1.4	1.3	1.6	1.7	1.3	1.7	1.3	1.8	1.7	2.1	2.4	1.8	1.1

* Missing value.

1. Possibility of future projects from and consideration of future working relationship with, the client.
2. Financial penalty or bonus in the contract.
3. Use of non-standard forms of contract.
4. The end-user of the building – the client or other.
5. Motivation of site management team.
6. The influence of external pressure groups on the project.

Conclusion

Analysis of rankings by senior planners in reputable construction firms has shown that factors which influence construction time can be prioritized. An examination of the resulting consensual ordering of factors shows that those high on the priority list are

generally readily identifiable from project information and directly quantifiable by the contractor. Further, their impact on construction time can be assessed explicitly.

Factors low on the priority list are those whose effect on construction time are not readily assessed explicitly. Also their influence on construction time is not within the direct control of the main contractor. It is likely that planners could have developed rules of thumb for dealing with the effect of such factors on construction time rather than any form of detailed analysis.

The top-ranked factors clearly indicate that contractors are inclined to take into critical consideration every nuance of time limit or constraint imposed by the client or design consultants. This finding supports the assertion that clients can get the time performance they want for their projects from the construction industry. However, it behoves clients to impose time constraints on projects from an informed position if sound economies of construction are to be achieved.

Table 3 Kendall coefficient of concordance test (listwise deletion of missing values)

Cases	W	χ^2	DF	Significance
18	0.4305	209.2085	27	0.0000

Ordering of factors by mean rank		
Mean rank	Factor	
7.11	CLIENT5	Specified sequence of completion
7.81	PROGRAM	Programming construction work (contractor)
8.31	PROJEC4	Form of construction
9.11	DTEAM5	Priority on construction time (design team)
9.72	PROJEC3	Complexity
10.19	CLIENT4	Priority on construction time (client)
10.25	PROJEC7	Location
10.36	DTEAM2	Buildability of design
11.08	SITEMGT1	Availability of suitable management team
11.14	DTEAM1	Project information (complete and timely)
12.22	PROJEC5	Incorporation of special plant in building
2.44	SITEMGT3	Level of resource deployment
12.97	PROJEC2	Size
14.03	PROJEC1	Function/end use
14.69	PROJEC8	Proportion of main versus subcontractors work
15.42	PROJEC6	Previous experience on project type
15.78	SITEMGT2	Previous performance of site management
15.78	CLIENT1	Financial ability
16.42	CONTRAC1	Suitability to project type
16.78	EXT3	Statutory undertakers
17.97	DTEAM4	Previous working relationship
18.44	CONTRAC2	Use of standard form
19.06	CLIENT2	Previous working relationship
19.75	EXT1	Weather
21.44	CLIENT3	Category of client
22.25	EXT2	Regulations
22.61	CLIENT6	Possible changes to initial design
22.86	DTEAM3	Ease of communication (provision)

Table 4 Kendall coefficient of concordance test (substituting missing values with the mean)

Cases	W	χ^2	DF	Significance
29	0.3116	243.9721	27	0.0000

Ordering of factors by mean rank		
Mean rank	Factor	
7.81	PROGRAM	Programming construction work (contractor)
9.36	DTEAM5	Priority on construction time (design team)
9.74	CLIENT5	Specified sequence of completion
10.24	PROJEC7	Location
10.48	PROJEC4	Form of construction
10.53	CLIENT4	Priority on construction time (client)
10.69	SITEMGT1	Availability of suitable management team
11.19	PROJEC3	Complexity
11.26	DTEAM1	Project information (complete and timely)
11.38	DTEAM2	Buildability of design
12.36	PROJEC1	Function/end use
13.72	PROJEC5	Incorporation of special plant in building
14.24	SITEMGT3	Level of resource deployment
14.59	PROJEC2	Size
14.79	CONTRAC1	Suitability to project type
14.93	PROJEC8	Proportion of main versus subcontractors work
15.07	CLIENT1	Financial ability
15.24	SITEMGT2	Previous performance of site management
15.72	PROJEC6	Previous experience on project
16.14	CLIENT2	Previous working relationship
16.21	EXT3	Statutory undertakers
16.93	DTEAM4	Previous working relationship
17.16	CONTRAC2	Use of standard form
18.45	EXT1	Weather
19.83	CLIENT3	Category of client
22.22	EXT2	Regulations
22.50	CLIENT6	Possible changes to initial design
23.21	DTEAM3	Ease of communication (provision)

Acknowledgements

Many thanks are due to Professor John Bennett and Mr Colin Gray for very helpful supervision of the research of which this report is a part and the Commonwealth Scholarship Commission of the UK for sponsorship. Much appreciated are the useful contributions of academics at Reading University and elsewhere, member firms of the National Contractors Group and eminent construction managers and planners who participated in the survey.

References

- Ahuja, H.N. and Nandakumar, V. (1984) Enhancing reliability of project duration forecasts, *AACE Transactions*, E.6.1 – E.6.12.
- Ball, M. (1988) *Rebuilding Construction*. Routledge, London.
- Bennett, J., Flanagan, R., Goodacre, P., Gray, C., McLaughlin, N. and Norman, G. (1979) *UK and US Construction Industries: A Comparison of Design and Contract Procedures*. Surveyors Publications, London.
- Farzard, F. (1984) An investigation into the influence of the 'level of development' of the location of a construction

- project upon its duration, its cost and its use of critical path techniques of network analysis, PhD thesis, University of Reading, UK.
- Ferguson, I. (1983) Buildability and the private house builder, *Building Technology and Management*, **November**, 16–18.
- Flanagan, R., Norman, G., Ireland, V. and Ormerod, R. (1986) *A Fresh Look at the UK and US Construction Industry*. Building Employers Confederation, London.
- Gordon, Sir A. (1988) Co-ordinated project information: the background to its development, *Building Technology and Management*, **June/July**, 14–16.
- Grant, K.J. (1984) Towards a leaderless industry, *Building Technology and Management*, **May**, 3–4.
- Gray, C. (1986) 'Intelligent' construction time and cost analysis, *Construction Management and Economics*, **4**, 135–150.
- Hughes, W.P. (1989) Identifying the environments of construction projects, *Construction Management and Economics*, **7**, 29–40.
- Leedy, P.D. (1989) *Practical Research Planning and Design*. Macmillan, New York.
- Maxwell, S.E. and Delaney, H.D. (1989) *Designing Experiments and Analysing Data: A Model Comparison Perspective*. Wadsworth, Belmont, CA.
- Mobbs, G.N. (1989) *The Influence of Global Investment or the Decline of the British Commercial Imperialism*. Public Lecture Series in Estate Management, College of Estate Management, Reading, UK.
- NEDO (1988) *Faster Building for Commerce*. London, NEDO.
- Nkado, R.N. (1991) A construction time information system for the building industry, PhD thesis, University of Reading, UK.
- Nkado, R.N. (1992) Construction time information system for the building industry, *Construction Management and Economics*, **10**, 489–509.
- Russell, A.D. and McGowan, C. (1987) Subcontractor control for high-rise construction, *Building Technology and Management*, **June/July**, 24–33.
- Sidwell, A.C. (1982) A critical study of project team organizational forms within the building process, PhD thesis, University of Aston in Birmingham, UK.
- Siegel, S. and Castellan, N.J. (1988) *Nonparametric Statistics for the Behavioral Sciences*. McGraw Hill, New York.
- Singh, S. (1984) A rational approach for stipulating completion time for high rise commercial building, In *Proceedings of the fourth International Symposium on Organization and Management of Construction*, CIB W-65, pp. 855–862.
- Southgate, T. (1988) Cost planning – a new approach, *CQS, Journal of the RICS*, **9**, 10.
- Walker, A. (1980) A model for the design of project management structures for building clients, PhD thesis, CNAA, Liverpool Polytechnic, UK.

Appendix: questionnaire for preliminary survey

Factors affecting construction time

Preamble

The duration of construction projects right from inception to completion is assuming greater importance in the construction industry. Clients or customers are no longer content merely with minimal cost and adequate functional performance for their projects; increasing interest rates, inflation and other commercial pressures, among other factors, mean that it is in many instances most cost-effective to complete a project within the shortest possible time.

Clients have been advised to indicate how quickly they want their buildings and to insist upon getting them accomplished without incurring abnormal costs. There is considerable evidence to show that the construction industry, as well as the allied manufacturing industry, have aimed to meet such exacting requirements. Such evidence includes the introduction of new components and methods of site assembly, use of more sophisticated plant and adoption of new procurement methods.

The objectives of this enquiry are to identify the factors which affect construction time and to establish their importance in construction planning and management. Thus, thoughtful additions to the list will be greatly appreciated.

Questionnaire

Please indicate which of the following factors you consider in estimating construction time, adding other factors or subfactors in the space provided. In the second response column, please indicate whether you take explicit (or mathematical account) of each factor in the assessment of a project duration or whether you make an intuitive or experience-based adjustment only. Finally, please rank the factors in the third column according to the following criteria:

Very important	1
Important	2
Not so important	3

Questionnaire

Factor	Considered in time estimating <input checked="" type="checkbox"/> Not considered <input checked="" type="checkbox"/>	Explicit assessment <input checked="" type="checkbox"/> Judgement <input checked="" type="checkbox"/>	Rank 1,2,3 <input type="checkbox"/>
1. Client			
Financial ability/financial arrangement for project	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Previous working relationship	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Category (public, private)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Priority on construction time	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Specified sequence of completion, e.g. staged completion	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Possible changes to initial design	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Others (please specify)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
.....			
.....			
.....			
2. Design and specialist consultants			
Completeness and timeliness of project information	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Buildability of design	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provision for ease of communication	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Previous working relationship	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Priority on construction time	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Others	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
.....			
.....			
3. Contract (or procurement method)			
Suitability to project time	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Use of standard form of contract	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Others	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
.....			
.....			
4. Project			
Function or end use: office, residential, industrial, etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Size	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Complexity – plan lay-out, number of storeys, services, etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Type of form of construction – concrete, steel, brick, etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Incorporation of special plant in finished project	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Previous experience on project type	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Others	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
.....			
.....			
.....			

Project location	<input type="checkbox"/>	<input type="checkbox"/>	
Site condition	<input type="checkbox"/>	<input type="checkbox"/>	
Experience in geographical area	<input type="checkbox"/>		
Availability of labour	<input type="checkbox"/>	<input type="checkbox"/>	
Availability of key materials	<input type="checkbox"/>	<input type="checkbox"/>	
Availability of key plant	<input type="checkbox"/>	<input type="checkbox"/>	
.....			
.....			
.....			
Proportion of main contractor's direct construction work	<input type="checkbox"/>	<input type="checkbox"/>	
Proportion of nominated subcontractors' work	<input type="checkbox"/>	<input type="checkbox"/>	
Number of subcontractors involved in project	<input type="checkbox"/>	<input type="checkbox"/>	
Other considerations	<input type="checkbox"/>	<input type="checkbox"/>	
.....			
.....			
5. Site management			
Availability of suitable management team given firm's current work-load	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Previous performance of site management team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Level of resource deployment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
.....			
.....			
.....			
6. External influences			
Weather	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Regulations – building, fire, etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Statutory undertakers – water, gas, etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
.....			
.....			
.....			
7. Given its obvious reflection of estimated construction time, what rank as before would you give programming of management work as a factor which affects management time?	<input type="checkbox"/>		
Please comment on the questionnaire.			
I look forward to receiving your response.			