Spread and Basket Option Pricing Applied Stochastic Processes (FIN 514)

Instructor: Jaehyuk Choi

Peking University HSBC Business School, Shenzhen, China

2019-20 Module 1 (Fall 2019)

Overview

- Options written on multiple underlying assets
- Extension of Black-Scholes model from uni-variate to multi-variate
- Write a MC pricing routine with control variate
- Analytic approximations (to be used as control variates)
 - Normal model price
 - Kirk's approximation (Margrabe's formula)
 - Geometric basket option

Background: popular derivatives in non-vanilla class

Spread options: $(S_1 - S_2 - K)^+$

- Crack spread option: (P of oil products P of oil K)⁺
- Spark spread option: (P of electricity P of gas K)⁺
- Non-inversion note: digital call on rates term-structure, $(30y-2y)^+$

Basket options: $(\sum w_k S_k - K)^+$ with $w_k > 0$

- Popular as OTC derivatives in FX and commodities market
- Index options

Asian options (path-dependent): $(\sum_{1}^{N} S(t_k)/N - K)^+$

- Efficient hedge over average cost, safe from market manipulation.
- Fed fund swaps: daily compounded trade-averaged FF rate
- China interest swaps: 3-month average of 7-day repo rate as a standard floating rate (cf. 3-month LIBOR)

Problem setup

 \bullet N asset prices, $S_k(t),$ following the correlated geometric Brownian motions (GBM)

$$\frac{dS_k(t)}{S_k(t)} = (r - q_k) dt + \sigma_k dW_k(t) \quad \text{for} \quad 1 \le k \le N$$

for volatilities σ_k , dividend rates q_k , risk-free rate r and BMs $W_k(t)$, the correlation $\mathbb{E}\{dW_k(t)dW_j(t)\}=\rho_{kj}dt\ (\rho_{kk}=1)$.

- N observation times: t_k ($1 \le k \le N$), with expiry at T
- ullet The payout of the option at the maturity T

$$C(T) = \left(\sum_{k=1}^{N} w_k S_k(t_k) - K\right)^+$$

Option types

$$C(T) = \left(\sum_{k=1}^{N} w_k S_k(t_k) - K\right)^+$$

- European basket option: $w_k > 0$ and $t_k = T$ for all k; N < 10
- European spread option: $w_k < 0$ for some k, $t_k = T$ for all k; N = 2
- Discretely monitored Asian option (covered later): $w_k = 1/N$, $0 < t_1 < \cdots < t_N = T$ and $S_k(t)$'s are identical; $N \gg 10$

Challenges

Mathematical problem

Multi-dimensional integration over the domain of positive payoff

Difficulties

- The lognormal RV sum is neither lognormal nor has analytic distribution.
- Numerical valuation is cursed by dimensionality: $O(M^N)$. E.g., h=0.1 grid between ± 7 std. dev. for 4 assets: $140^4 \approx 400 \times 10^6$
- Monte-Carlo simulation is used for pricing in industry and academics.

Quote from Broadie and Detemple (2004, MS Survey)

"Many problems are effectively exponential · · · . Efficient and convergent methods for pricing high-dimensional and path-dependent American securities depend on the development of new algorithms, not faster computers."

Normal model approximation

• Spread Option: $\sigma_{\rm N1}=\sigma_1S_1(0),\;\sigma_{\rm N2}=\sigma_2S_2(0)$

$$\begin{split} \mathsf{Var}(S_1(T) - S_2(T)) &= (\sigma_{\scriptscriptstyle \mathrm{N}1}^2 + \sigma_{\scriptscriptstyle \mathrm{N}2}^2 - 2\rho\sigma_{\scriptscriptstyle \mathrm{N}1}\sigma_{\scriptscriptstyle \mathrm{N}2}) \cdot T \\ \sigma_{\scriptscriptstyle \mathrm{N}} &= \sqrt{\sigma_{\scriptscriptstyle \mathrm{N}1}^2 + \sigma_{\scriptscriptstyle \mathrm{N}2}^2 - 2\rho\sigma_{\scriptscriptstyle \mathrm{N}1}\sigma_{\scriptscriptstyle \mathrm{N}2}} \end{split}$$

and use the normal model formula.

• Basket Option: $\sigma_{{
m N}j}=\sigma_{j}S_{j}(0)$ or $=\sigma_{j}F_{j}(0)$

$$\begin{split} \mathrm{Var}(\sum_k w_k S_k(T)) &= \Big(\sum_j w_j^2 \sigma_{\mathrm{N}j}^2 + 2 \sum_{j \neq k} \rho_{jk} w_j w_k \sigma_{\mathrm{N}j} \sigma_{\mathrm{N}k} \Big) \cdot T \\ \Sigma_{jk} &= \rho_{jk} \sigma_{\mathrm{N}j} \sigma_{\mathrm{N}k}, \quad \sigma_{\mathrm{N}} = \sqrt{\mathbf{w}^T \, \mathbf{\Sigma} \, \mathbf{w}} \end{split}$$

and use the normal model formula.



Normal model approximation for Control Variate

• Use the result as a control variate of Spread and Asiain option:

$$C^{\text{\tiny CV}}(T,K) = C^{\text{\tiny MC}}(T,K) + \left(C^{\text{\tiny EXACT}}_{\text{\tiny N}}(T,K) - C^{\text{\tiny MC}}_{\text{\tiny N}}(T,K)\right)$$

Use the same sequence of RNs for C^{MC} and C^{MC}_{N} . [Py Demo]

- Homework Set 2:
 - Implement Monte-Carlo pricer for Spread and Basket options with control variate with normal model price.
- Final project (past years): implement other analytic approximation methods or CV methods (e.g., Kirk's approximation for spread options)

Exchange option: Margrabe's formula

- Option to exchange one asset S_1 for another S_2 : $\left(S_1(T) S_2(T)\right)^+$
- Spread option with zero strike K=0: $\left(S_1(T)-S_2(T)-0\right)^+$
- Max (best-of) option in terms of exchange option: $\max(S_1(T),S_2(T)) = S_2(T) + \left(S_1(T) S_2(T)\right)^+,$ where $(x)^+ = \max(x,0)$.

Margrabe's exchange option formula

$$C_{\text{EX}} = S_1(0)N(d_+) - S_2(0)N(d_-),$$

where
$$d_\pm=rac{\log(S_1(0)/S_2(0))}{\sigma_R\sqrt{T}}\pmrac{1}{2}\sigma_R\sqrt{T}$$
 and $\sigma_R=\sqrt{\sigma_1^2+\sigma_2^2-2
ho\sigma_1\sigma_2}$.

SDE on S_1/S_2

$$\frac{dS_k(t)}{S_k(t)} = r \, dt + \sigma_k dW_k(t) \ (k = 1, 2), \quad dW_1 dW_2 = \rho dt$$

Applying Itô's lemma to S_1/S_2 ,

$$d\left(\frac{S_1}{S_2}\right) = \frac{dS_1}{S_2} - \frac{S_1}{S_2^2}dS_2 + \frac{S_1}{S_2^3}(dS_2)^2 - \boxed{\frac{dS_1dS_2}{S_2^2}}$$

For $R=S_1/S_2$,

$$\frac{dR}{R} = (\sigma_2^2 - \rho \sigma_1 \sigma_2) dt + (\sigma_1 dW_1 - \sigma_2 dW_2)$$

Alternatively,

$$d\log R = d\log S_2 - d\log S_1 = -\frac{1}{2}(\sigma_1^2 - \sigma_2^2) dt + \sigma_1 dW_1 - \sigma_2 dW_2$$
$$\frac{dR}{R} = (\cdots) + (\sigma_1 dW_1 - \sigma_2 dW_2)^2 = \text{same result}$$

Equivalent Martingale Measure with Numeraire S_2

Decorrelating the SDE on R, for $dW_1'dW_2=0$,

$$\frac{dR}{R} = (\sigma_2^2 - \rho \sigma_1 \sigma_2) dt + \sigma_1 (\rho dW_2 + \sqrt{1 - \rho^2} \sigma_1 dW_1') - \sigma_2 dW_2.$$

Now we change the measure from P (risk-less saving numeraire) to Q (S_2);

$$\begin{split} C_{\text{EX}} &= 1 \cdot E^P \Big(\frac{(S_1(T) - S_2(T))^+}{e^{rT}} \Big) \\ &= S_2(0) E^Q \Big(\frac{(S_1(T) - S_2(T))^+}{S_2(T)} \Big) = S_2(0) E^Q \Big((R(T) - 1)^+ \Big) \end{split}$$

Under the new measure, the standard BM is defined as

$$dW_2^P = dW_2^Q + \sigma_2 dt \quad \text{and} \quad dW_1'^P = dW_1'^Q.$$

Then the SDE on ${\it R}$ becomes drift-less and can be written with a single BM

$$\frac{dR}{R} = (\sigma_2^2 - \rho \sigma_1 \sigma_2) dt + \sqrt{1 - \rho^2} \sigma_1 dW_1^{\prime P} - (\sigma_2 - \rho \sigma_1) (dW_2^Q + \sigma_2 dt)$$
$$= \sqrt{1 - \rho^2} \sigma_1 dW_1^{\prime Q} + (\sigma_2 - \rho \sigma_1) dW_2^Q = \sqrt{\sigma_1^2 - 2\rho \sigma_1 \sigma_2 + \sigma_2^2} dZ^Q$$

Margrabe's exchange option formula

The exchange option price is obtained from just another Black-Scholes formula on the ratio $R(t) = S_1(t)/S_2(t)$ with

- K = 1
- $\bullet \ \sigma_R = \sqrt{\sigma_1^2 2\rho\sigma_1\sigma_2 + \sigma_2^2}$
- Prefactor (unit of options): $S_2(0)$.

Finally we obtain

$$C_{\text{EX}} = S_2(0) E^Q \Big((R(T) - 1)^+ \Big) = S_2(0) \left(\frac{S_1(0)}{S_2(0)} N(d_+) - 1 \cdot N(d_-) \right)$$

where
$$d_\pm=rac{\log(S_1(0)/S_2(0))}{\sigma_R\sqrt{T}}\pmrac{1}{2}\sigma_R\sqrt{T}$$
 and $\sigma_R=\sqrt{\sigma_1^2+\sigma_2^2-2
ho\sigma_1\sigma_2}.$

Kirk's approximation

If we assume S_2 follows displace GBM with L=K, $S_2^D=S_2+K$, then we can apply Margrabe's formula!

$$(S_1 - S_2 - K)^+ = (S_1 - (S_2 + K))^+ = (S_1 - S_2^D)^+$$

The volatility of $S^{\cal D}$ should be 'calibrated'. We match the local vol at ATM

$$\sigma_2^D(S_2(0) + K) = \sigma_2 S_2(0)$$

Plug in $S_2(0)+K \to S_2(0)$ and $\sigma_2S_2(0)/(S_2(0)+K) \to \sigma_2$ to Margrabe:

Kirk's approximation

$$\begin{split} C_{\text{KIRK}} &= S_1(0)N(d_+) - (S_2(0) + K)N(d_-), \\ d_\pm &= \log(\frac{S_1(0)}{S_2(0) + K})/\sigma_R\sqrt{T} \pm \frac{1}{2}\sigma_R\sqrt{T} \\ \sigma_R &= \sqrt{\sigma_1^2 + \sigma_2'^2 - 2\rho\sigma_1\sigma_2'}, \quad \sigma_2' = \sigma_2S_2(0)/(S_2(0) + K) \end{split}$$

Some comments on Kirk's approximation

- The method is fairly accurate for reasonable parameter range: error of 10^{-3} .
- Kirk's formula can be a better control variate than the normal model price.
- What if K < 0 ? Displaced GBM on S_1 instead of S_2 ?

$$(S_1 - S_2 - K)^+ = (S_1 - K - S_2)^+ = (S_1^D - S_2)^+$$