

- 1) Create a corpus using the Tweet variable
- 2) Convert the corpus to lowercase
- 3) Remove punctuation from the corpus
- 4) Remove all English-language stopwords
- 5) Build a document-term matrix out of the corpus
- 6) Convert the document-term matrix to a data frame called allTweets

How many unique words are there across all the documents?

Show Answer

You have used 0 of 3 submissions

PROBLEM 1.2 - PREPARING THE DATA (1 point possible)

Although we typically stem words during the text preprocessing step, we did not do so here. What is the most compelling rationale for skipping this step when visualizing text data?

- ☐ It avoids the computational burden of stemming
- ☐ It will be easier to read and understand the word cloud if it includes full words instead of just the word stems
- ☐ We would not be able to create a word cloud if we stemmed the document

Show Answer

You have used 0 of 1 submissions

PROBLEM 2.1 - BUILDING A WORD CLOUD (1 point possible)

Install and load the "wordcloud" package, which is needed to build word clouds.

As we can read from ?wordcloud, we will need to provide the function with a vector of words and a vector of word frequencies. Which function can we apply to allTweets to get a vector of the words in our dataset, which we'll pass as the first argument to wordcloud()?

- ☐ str
- ☐ rownames
- ☐ colnames

Show Answer

You have used 0 of 1 submissions

PROBLEM 2.2 - BUILDING A WORD CLOUD (1 point possible)

Which function should we apply to allTweets to obtain the frequency of each word across all tweets?

- ☐ colSums
- ☐ rowSums
- ☐ sum

[Show Answer](#)*You have used 0 of 1 submissions*

PROBLEM 2.3 - BUILDING A WORD CLOUD (1 point possible)

Use allTweets to build a word cloud. Make sure to check out the help page for wordcloud if you are not sure how to do this.

Because we are plotting a large number of words, you might get warnings that some of the words could not be fit on the page and were therefore not plotted -- this is especially likely if you are using a smaller screen. You can address these warnings by plotting the words smaller. From ?wordcloud, we can see that the "scale" parameter controls the sizes of the plotted words. By default, the sizes range from 4 for the most frequent words to 0.5 for the least frequent, as denoted by the parameter "scale=c(4, 0.5)". We could obtain a much smaller plot with, for instance, parameter "scale=c(2, 0.25)".

What is the most common word across all the tweets (it will be the largest in the outputted word cloud)? Please type the word exactly how you see it in the word cloud. The most frequent word might not be printed if you got a warning about words being cut off -- if this happened, be sure to follow the instructions in the paragraph above.

[Show Answer](#)*You have used 0 of 3 submissions*

PROBLEM 2.4 - BUILDING A WORD CLOUD (1 point possible)

In the previous subproblem, we noted that there is one word with a much higher frequency than the other words. Repeat the steps to load and pre-process the corpus, this time removing the most frequent word in addition to all elements of stopwords("english") in the call to tm_map with removeWords. For a refresher on how to remove this additional word, see the Twitter text analytics lecture.

Replace allTweets with the document-term matrix of this new corpus -- we will use this updated corpus for the remainder of the assignment.

Create a word cloud with the updated corpus. What is the most common word in this new corpus (the largest word in the outputted word cloud)? The most frequent word might not be printed if you got a warning about words being cut off -- if this happened, be sure to follow the instructions in the previous problem.

[Show Answer](#)*You have used 0 of 3 submissions*

PROBLEM 3 - SIZE AND COLOR

So far, the word clouds we've built have not been too visually appealing -- they are crowded by having too many words displayed, and they don't take advantage of color. One important step to building visually appealing visualizations is to experiment with the parameters available, which in this case can be viewed by typing ?wordcloud in your R console. In this problem, you should look through the help page and experiment with different parameters to answer the questions.

Below are four word clouds, each of which uses different parameter settings in the call to the wordcloud() function:

Word Cloud A:



Word Cloud D:



We will refer to these four word clouds in the next several problems.

PROBLEM 3.1 - SIZE AND COLOR (1 point possible)

Which word cloud is based only on the negative tweets (tweets with Avg value -1 or less)?

- ☐ Word Cloud A
- ☐ Word Cloud B
- ☐ Word Cloud C
- ☐ Word Cloud D

Show Answer

You have used 0 of 1 submissions

PROBLEM 3.2 - SIZE AND COLOR (1 point possible)

Only one word cloud was created without modifying parameters min.freq or max.words. Which word cloud is this?

- ☐ Word Cloud A
- ☐ Word Cloud B
- ☐ Word Cloud C
- ☐ Word Cloud D

Show Answer

You have used 0 of 1 submissions

PROBLEM 3.3 - SIZE AND COLOR (1 point possible)

Which word clouds were created with parameter random.order set to FALSE?

- ☐ Word Cloud A
- ☐ Word Cloud B
- ☐ Word Cloud C
- ☐ Word Cloud D

Show Answer

You have used 0 of 2 submissions

PROBLEM 3.4 - SIZE AND COLOR (1 point possible)

Which word cloud was built with a non-default value for parameter rot.per?

- ☐ Word Cloud A
- ☐ Word Cloud B
- ☐ Word Cloud C
- ☐ Word Cloud D

Show Answer

You have used 0 of 1 submissions

PROBLEM 3.5 - SIZE AND COLOR (1 point possible)

IMPORTANT NOTE: This problem is incorrect. The parameter we are actually asking about is random.colors. We have left this problem as is below since the week is almost over. If you are working on this problem now, please just select either answer - everyone who attempts this problem will be marked correct.

In Word Cloud C and Word Cloud D, we provided a color palette ranging from light purple to dark purple as the parameter colors (you will learn how to make such a color palette later in this assignment). For which word cloud was the parameter ordered.colors set to TRUE?

- ☐ Word Cloud C
- ☐ Word Cloud D

Show Answer

You have used 0 of 1 submissions

PROBLEM 4.1 - SELECTING A COLOR PALETTE (1 point possible)

The use of a palette of colors can often improve the overall effect of a visualization. We can easily select our own colors when plotting; for instance, we could pass `c("red", "green", "blue")` as the `colors` parameter to `wordcloud()`. The `RColorBrewer` package, which is based on the `ColorBrewer` project (colorbrewer.org), provides pre-selected palettes that can lead to more visually appealing images. Though these palettes are designed specifically for coloring maps, we can also use them in our word clouds and other visualizations.

Begin by installing and loading the `"RColorBrewer"` package. This package may have already been installed and loaded when you installed and loaded the `"wordcloud"` package, in which case you don't need to go through this additional installation step. If you obtain errors (for instance, `"Error: lazy-load database 'P' is corrupt"`) after installing and loading the `RColorBrewer` package and running some of the commands, try closing and re-opening R.

The function `brewer.pal()` returns color palettes from the `ColorBrewer` project when provided with appropriate parameters, and the function `display.brewer.all()` displays the palettes we can choose from.

Which color palette would be most appropriate for use in a word cloud for which we want to use color to indicate word frequency?

- ☐ Accent
- ☐ Set2
- ☐ YlOrRd

Show Answer

You have used 0 of 1 submissions

PROBLEM 4.2 - SELECTING A COLOR PALETTE (1 point possible)

Which `RColorBrewer` palette name would be most appropriate to use when preparing an image for a document that must be in grayscale?

Show Answer

You have used 0 of 2 submissions

PROBLEM 4.3 - SELECTING A COLOR PALETTE (1 point possible)

In sequential palettes, sometimes there is an undesirably large contrast between the lightest and darkest colors. You can see this effect when plotting a word cloud for `allText` with parameter `colors=brewer.pal(9, "Blues")`, which returns a sequential blue palette with 9 colors.

Which of the following commands addresses this issue by removing the first 4 elements of the 9-color palette of blue colors?

- ☐ `brewer.pal(9, "Blues")[c(-5, -6, -7, -8, -9)]`
- ☐ `brewer.pal(9, "Blues")[c(-1, -2, -3, -4)]`
- ☐ `brewer.pal(9, "Blues")[c(1, 2, 3, 4)]`
- ☐ `brewer.pal(9, "Blues")[c(5, 6, 7, 8, 9)]`

Show Answer

You have used 0 of 2 submissions

Please remember not to ask for or post complete answers to homework questions in this discussion forum.

Show Discussion

 New Post



About (<https://www.edx.org/about-us>) Jobs (<https://www.edx.org/jobs>)
Press (<https://www.edx.org/press>) FAQ (<https://www.edx.org/student-faq>)
Contact (<https://www.edx.org/contact>)



EdX is a non-profit created by founding partners Harvard and MIT whose mission is to bring the best of higher education to students of all ages anywhere in the world, wherever there is Internet access. EdX's free online MOOCs are interactive and subjects include computer science, public health, and artificial intelligence.



(<http://www.meetup.com/edX-Global-Community/>)



(<http://www.facebook.com/EdxOnline>)



(<https://twitter.com/edXOnline>)



(<https://plus.google.com/108235383044095082>)



(<http://youtube.com/user/edxonline>)

© 2014 edX, some rights reserved.

Terms of Service and Honor Code -
Privacy Policy (<https://www.edx.org/edx-privacy-policy>)