

[Courseware \(/courses/MITx/15.071x/1T2014/courseware/\)](/courses/MITx/15.071x/1T2014/courseware/)[Course Info \(/courses/MITx/15.071x/1T2014/info/\)](/courses/MITx/15.071x/1T2014/info/)[Discussion \(/courses/MITx/15.071x/1T2014/discussion/forum/\)](/courses/MITx/15.071x/1T2014/discussion/forum/)[Progress \(/courses/MITx/15.071x/1T2014/progress/\)](/courses/MITx/15.071x/1T2014/progress/)[Syllabus \(/courses/MITx/15.071x/1T2014/4264e68418f34d839cf0b33a5da644b2/\)](/courses/MITx/15.071x/1T2014/4264e68418f34d839cf0b33a5da644b2/)[Schedule \(/courses/MITx/15.071x/1T2014/2891f8bf120945b9aa12e6601739c3e6/\)](/courses/MITx/15.071x/1T2014/2891f8bf120945b9aa12e6601739c3e6/)

EVEN' STAR ORGANIC FARMS (REVISITED)

Last week in the "Even' Star Organic Farms" homework problem, we formulated and solved the problem faced by Brett Grohsgal, the founder of the organic farm in southern Maryland. This week, we'll use integer optimization to improve the formulation and model some new decisions faced by Brett. We'll be using the spreadsheet `EvenStarFarmRevisited.ods` (`/c4x/MITx/15.071x/asset/EvenStarFarmRevisited.ods`) for LibreOffice or OpenOffice, and `EvenStarFarmRevisited.xlsx` (`/c4x/MITx/15.071x/asset/EvenStarFarmRevisited.xlsx`) for Microsoft Excel.

PROBLEM 1.1 - ADJUSTING THE FORMULATION (1 point possible)

Last week, we saw that Brett has to pay an entry fee for each channel that he participates in. He could instead choose to not participate in a certain channel, and therefore not have to pay the entry fee. This week, we'll model this choice using binary variables to see if we can increase Brett's profit.

Add three new decision variables to your model: one for whether or not Brett participates in the restaurant channel, one for whether or not he participates in the farmers' market channel, and one for whether or not he participates in the CSA channel. (HINT: It will be easy to input your model into Solver if you add these decision variables in the row right below the current decision variable table.)

If Brett chooses not to participate in a channel, two things need to change in our model: (1) he does not have to pay the fixed cost to enter that channel, and (2) he can't sell any cases in that channel.

To remove the fixed cost, take a look at the objective function equation. You should see three terms each subtracting the fixed cost value from the total profit for one of the channels. Multiply each of these terms by the corresponding binary variable you just defined for that channel. Now, if the binary variable is equal to 1, Brett pays the fixed cost, but if the binary variable is equal to 0, Brett does not pay the fixed cost.

Set the value of each of your binary variables equal to 1 (Brett participates in all channels). You should see that the objective value is the same as our best objective value without the binary variables (\$49,956.39).

Now, we need to add constraints to make sure that if Brett does not enter a channel (doesn't pay the entry cost), then he also does not sell any cases in this channel. And if he does enter a channel, then he can sell as many cases as he wants in that channel. We'll model this with a special type of logical constraint.

We know that Brett can't sell more cases than he produced. What is the total number of cases Brett produced?

This is the maximum number of cases that Brett can sell in any channel. Call this number M . Add the following constraint to your model for restaurants:

Total number of cases sold to restaurants $\leq M \cdot (\text{Binary variable for restaurants})$

What does this constraint do? If the binary variable is equal to 1 (Brett does enter the channel), then he can sell up to M cases in that channel (because he can't sell more than M cases, this constraint will not limit his sales in the restaurant channel). But if the binary variable is equal to 0 (Brett does not enter the channel), then he can't sell any cases in that channel (the total number of cases in that channel has to be less than or equal to 0).

Add similar constraints for the CSA channel, and the farmers' market channel, and then solve your model in LibreOffice. Be sure to add the new variables, and to indicate that the new variables are binary in the constraints section.

Check

Save

You have used 0 of 3 submissions

PROBLEM 1.2 - ADJUSTING THE FORMULATION (1 point possible)

In the optimal solution, which channels does Brett enter?

- ☐ Restaurants
- ☐ CSA
- ☐ Farmers' Market

Check

Save

You have used 0 of 2 submissions

PROBLEM 1.3 - ADJUSTING THE FORMULATION (1 point possible)

How much extra profit does he gain now compared to before, when he was always entering all of the channels?

Check

Save

You have used 0 of 3 submissions

PROBLEM 1.4 - ADJUSTING THE FORMULATION (1 point possible)

How many total cases of produce does Brett sell in the restaurant channel?

Check

Save

You have used 0 of 3 submissions

PROBLEM 2.1 - SENSITIVITY ANALYSIS (1 point possible)

To maximize his profit, we saw in the optimal solution that Brett should not enter the Farmers' Market channel. However, Brett feels that having a booth at the farmers' market increases his visibility in the community, and is important to his business. Which of the following actions could he take to try to make the farmers' market channel more profitable so that it is worth re-entering?

- ☐ He could increase his prices.
- ☐ He could reduce the entry cost.
- ☐ He could reduce the variable costs.
- ☐ He could buy a bigger truck to increase the number of cases he can sell.

Check

Save

You have used 0 of 2 submissions

PROBLEM 2.2 - SENSITIVITY ANALYSIS (1 point possible)

In LibreOffice, which of the following adjustments makes Brett enter the farmers' market channel in the optimal solution?

- ☐ Increasing his prices at the farmers' market by 10%
- ☐ Increasing his prices at the farmers' market by 25%
- ☐ Reducing his entry cost to \$5,000.00
- ☐ Reducing his entry cost to \$3,000.00

Check

Save

You have used 0 of 2 submissions

PROBLEM 2.3 - SENSITIVITY ANALYSIS (1 point possible)

Suppose that Brett finds it easier to increase his prices than to reduce his entry cost, so he decides to increase his prices in the farmers' market by 25%. Make this adjustment in LibreOffice, and re-solve the model (remember to change any other values back to their original values if you have adjusted them to answer any previous questions).

What is the objective value in the new solution?

Check

Save

You have used 0 of 3 submissions

PROBLEM 2.4 - SENSITIVITY ANALYSIS (1 point possible)

Which types of produce does he sell at the farmers' market?

- ☐ Tomatoes (large)
- ☐ Tomatoes (small)
- ☐ Watermelon
- ☐ Okra
- ☐ Basil
- ☐ Cucumbers
- ☐ Sweet Potatoes
- ☐ Winter Squash

Check

Save

You have used 0 of 3 submissions

PROBLEM 2.5 - SENSITIVITY ANALYSIS (1 point possible)

Which channels does Brett enter now?

- ☐ Restaurants
- ☐ CSA
- ☐ Farmers' Market

[Check](#)[Save](#)

You have used 0 of 2 submissions

PROBLEM 2.6 - SENSITIVITY ANALYSIS (1 point possible)

The decision variables for the number of cases can take fractional values. It seems impractical for Brett to sell a fractional number of cases of any produce at the farmers' market, and he would prefer to always sell an integer number of cases. Restrict the cases decision variables to be integer, and resolve the model. Does the objective value change?

Note that you might need to set the time limit in Solver for this problem. Remember that you can set the time limit by opening up the Solver, and then clicking on Options. If you are using Excel, you want to set "Max Time" to 100. If you are using OpenOffice or LibreOffice, you want to check that "Solving time limit" says 100. If not, click on it and hit "Edit". Change it to 100 and click Okay.

☐ Yes☐ No

In many situations, the decision variables should take integer values, but we often don't need to add the integer restriction (the solution gives integer values naturally). If this is the case, it is better to not include the integer restriction, since it is a simpler model. However, in some cases, like this one, we needed to add the integer restriction to our model.

[Final Check](#)[Save](#)

You have used 0 of 1 submissions

ACKNOWLEDGEMENTS

This problem is based on the case study "Introducing Integer Modeling with Excel Solver"

(<https://www.informs.org/Pubs/ITE/Archive/Volume-7/Introducing-Integer-Modeling-with-Excel-Solver>) by Dessislava Pachamanova, *INFORMS Transactions on Education* 7(1), p.88-98, 2006.

Please remember not to ask for or post complete answers to homework questions in this discussion forum.

[Show Discussion](#)[New Post](#)

About (<https://www.edx.org/about-us>) Jobs (<https://www.edx.org/jobs>)
Press (<https://www.edx.org/press>) FAQ (<https://www.edx.org/student-faq>)
Contact (<https://www.edx.org/contact>)



EdX is a non-profit created by founding partners Harvard and MIT whose mission is to bring the best of higher education to students of all ages anywhere in the world, wherever there is Internet access. EdX's free online MOOCs are interactive and subjects include computer science, public health, and artificial intelligence.



(<http://www.meetup.com/edx-Global-Community/>)



(<http://www.facebook.com/EdxOnline>)



(<https://twitter.com/edxOnline>)



(<https://plus.google.com/108235383044095082>:



(<http://youtube.com/user/edxonline>)

© 2014 edX, some rights reserved.

Terms of Service and Honor Code -
Privacy Policy (<https://www.edx.org/edx-privacy-policy>)