

# **EPSY 5261 : Introductory Statistical Methods**


**Day 3**  
**Introduction to R and R Studio**

# Learning Goals

- At the end of this lesson, you should be able to...
  - Explain what R Studio is
  - Explain why we use it
  - Carry out a basic workflow in R Studio for data analysis

# What is R?


- R is a programming language used for statistical computing
- It is used to write code to communicate to the computer what you want to do with your data



Screenshot depicting R Application

# What is R Studio?

- R Studio is an interface for programming in R
- Point and click functionality makes it more user friendly than R alone
- Allows integration of text and code to produce reports



Screenshot of R Studio Application

# Why R Studio?

- It's free!
- Computing is a main component of statistics and science
- Open source
- Integration of code and text makes it easy to create reports
  - Supports reproducibility and open science goals

# Reproducibility

- In general:
  - Experiments/studies repeated with the same methods and analysis should yield the same results
- In computing:
  - Code and data should be provided alongside detailed documentation of analysis so that they can be repeated with the same results

# R Studio & Programming Introduction

# Basics

The screenshot shows the R Studio Application interface. On the left, a Quarto file named "quarto\_file.qmd" is open. The code includes a YAML front matter section:

```
---
```

```
title: "test"
```

```
format: html
```

```
editor: visual
```

```
---
```

Below this, there is a section titled "Graph" containing the text "Here is a graph". A code chunk is shown:

```
{r}
```

```
1 + 1
```

Below the code, a note says: "You can add options to executable code like this". Another code chunk is shown:

```
{r}
```

```
#| echo: false
```

```
2 * 2
```

The note continues: "The echo: false option disables the printing of code (only output is displayed)".

At the bottom, the R console output is displayed:

```
R version 4.2.2 (2022-10-31) -- "Innocent and Trusting"  
Copyright (C) 2022 The R Foundation for Statistical Computing  
Platform: arm64/v8 (64-bit)
```

The right side of the interface shows the "Environment" pane, which displays the message "Environment is empty".


R Studio Application

# Workflow (a.k.a. steps to using R Studio)

1. Download files from Canvas (folder containing Quarto file and dataset)
2. Load packages
3. Upload data
4. Ready to perform analysis!

# Download Folder from Canvas


- \* Note: Quarto Files and datasets must reside in the same folder to run properly




# Put that folder somewhere easily accessible

Some suggestions:

- Desktop
- “Grad School” Folder
- Google Drive - maybe?



# Open .qmd file



# Functions

- To perform analyses on your data in R, you will need to write *functions*
- Functions tell R Studio what to do with your data
- They look like
  - `function()`
- They contain 1 or more *arguments*
  - The arguments specify even further what you would like to do with your data

For example:

```
function(argument1, argument2, argument3)
```

# Load Libraries

- To get all the functions we need in R Studio we will need to load a package
- Packages contain collections of functions
- To load the package and its functions we use the `library()` function

# Load Libraries

General Example: `library(packageName)`

- `library()` is our function
- package will specify the package we want to load

# Upload Data

- Using the function `read_csv()` we can load the data into R Studio

Example: `read_csv("dataset.csv")`

- `read_csv()` is our function
- "Dataset.csv" is our argument to specify the data file

# In R Studio

```
▼ {r}  
#This code chunk allows us to load the packages needed for our activity  
library(tidyverse)  
library(ggformula)
```

```
▼ {r}  
#This code chunk allows us to read in data  
countries <- read_csv("World-Countries-Data-2019.csv")
```

# **Introduction to R Studio Activity**

# Summary: R Studio Workflow

- 1.Download files from Canvas (folder containing Quarto file and dataset)
- 2.Load packages
- 3.Upload data
- 4.Ready to perform analysis!