

1 Model

The probabilistic model is simple. The first we just generate the cloud of n points uniformly distributed in $[0, 1]^d$. After this we calculate the Alpha complex with these points, and then find its depth poset.

2 Scores

2.1 Poset Scores

- **avarage_maximal_chain** : Returns the avarage size of maximal chains in the poset.
- **height** : Returns the poset height - the length of the longest chain.
- **minimum_maximal_chain** : Returns the minimum size of maximal chains in the poset.
- **number_of_edges_in_closure** : Returns the number of nodes in the poset transitive closure.
- **number_of_edges_in_reduction** : Returns the number of nodes in the poset transitive reduction.
- **number_of_maximal_nodes** : Returns the number of maximal nodes.
- **number_of_minimal_nodes** : Returns the number of minimal nodes.
- **number_of_nodes** : Returns the number of nodes in the poset.
- **width** : Returns the poset width - the length of the longest antichain (subset, s.t. all elements are pairwise incomparable). The algorithm is based on Dilworth's theorem and it's proof via König's theorem: [link](#)

2.2 Node Scores

- **ancestors_height**: Returns the size of maximum chain of subposet of nodes higher or equal than given
- **ancestors_number**: Returns the number of nodes higher than given
- **ancestors_width**: Returns the size of maximum chain of subposet of nodes higher or equal than given
- **incomparable_number**: Returns the number of incomparable elements for given node
- **successors_height**: Returns the size of maximum chain of subposet of nodes lower or equal than given

- **successors_number**: Returns the number of nodes higher than given
- **successors_width**: Returns the size of maximum chain of subposet of nodes lower or equal than given

3 Experiments and Results

There are 164 experiments done. In the Figure 1 we can see how cases are distributed by size and dimension.




Figure 1: Size/dimension distribution of experiments

In the Figure 2 we can see the average poset scores values for each number of points n .

In the Figure 3 we can see the average mean node scores values in poset for each number of points n .

In the Figure 4 we can see the average maximum node scores values in poset for each number of points n .

In the Figure 5 we can see the average minimum node scores values in poset for each number of points n .

Mean Poset Scores




Figure 2: Mean poset scores

Mean Node Scores




Figure 3: Mean node scores

Max Node Scores





Figure 4: Max node scores

Min Node Scores



6
Figure 5: Min node scores