

1 Description

The first we just calculated several Barycentric Cubical Tori. The distribution of calculated toruses we can see in the Figure 1a.




Figure 1: Size/dimension distribution

Then for each pair of filtrations with similar dimension and n $f_0, f_1 : \mathbb{T}_n^d \rightarrow \mathbb{R}$ we can define a linear homotopy $h : [0, 1] \times \mathbb{T}_n^d \rightarrow \mathbb{R}$:

$$h(t, \sigma) = (1 - t) \cdot f_0(\sigma) + t \cdot f_1(\sigma)$$

The moment of time $t \in [0, 1]$ such there exist a pair of cells $\sigma_0, \sigma_1 \in \mathbb{T}_n^d$ such that $h(t, \sigma_0) = h(t, \sigma_1)$ is a moment of transposition of these cells during the homotopy (the probability, that this will be full segment is 0 for pair of independent barycentric cubical tori).

We have found all transposing pairs like this, classified them and calculated how these transpositions changes the Depth Poset. The distribution of calculated pairs of filtration we can see in the Figure 1b.

2 Transpositions

There could be 3 types of cell in the terms of birth-death pairs:

- **Births** - The cells which are births of some cycles
- **Deaths** - The cells which are deaths of some cycles
- **Unpaired** - The cells which are not birth or deaths of any cycle

So we have defined 5 types of transpositions:

- **Birth-Birth** - The switch transpositions of 2 birth cells
- **Birth-Death** - The switch transpositions of birth and death cells
- **Death-Death** - The switch transpositions of 2 death cells
- **Undefined** - The transpositions where at least 1 cell is unpaired
- **No switch** - No switch transposition, where all cells are paired

In the Figure 2 we can see the mean count of transpositions of each type for barycentric cubical tori of different dimensions d and size n . We can see that no switch transpositions are majority of cases. So we also can look at Figure 3 to get how other types are distributed.

The distribution of Transposition Types by the Size of the Torus n




Figure 2: The mean value of number of transpositions of each type.

The distribution of Transposition Types by the Size of the Torus n




Figure 3: The mean value of number of transpositions of each type (without no switch transpositions).

3 Similarity Scores

We have 10 scores to measure the similarity of 2 depth posets:

- **birth_relation_cell_similarity** - The Jacard index of arcs (edges) in the birth relation (given by row left to right reduction algorithm). Consider 2 birth-death pairs are similar if they correspond the similar cells. We can see the values of this score applying to depth posets before and after transpositions of different types for barycentric cubical tori dimension d and size n in Figure 4
- **birth_relation_index_similarity** - The Jacard index of arcs (edges) in the birth relation (given by row left to right reduction algorithm). Consider 2 birth-death pairs are similar if their indices in the filtration pairs are similar. We can see the values of this score applying to depth posets before and after transpositions of different types for barycentric cubical

tori dimension d and size n in Figure 5

- **death_relation_cell_similarity** - The Jacard index of arcs (edges) in the death relation (given by column bottom to top reduction algorithm). Consider 2 birth-death pairs are similar if they corespond the similar cells. We can see the values of this score applying to depth posets before and after transpositions of different types for barycentric cubical tori dimension d and size n in Figure 6
- **death_relation_index_similarity** - The Jacard index of arcs (edges) in the death relation (given by column bottom to top reduction algorithm). Consider 2 birth-death pairs are similar if ther indices in the filtration pairs are similar. We can see the values of this score applying to depth posets before and after transpositions of different types for barycentric cubical tori dimension d and size n in Figure 7
- **poset_arc_cell_similarity** - The Jacard index of arcs (edges) in the Depth Poset. Consider 2 birth-death pairs are similar if they corespond the similar cells. We can see the values of this score applying to depth posets before and after transpositions of different types for barycentric cubical tori dimension d and size n in Figure 8
- **poset_arc_index_similarity** - The Jacard index of arcs (edges) in the Depth Poset. Consider 2 birth-death pairs are similar if ther indices in the filtration pairs are similar. We can see the values of this score applying to depth posets before and after transpositions of different types for barycentric cubical tori dimension d and size n in Figure 9
- **poset_node_cell_similarity** - The Jacard index of nodes (elements) in the Depth Poset. Consider 2 birth-death pairs are similar if they corespond the similar cells. We can see the values of this score applying to depth posets before and after transpositions of different types for barycentric cubical tori dimension d and size n in Figure 10
- **poset_node_index_similarity** - The Jacard index of nodes (elements) in the Depth Poset. Consider 2 birth-death pairs are similar if ther indices in the filtration pairs are similar. We can see the values of this score applying to depth posets before and after transpositions of different types for barycentric cubical tori dimension d and size n in Figure 11
- **relation_cell_similarity** - The Jacard index of arcs (edges) in the relation (given by reduction algorithms). Consider 2 birth-death pairs are similar if they corespond the similar cells. We can see the values of this score applying to depth posets before and after transpositions of different types for barycentric cubical tori dimension d and size n in Figure 12
- **relation_index_similarity** - The Jacard index of arcs (edges) in the relation (given by reduction algorithms). Consider 2 birth-death pairs are similar if ther indices in the filtration pairs are similar. We can see the

values of this score applying to depth posets before and after transpositions of different types for barycentric cubical tori dimension d and size n in Figure 13




Figure 4: birth_relation_cell_similarity values

birth_relation_index_similarity




Figure 5: birth_relation_index_similarity values




Figure 6: death_relation_cell_similarity values

death_relation_index_similarity




Figure 7: death_relation_index_similarity values

poset_arc_cell_similarity




Figure 8: poset_arc_cell_similarity values




Figure 9: poset_arc_index_similarity values




Figure 10: poset_node_cell_similarity values




Figure 11: poset_node_index_similarity values




Figure 12: relation_cell_similarity values




Figure 13: relation_index_similarity values