

ICPSR 0013

General Election Data for the United States, 1950-1990

*Inter-university Consortium for Political
and Social Research*

Codebook for National, 1984

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/13/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #00013

General Election Data for the United States, 1950-1990

– National, 1984

- 1) Collection Update:** The SPSS setup files were updated to conform to current standards. SAS and Stata setup files, as well as SPSS and Stata system files, a SAS transport (CPORT) file, an R data file, a tab-delimited data file, and a PDF codebook have been added to the collection.
- 2) Variable Labels:** Users may notice that some variable labels refer to “ICPR”. This reference is to a former name for ICPSR.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1984

Variable Name and Label (Total Cases = 3141)		Percent of Cases with Missing Values
29.7% (49 of 165 variables)	have 0% Missing Values	
41.2% (68 of 165 variables)	have 0% - 1% Missing Values	
1.2% (2 of 165 variables)	have 1% - 3% Missing Values	
0.6% (1 of 165 variables)	have 3% - 5% Missing Values	
0.0% (0 of 165 variables)	have 5% - 10% Missing Values	
0.0% (0 of 165 variables)	have 10% - 20% Missing Values	
16.4% (27 of 165 variables)	have 20% - 40% Missing Values	
V131	984 5 G SEN 0100 VOTE	26.3%
V132	984 5 G SEN 0200 VOTE	26.3%
V133	984 5 G SEN 1735 VOTE	26.2%
V134	984 5 G SEN 9999 VOTE	26.2%
V135	984 5 G SEN 2542 VOTE	26.2%
V136	984 5 G SEN 1737 VOTE	26.2%
V137	984 5 G SEN 0646 VOTE	26.2%
V138	984 5 G SEN 0543 VOTE	26.2%
V139	984 5 G SEN 0557 VOTE	26.2%
V140	984 5 G SEN 9001 VOTE	26.2%
V141	984 5 G SEN 1468 VOTE	26.2%
V142	984 5 G SEN 0310 VOTE	26.2%
V143	984 5 G SEN 0112 VOTE	26.2%
V144	984 5 G SEN 0361 VOTE	26.2%
V145	984 5 G SEN 2477 VOTE	26.2%
V146	984 5 G SEN 2405 VOTE	26.2%
V147	984 5 G SEN 2503 VOTE	26.2%
V148	984 5 G SEN 2464 VOTE	26.2%
V149	984 5 G SEN 2504 VOTE	26.2%
V150	984 5 G SEN 0328 VOTE	26.2%
V151	984 5 G SEN 2474 VOTE	26.2%
V152	984 5 G SEN 2524 VOTE	26.2%
V153	984 5 G SEN 0505 VOTE	26.2%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1984

Variable Name and Label (Total Cases = 3141)		Percent of Cases with Missing Values
V154	984 5 G SEN 2468 VOTE	26.2%
V155	984 5 G SEN 2515 VOTE	26.2%
V156	984 5 G SEN 9002 VOTE	26.2%
V157	984 5 G SEN TOTAL VOTE	26.3%
10.9% (18 of 165 variables)	have 40% - 99% Missing Values	
V4	STATE OFFICE SUB-CODE	62.3%
V61	984 2 G GOV 0100 VOTE	79.4%
V62	984 2 G GOV 0200 VOTE	79.4%
V63	984 2 G GOV 0310 VOTE	79.4%
V64	984 2 G GOV 1735 VOTE	79.4%
V65	984 2 G GOV 9999 VOTE	79.4%
V66	984 2 G GOV 0646 VOTE	79.4%
V67	984 2 G GOV 1717 VOTE	79.4%
V68	984 2 G GOV 2529 VOTE	79.4%
V69	984 2 G GOV TOTAL VOTE	79.4%
V158	984 7 G STATE 0100 VOTE	62.3%
V159	984 7 G STATE 1735 VOTE	62.3%
V160	984 7 G STATE 0200 VOTE	62.3%
V161	984 7 G STATE 0328 VOTE	62.3%
V162	984 7 G STATE 9999 VOTE	62.3%
V163	984 7 G STATE 1716 VOTE	62.3%
V164	984 7 G STATE 2538 VOTE	62.3%
V165	984 7 G STATE TOTAL VOTE	62.3%
0.0% (0 of 165 variables)	have 100% missing values	

ICPSR 13

General Election Data for the United States, 1950-1990

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

General Election Data for the United States, 1950-1990

National, 1984

V1 **ICPR STATE CODE**

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	8	0.3 %
2	16	0.5 %
3	14	0.4 %
4	10	0.3 %
5	5	0.2 %
6	14	0.4 %
11	3	0.1 %
12	21	0.7 %
13	62	2.0 %
14	67	2.1 %
21	102	3.2 %
22	92	2.9 %
23	83	2.6 %
24	88	2.8 %
25	72	2.3 %
31	99	3.2 %
32	105	3.3 %
33	87	2.8 %
34	115	3.7 %
35	93	3.0 %
36	53	1.7 %
37	66	2.1 %
40	136	4.3 %
41	67	2.1 %
42	75	2.4 %
43	67	2.1 %
44	159	5.1 %
45	64	2.0 %
46	83	2.6 %
47	100	3.2 %
48	46	1.5 %
49	254	8.1 %
51	120	3.8 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	24	0.8 %
53	77	2.5 %
54	95	3.0 %
56	55	1.8 %
61	15	0.5 %
62	63	2.0 %
63	44	1.4 %
64	56	1.8 %
65	17	0.5 %
66	33	1.1 %
67	29	0.9 %
68	23	0.7 %
71	58	1.8 %
72	36	1.1 %
73	39	1.2 %
81	27	0.9 %
82	4	0.1 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 41.40
- Median: 43.00
- Mode: 49.00
- Minimum: 1.00
- Maximum: 82.00
- Standard Deviation: 15.98

V2	COUNTY NAME
----	-------------

Location: 3-19 (width: 17; decimal: 0)

Variable Type: character

Based upon 3141 valid cases out of 3141 total cases.

V3	DISTRICT
----	----------

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	398	12.7 %
2	405	12.9 %
3	305	9.7 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	242	7.7 %
5	201	6.4 %
6	201	6.4 %
7	157	5.0 %
8	141	4.5 %
9	101	3.2 %
10	62	2.0 %
11	58	1.8 %
12	10	0.3 %
13	42	1.3 %
14	29	0.9 %
15	28	0.9 %
16	22	0.7 %
17	51	1.6 %
18	19	0.6 %
19	36	1.1 %
20	10	0.3 %
21	31	1.0 %
22	23	0.7 %
23	19	0.6 %
24	5	0.2 %
25	4	0.1 %
26	10	0.3 %
27	5	0.2 %
28	3	0.1 %
29	4	0.1 %
30	1	0.0 %
31	1	0.0 %
32	2	0.1 %
34	6	0.2 %
45	1	0.0 %
52	242	7.7 %
53	52	1.7 %
54	15	0.5 %
55	6	0.2 %
56	2	0.1 %
57	1	0.0 %
64	1	0.0 %
68	1	0.0 %
98	186	5.9 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 16.38
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 25.35

V4 STATE OFFICE SUB-CODE

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	434	13.8 %
2	198	6.3 %
5	29	0.9 %
6	226	7.2 %
8	78	2.5 %
11	220	7.0 %
99 (M)	1956	62.3 %

Based upon 1185 valid cases out of 3141 total cases.

- Mean: 4.54
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 3.82

V5 984 1 G PRES 0200 VOTE

Location: 24-30 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3140 valid cases out of 3141 total cases.

- Mean: 17238.80
- Minimum: 57.00
- Maximum: 1424113.00
- Standard Deviation: 50465.57

- Study 13 -

V6 984 1 G PRES 0100 VOTE

Location: 31-37 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 3140 valid cases out of 3141 total cases.

- Mean: 11867.25
- Minimum: 16.00
- Maximum: 1158912.00
- Standard Deviation: 42891.50

V7 984 1 G PRES 1735 VOTE

Location: 38-44 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 3140 valid cases out of 3141 total cases.

- Mean: 68.71
- Minimum: 0.00
- Maximum: 12713.00
- Standard Deviation: 348.91

V8 984 1 G PRES 0328 VOTE

Location: 45-51 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 3140 valid cases out of 3141 total cases.

- Mean: 19.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1172.00
- Standard Deviation: 70.21

V9 984 1 G PRES 2515 VOTE

Location: 52-58 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2456	78.2 %
1	72	2.3 %
2	68	2.2 %
3	75	2.4 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	60	1.9 %
5	50	1.6 %
6	34	1.1 %
7	37	1.2 %
8	26	0.8 %
9	20	0.6 %
10	15	0.5 %
11	27	0.9 %
12	17	0.5 %
13	9	0.3 %
14	16	0.5 %
15	14	0.4 %
16	6	0.2 %
17	7	0.2 %
18	12	0.4 %
19	4	0.1 %
20	6	0.2 %
21	2	0.1 %
22	6	0.2 %
23	7	0.2 %
24	7	0.2 %
25	5	0.2 %
26	2	0.1 %
27	4	0.1 %
28	3	0.1 %
29	2	0.1 %
30	1	0.0 %
31	3	0.1 %
32	3	0.1 %
33	2	0.1 %
34	7	0.2 %
35	2	0.1 %
36	1	0.0 %
37	1	0.0 %
38	1	0.0 %
39	2	0.1 %
40	1	0.0 %
42	2	0.1 %
43	2	0.1 %
44	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
46	1	0.0 %
47	1	0.0 %
48	1	0.0 %
51	2	0.1 %
58	1	0.0 %
59	1	0.0 %
60	1	0.0 %
62	1	0.0 %
63	1	0.0 %
67	1	0.0 %
70	3	0.1 %
71	2	0.1 %
73	1	0.0 %
95	1	0.0 %
99	1	0.0 %
101	1	0.0 %
108	2	0.1 %
112	1	0.0 %
123	2	0.1 %
124	1	0.0 %
140	1	0.0 %
151	1	0.0 %
154	1	0.0 %
181	1	0.0 %
197	1	0.0 %
201	1	0.0 %
228	1	0.0 %
243	1	0.0 %
290	1	0.0 %
299	1	0.0 %
309	1	0.0 %
325	1	0.0 %
878	1	0.0 %
880	1	0.0 %
1426	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3140 valid cases out of 3141 total cases.

- Mean: 4.31
- Median: 0.00

- Study 13 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1426.00
- Standard Deviation: 37.68

V10 984 1 G PRES 2516 VOTE

Location: 59-65 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2763	88.0 %
1	49	1.6 %
2	29	0.9 %
3	34	1.1 %
4	32	1.0 %
5	31	1.0 %
6	27	0.9 %
7	19	0.6 %
8	14	0.4 %
9	12	0.4 %
10	13	0.4 %
11	10	0.3 %
12	5	0.2 %
13	7	0.2 %
14	5	0.2 %
15	6	0.2 %
16	4	0.1 %
17	8	0.3 %
18	7	0.2 %
19	6	0.2 %
20	5	0.2 %
21	4	0.1 %
22	4	0.1 %
23	4	0.1 %
24	1	0.0 %
25	2	0.1 %
26	1	0.0 %
27	1	0.0 %
28	1	0.0 %
29	1	0.0 %
30	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	1	0.0 %
33	2	0.1 %
34	1	0.0 %
37	1	0.0 %
40	1	0.0 %
41	1	0.0 %
43	1	0.0 %
45	1	0.0 %
50	1	0.0 %
61	3	0.1 %
63	1	0.0 %
71	1	0.0 %
74	3	0.1 %
85	1	0.0 %
148	1	0.0 %
150	1	0.0 %
159	1	0.0 %
177	1	0.0 %
186	1	0.0 %
196	1	0.0 %
200	1	0.0 %
228	1	0.0 %
238	1	0.0 %
272	1	0.0 %
277	1	0.0 %
521	1	0.0 %
583	1	0.0 %
613	1	0.0 %
719	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3140 valid cases out of 3141 total cases.

- Mean: 2.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 719.00
- Standard Deviation: 25.55

- Study 13 -

Location: 66-72 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 3140 valid cases out of 3141 total cases.

- Mean: 5.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1537.00
- Standard Deviation: 43.26

V12 984 1 G PRES 9999 VOTE

Location: 73-79 (width: 7; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2754	87.7 %
1	38	1.2 %
2	23	0.7 %
3	24	0.8 %
4	33	1.1 %
5	18	0.6 %
6	17	0.5 %
7	12	0.4 %
8	19	0.6 %
9	9	0.3 %
10	14	0.4 %
11	13	0.4 %
12	9	0.3 %
13	10	0.3 %
14	4	0.1 %
15	4	0.1 %
16	6	0.2 %
17	5	0.2 %
18	5	0.2 %
19	9	0.3 %
21	4	0.1 %
22	1	0.0 %
23	4	0.1 %
24	4	0.1 %
25	3	0.1 %
26	4	0.1 %
27	3	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	2	0.1 %
29	3	0.1 %
30	3	0.1 %
32	2	0.1 %
33	1	0.0 %
34	1	0.0 %
35	1	0.0 %
37	1	0.0 %
38	2	0.1 %
40	5	0.2 %
41	1	0.0 %
42	1	0.0 %
43	4	0.1 %
45	2	0.1 %
46	3	0.1 %
47	1	0.0 %
49	1	0.0 %
50	2	0.1 %
51	3	0.1 %
52	1	0.0 %
53	2	0.1 %
56	3	0.1 %
57	3	0.1 %
58	1	0.0 %
59	3	0.1 %
60	2	0.1 %
61	1	0.0 %
67	1	0.0 %
72	1	0.0 %
73	1	0.0 %
74	1	0.0 %
75	2	0.1 %
78	1	0.0 %
82	1	0.0 %
84	1	0.0 %
88	1	0.0 %
94	1	0.0 %
103	1	0.0 %
104	2	0.1 %
105	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
106	2	0.1 %
108	1	0.0 %
113	1	0.0 %
115	1	0.0 %
120	2	0.1 %
128	1	0.0 %
144	1	0.0 %
153	1	0.0 %
154	1	0.0 %
165	1	0.0 %
206	1	0.0 %
234	2	0.1 %
289	1	0.0 %
327	1	0.0 %
360	1	0.0 %
417	1	0.0 %
1114	1	0.0 %
1428	1	0.0 %
1866	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 4.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1866.00
- Standard Deviation: 49.86

V13 984 1 G PRES 0557 VOTE

Location: 80-86 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 6.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1499.00
- Standard Deviation: 46.77

V14 984 1 G PRES 1404 VOTE

- Study 13 -

Location: 87-93 (width: 7; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3078	98.0 %
5	1	0.0 %
19	1	0.0 %
20	1	0.0 %
27	1	0.0 %
36	1	0.0 %
42	1	0.0 %
49	1	0.0 %
50	1	0.0 %
51	1	0.0 %
63	1	0.0 %
64	2	0.1 %
71	1	0.0 %
73	1	0.0 %
76	1	0.0 %
80	1	0.0 %
89	1	0.0 %
90	1	0.0 %
97	1	0.0 %
100	2	0.1 %
103	1	0.0 %
112	1	0.0 %
142	1	0.0 %
147	1	0.0 %
154	1	0.0 %
157	1	0.0 %
188	1	0.0 %
213	1	0.0 %
219	1	0.0 %
221	1	0.0 %
240	1	0.0 %
245	1	0.0 %
277	1	0.0 %
305	1	0.0 %
311	1	0.0 %
313	1	0.0 %
316	1	0.0 %
343	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
348	1	0.0 %
350	1	0.0 %
369	1	0.0 %
371	1	0.0 %
426	1	0.0 %
434	1	0.0 %
442	1	0.0 %
519	1	0.0 %
563	1	0.0 %
585	1	0.0 %
729	1	0.0 %
856	1	0.0 %
860	1	0.0 %
862	1	0.0 %
924	1	0.0 %
999	1	0.0 %
1276	1	0.0 %
1645	1	0.0 %
1959	1	0.0 %
2063	1	0.0 %
2413	1	0.0 %
2619	1	0.0 %
3523	1	0.0 %
9368	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 12.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9368.00
- Standard Deviation: 205.40

V15	984 1 G PRES 1411 VOTE
------------	-------------------------------

Location: 94-100 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3083	98.2 %
1	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	1	0.0 %
10	1	0.0 %
13	1	0.0 %
15	1	0.0 %
16	2	0.1 %
17	1	0.0 %
20	1	0.0 %
24	1	0.0 %
30	1	0.0 %
31	1	0.0 %
34	1	0.0 %
37	1	0.0 %
38	2	0.1 %
39	1	0.0 %
42	1	0.0 %
45	1	0.0 %
54	1	0.0 %
56	1	0.0 %
60	1	0.0 %
61	1	0.0 %
81	1	0.0 %
92	1	0.0 %
111	1	0.0 %
124	1	0.0 %
131	1	0.0 %
163	1	0.0 %
168	1	0.0 %
174	1	0.0 %
178	1	0.0 %
188	1	0.0 %
193	1	0.0 %
196	1	0.0 %
200	1	0.0 %
228	1	0.0 %
235	1	0.0 %
248	1	0.0 %
269	1	0.0 %
320	1	0.0 %
350	1	0.0 %
395	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
399	1	0.0 %
400	1	0.0 %
489	1	0.0 %
493	1	0.0 %
532	1	0.0 %
561	1	0.0 %
565	1	0.0 %
736	1	0.0 %
973	1	0.0 %
1136	1	0.0 %
1412	1	0.0 %
1858	1	0.0 %
1966	1	0.0 %
2223	1	0.0 %
7808	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 8.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7808.00
- Standard Deviation: 160.09

V16

984 1 G PRES 1737 VOTE

Location: 101-107 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3091	98.4 %
1	11	0.4 %
2	7	0.2 %
3	6	0.2 %
4	3	0.1 %
5	3	0.1 %
6	2	0.1 %
7	1	0.0 %
8	2	0.1 %
9	2	0.1 %
13	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	1	0.0 %
20	1	0.0 %
21	1	0.0 %
23	1	0.0 %
28	1	0.0 %
45	1	0.0 %
47	2	0.1 %
62	1	0.0 %
92	1	0.0 %
97	1	0.0 %
224	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 224.00
- Standard Deviation: 5.09

V17

984 1 G PRES 0646 VOTE

Location: 108-114 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2303	73.3 %
1	125	4.0 %
2	86	2.7 %
3	102	3.2 %
4	61	1.9 %
5	61	1.9 %
6	30	1.0 %
7	40	1.3 %
8	30	1.0 %
9	31	1.0 %
10	14	0.4 %
11	20	0.6 %
12	10	0.3 %
13	16	0.5 %
14	13	0.4 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	10	0.3 %
16	9	0.3 %
17	8	0.3 %
18	6	0.2 %
19	7	0.2 %
20	8	0.3 %
21	7	0.2 %
22	3	0.1 %
23	3	0.1 %
24	6	0.2 %
25	7	0.2 %
26	10	0.3 %
27	3	0.1 %
28	4	0.1 %
29	7	0.2 %
30	2	0.1 %
31	4	0.1 %
32	2	0.1 %
33	3	0.1 %
34	3	0.1 %
35	3	0.1 %
36	1	0.0 %
37	1	0.0 %
39	4	0.1 %
40	1	0.0 %
41	3	0.1 %
42	3	0.1 %
44	4	0.1 %
45	1	0.0 %
46	4	0.1 %
47	2	0.1 %
49	3	0.1 %
50	1	0.0 %
52	3	0.1 %
54	1	0.0 %
56	2	0.1 %
57	2	0.1 %
59	1	0.0 %
60	1	0.0 %
61	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
62	1	0.0 %
63	1	0.0 %
64	2	0.1 %
65	1	0.0 %
66	1	0.0 %
68	1	0.0 %
70	2	0.1 %
71	1	0.0 %
72	1	0.0 %
73	1	0.0 %
83	1	0.0 %
84	1	0.0 %
88	1	0.0 %
89	1	0.0 %
91	1	0.0 %
92	3	0.1 %
96	1	0.0 %
98	1	0.0 %
100	1	0.0 %
103	1	0.0 %
104	1	0.0 %
106	2	0.1 %
109	1	0.0 %
115	1	0.0 %
124	1	0.0 %
136	1	0.0 %
139	1	0.0 %
163	1	0.0 %
174	1	0.0 %
207	1	0.0 %
238	1	0.0 %
242	1	0.0 %
243	1	0.0 %
259	1	0.0 %
298	1	0.0 %
381	1	0.0 %
388	1	0.0 %
479	1	0.0 %
1085	1	0.0 %
1401	1	0.0 %

- Study 13 -

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 5.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1401.00
- Standard Deviation: 37.68

V18

984 1 G PRES 2541 VOTE

Location: 115-121 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3088	98.3 %
1	9	0.3 %
2	8	0.3 %
3	9	0.3 %
4	2	0.1 %
5	1	0.0 %
6	2	0.1 %
7	1	0.0 %
8	2	0.1 %
9	3	0.1 %
11	4	0.1 %
12	1	0.0 %
18	1	0.0 %
24	1	0.0 %
39	1	0.0 %
48	1	0.0 %
51	1	0.0 %
53	1	0.0 %
60	1	0.0 %
81	1	0.0 %
85	1	0.0 %
137	1	0.0 %
199	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 199.00
- Standard Deviation: 5.26

V19 984 1 G PRES 9001 VOTE

Location: 122-128 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3033	96.6 %
1	28	0.9 %
2	14	0.4 %
3	11	0.4 %
4	5	0.2 %
5	6	0.2 %
6	4	0.1 %
7	4	0.1 %
8	3	0.1 %
9	2	0.1 %
11	1	0.0 %
12	1	0.0 %
15	1	0.0 %
16	1	0.0 %
20	2	0.1 %
25	1	0.0 %
26	1	0.0 %
29	1	0.0 %
31	1	0.0 %
33	2	0.1 %
34	3	0.1 %
37	1	0.0 %
40	1	0.0 %
45	3	0.1 %
48	1	0.0 %
50	1	0.0 %
57	1	0.0 %
61	1	0.0 %
84	1	0.0 %
99	1	0.0 %
116	1	0.0 %
147	1	0.0 %
170	1	0.0 %
377	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
560	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 560.00
- Standard Deviation: 13.43

V20 984 1 G PRES 0543 VOTE

Location: 129-135 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 7.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2404.00
- Standard Deviation: 67.59

V21 984 1 G PRES 2533 VOTE

Location: 136-142 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3133	99.7 %
41	1	0.0 %
47	1	0.0 %
58	1	0.0 %
62	1	0.0 %
108	1	0.0 %
265	1	0.0 %
378	1	0.0 %
415	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.44
- Median: 0.00

- Study 13 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 415.00
- Standard Deviation: 11.39

V22

984 1 G PRES 0310 VOTE

Location: 143-149 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2877	91.6 %
1	29	0.9 %
2	27	0.9 %
3	21	0.7 %
4	6	0.2 %
5	3	0.1 %
6	11	0.4 %
7	3	0.1 %
8	4	0.1 %
9	5	0.2 %
10	4	0.1 %
11	6	0.2 %
12	3	0.1 %
13	1	0.0 %
14	4	0.1 %
15	9	0.3 %
16	5	0.2 %
17	5	0.2 %
18	2	0.1 %
19	1	0.0 %
20	6	0.2 %
21	1	0.0 %
22	5	0.2 %
23	1	0.0 %
24	1	0.0 %
25	2	0.1 %
27	3	0.1 %
28	3	0.1 %
29	3	0.1 %
30	3	0.1 %
31	4	0.1 %
32	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	1	0.0 %
34	1	0.0 %
36	2	0.1 %
37	2	0.1 %
38	1	0.0 %
39	2	0.1 %
41	1	0.0 %
43	1	0.0 %
44	3	0.1 %
45	1	0.0 %
46	2	0.1 %
47	2	0.1 %
48	2	0.1 %
49	3	0.1 %
50	2	0.1 %
52	1	0.0 %
53	1	0.0 %
55	1	0.0 %
58	1	0.0 %
59	1	0.0 %
61	3	0.1 %
65	1	0.0 %
66	1	0.0 %
71	1	0.0 %
73	1	0.0 %
82	1	0.0 %
83	1	0.0 %
86	1	0.0 %
88	2	0.1 %
92	1	0.0 %
93	1	0.0 %
99	2	0.1 %
103	1	0.0 %
108	1	0.0 %
109	1	0.0 %
119	1	0.0 %
121	1	0.0 %
122	1	0.0 %
124	1	0.0 %
125	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
126	2	0.1 %
128	1	0.0 %
131	2	0.1 %
134	1	0.0 %
135	1	0.0 %
146	1	0.0 %
149	1	0.0 %
156	1	0.0 %
158	1	0.0 %
159	1	0.0 %
163	2	0.1 %
167	1	0.0 %
178	1	0.0 %
180	1	0.0 %
193	1	0.0 %
285	1	0.0 %
288	1	0.0 %
477	1	0.0 %
495	1	0.0 %
693	1	0.0 %
709	1	0.0 %
805	1	0.0 %
1591	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 4.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1591.00
- Standard Deviation: 41.74

V23	984 1 G PRES 1468 VOTE
------------	-------------------------------

Location: 150-156 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3039	96.8 %
6	1	0.0 %
7	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	1	0.0 %
9	3	0.1 %
10	2	0.1 %
11	1	0.0 %
12	1	0.0 %
13	1	0.0 %
14	1	0.0 %
15	1	0.0 %
16	2	0.1 %
17	1	0.0 %
18	1	0.0 %
19	4	0.1 %
21	3	0.1 %
22	2	0.1 %
24	2	0.1 %
25	4	0.1 %
26	2	0.1 %
27	3	0.1 %
28	1	0.0 %
29	2	0.1 %
31	3	0.1 %
34	1	0.0 %
35	1	0.0 %
37	1	0.0 %
38	1	0.0 %
39	1	0.0 %
40	1	0.0 %
41	2	0.1 %
42	1	0.0 %
43	1	0.0 %
44	2	0.1 %
45	3	0.1 %
46	2	0.1 %
48	2	0.1 %
49	1	0.0 %
50	1	0.0 %
51	2	0.1 %
53	1	0.0 %
54	3	0.1 %
55	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
57	1	0.0 %
58	1	0.0 %
59	1	0.0 %
63	1	0.0 %
64	1	0.0 %
65	2	0.1 %
69	1	0.0 %
71	1	0.0 %
74	1	0.0 %
75	1	0.0 %
78	2	0.1 %
81	1	0.0 %
82	2	0.1 %
84	1	0.0 %
86	1	0.0 %
107	1	0.0 %
118	2	0.1 %
123	1	0.0 %
150	1	0.0 %
172	1	0.0 %
179	1	0.0 %
206	1	0.0 %
234	1	0.0 %
282	1	0.0 %
296	1	0.0 %
385	1	0.0 %
540	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 2.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 540.00
- Standard Deviation: 17.86

V24

984 1 G PRES 9002 VOTE

Location: 157-163 (width: 7; decimal: 0)

Variable Type: numeric

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3101	98.7 %
1	19	0.6 %
2	6	0.2 %
3	4	0.1 %
4	1	0.0 %
5	1	0.0 %
6	1	0.0 %
9	1	0.0 %
12	1	0.0 %
16	1	0.0 %
26	1	0.0 %
48	1	0.0 %
74	1	0.0 %
88	1	0.0 %
444	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 444.00
- Standard Deviation: 8.25

V25

984 1 G PRES 9003 VOTE

Location: 164-170 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3107	98.9 %
1	16	0.5 %
2	6	0.2 %
3	3	0.1 %
4	3	0.1 %
7	2	0.1 %
8	1	0.0 %
9	2	0.1 %
10	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Study 13 -

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.41

V26 984 1 G PRES 9004 VOTE

Location: 171-177 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3134	99.8 %
1	5	0.2 %
2	1	0.0 %
4	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.09

V27 984 1 G PRES 9005 VOTE

Location: 178-184 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3132	99.7 %
1	6	0.2 %
2	2	0.1 %
7	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.14

- Study 13 -

V28 984 1 G PRES 9006 VOTE

Location: 185-191 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
1	1	0.0 %
2	1	0.0 %
4	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.08

V29 984 1 G PRES 9007 VOTE

Location: 192-198 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3140	100.0 %
4	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.07

V30 984 1 G PRES 9008 VOTE

Location: 199-205 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3141	100.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Study 13 -

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

V31

984 1 G PRES 0340 VOTE

Location:

206-212 (width: 7; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2892	92.1 %
1	4	0.1 %
2	2	0.1 %
3	8	0.3 %
4	10	0.3 %
5	13	0.4 %
6	11	0.4 %
7	10	0.3 %
8	9	0.3 %
9	12	0.4 %
10	6	0.2 %
11	4	0.1 %
12	1	0.0 %
13	5	0.2 %
14	6	0.2 %
15	5	0.2 %
16	8	0.3 %
17	7	0.2 %
18	5	0.2 %
19	8	0.3 %
20	7	0.2 %
21	2	0.1 %
22	1	0.0 %
23	5	0.2 %
24	8	0.3 %
25	1	0.0 %
26	2	0.1 %
27	1	0.0 %
28	3	0.1 %
29	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	1	0.0 %
32	4	0.1 %
33	2	0.1 %
34	2	0.1 %
35	2	0.1 %
36	3	0.1 %
39	3	0.1 %
40	2	0.1 %
41	2	0.1 %
43	2	0.1 %
44	1	0.0 %
45	2	0.1 %
46	2	0.1 %
49	1	0.0 %
50	1	0.0 %
51	1	0.0 %
52	1	0.0 %
53	2	0.1 %
56	1	0.0 %
57	2	0.1 %
58	1	0.0 %
59	1	0.0 %
60	1	0.0 %
61	1	0.0 %
62	1	0.0 %
63	1	0.0 %
65	2	0.1 %
66	2	0.1 %
68	1	0.0 %
69	1	0.0 %
70	1	0.0 %
76	1	0.0 %
81	1	0.0 %
83	1	0.0 %
84	1	0.0 %
85	1	0.0 %
88	2	0.1 %
97	1	0.0 %
100	1	0.0 %
101	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
109	1	0.0 %
110	1	0.0 %
111	1	0.0 %
118	1	0.0 %
123	2	0.1 %
125	1	0.0 %
135	1	0.0 %
155	1	0.0 %
156	1	0.0 %
165	2	0.1 %
167	1	0.0 %
172	1	0.0 %
179	1	0.0 %
216	1	0.0 %
218	1	0.0 %
254	1	0.0 %
357	1	0.0 %
472	1	0.0 %
490	1	0.0 %
494	1	0.0 %
1487	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 3.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1487.00
- Standard Deviation: 34.34

V32

984 1 G PRES 2534 VOTE

Location: 213-219 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3049	97.1 %
1	19	0.6 %
2	19	0.6 %
3	17	0.5 %
4	8	0.3 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	5	0.2 %
6	3	0.1 %
7	8	0.3 %
8	2	0.1 %
10	1	0.0 %
11	3	0.1 %
13	1	0.0 %
16	1	0.0 %
17	1	0.0 %
18	1	0.0 %
20	1	0.0 %
28	1	0.0 %
53	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 53.00
- Standard Deviation: 1.44

V33

984 1 G PRES 2518 VOTE

Location:

220-226 (width: 7; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3044	96.9 %
1	8	0.3 %
2	11	0.4 %
3	10	0.3 %
4	8	0.3 %
5	7	0.2 %
6	8	0.3 %
7	7	0.2 %
8	4	0.1 %
9	11	0.4 %
10	2	0.1 %
11	2	0.1 %
12	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	3	0.1 %
14	1	0.0 %
16	1	0.0 %
17	4	0.1 %
19	1	0.0 %
24	1	0.0 %
32	1	0.0 %
37	1	0.0 %
40	1	0.0 %
53	1	0.0 %
58	1	0.0 %
71	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 71.00
- Standard Deviation: 2.58

V34

984 1 G PRES 0361 VOTE

Location: 227-233 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2970	94.6 %
1	20	0.6 %
2	14	0.4 %
3	19	0.6 %
4	17	0.5 %
5	11	0.4 %
6	7	0.2 %
7	5	0.2 %
8	11	0.4 %
9	8	0.3 %
10	2	0.1 %
11	9	0.3 %
12	7	0.2 %
13	6	0.2 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	2	0.1 %
15	1	0.0 %
16	1	0.0 %
17	2	0.1 %
18	2	0.1 %
19	2	0.1 %
20	2	0.1 %
21	1	0.0 %
22	1	0.0 %
24	1	0.0 %
25	3	0.1 %
26	2	0.1 %
30	1	0.0 %
31	1	0.0 %
33	1	0.0 %
35	2	0.1 %
38	1	0.0 %
48	1	0.0 %
50	1	0.0 %
54	1	0.0 %
61	1	0.0 %
85	1	0.0 %
105	1	0.0 %
125	1	0.0 %
325	1	0.0 %
333	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 333.00
- Standard Deviation: 9.46

V35	984 1 G PRES 0112 VOTE
------------	-------------------------------

Location: 234-240 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3141 valid cases out of 3141 total cases.

- Study 13 -

- Mean: 92.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 31981.00
- Standard Deviation: 1217.85

V36

984 1 G PRES 2519 VOTE

Location: 241-247 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3023	96.2 %
1	14	0.4 %
2	8	0.3 %
3	15	0.5 %
4	13	0.4 %
5	9	0.3 %
6	7	0.2 %
7	7	0.2 %
8	11	0.4 %
9	7	0.2 %
10	1	0.0 %
11	3	0.1 %
14	1	0.0 %
15	2	0.1 %
16	1	0.0 %
17	1	0.0 %
18	3	0.1 %
19	1	0.0 %
21	1	0.0 %
23	3	0.1 %
25	1	0.0 %
28	1	0.0 %
29	3	0.1 %
33	1	0.0 %
73	1	0.0 %
82	1	0.0 %
140	1	0.0 %
314	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Study 13 -

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 314.00
- Standard Deviation: 6.73

V37 984 1 G PRES 2520 VOTE

Location: 248-254 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3054	97.2 %
1	35	1.1 %
2	18	0.6 %
3	7	0.2 %
4	4	0.1 %
5	7	0.2 %
6	1	0.0 %
7	5	0.2 %
8	1	0.0 %
9	2	0.1 %
10	1	0.0 %
12	1	0.0 %
18	2	0.1 %
21	1	0.0 %
30	1	0.0 %
46	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 46.00
- Standard Deviation: 1.29

V38 984 1 G PRES 2495 VOTE

Location: 255-261 (width: 7; decimal: 0)

Variable Type: numeric

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2922	93.0 %
1	24	0.8 %
2	22	0.7 %
3	13	0.4 %
4	16	0.5 %
5	9	0.3 %
6	21	0.7 %
7	11	0.4 %
8	7	0.2 %
9	6	0.2 %
10	5	0.2 %
11	4	0.1 %
12	6	0.2 %
13	5	0.2 %
14	2	0.1 %
15	2	0.1 %
16	1	0.0 %
17	5	0.2 %
18	2	0.1 %
19	5	0.2 %
20	1	0.0 %
23	2	0.1 %
24	1	0.0 %
25	2	0.1 %
26	1	0.0 %
27	2	0.1 %
30	1	0.0 %
32	2	0.1 %
33	1	0.0 %
34	1	0.0 %
35	1	0.0 %
36	2	0.1 %
38	2	0.1 %
39	1	0.0 %
40	2	0.1 %
41	1	0.0 %
43	2	0.1 %
48	2	0.1 %
56	1	0.0 %
57	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
73	1	0.0 %
80	1	0.0 %
90	1	0.0 %
93	1	0.0 %
94	1	0.0 %
99	2	0.1 %
104	1	0.0 %
109	1	0.0 %
136	1	0.0 %
139	1	0.0 %
145	1	0.0 %
182	1	0.0 %
193	1	0.0 %
216	1	0.0 %
239	1	0.0 %
295	1	0.0 %
331	1	0.0 %
349	1	0.0 %
379	1	0.0 %
461	1	0.0 %
505	1	0.0 %
619	1	0.0 %
733	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 2.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 733.00
- Standard Deviation: 26.42

V39	984 1 G PRES 2522 VOTE
------------	-------------------------------

Location: 262-268 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3125	99.5 %
14	1	0.0 %
15	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	1	0.0 %
21	1	0.0 %
22	2	0.1 %
29	1	0.0 %
31	1	0.0 %
33	1	0.0 %
39	1	0.0 %
51	1	0.0 %
78	1	0.0 %
86	2	0.1 %
101	1	0.0 %
107	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 107.00
- Standard Deviation: 4.05

V40

984 1 G PRES 0807 VOTE

Location: 269-275 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3117	99.2 %
3	1	0.0 %
4	2	0.1 %
5	3	0.1 %
6	2	0.1 %
7	2	0.1 %
9	2	0.1 %
13	2	0.1 %
15	1	0.0 %
18	1	0.0 %
19	1	0.0 %
23	1	0.0 %
24	1	0.0 %
61	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
65	1	0.0 %
91	1	0.0 %
102	1	0.0 %
231	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 231.00
- Standard Deviation: 5.13

V41

984 1 G PRES 0951 VOTE

Location: 276-282 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3092	98.4 %
1	8	0.3 %
2	4	0.1 %
3	4	0.1 %
4	9	0.3 %
5	1	0.0 %
6	1	0.0 %
7	2	0.1 %
8	2	0.1 %
9	2	0.1 %
10	1	0.0 %
11	3	0.1 %
14	2	0.1 %
18	3	0.1 %
20	1	0.0 %
44	1	0.0 %
52	1	0.0 %
57	1	0.0 %
74	1	0.0 %
105	1	0.0 %
211	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Study 13 -

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 211.00
- Standard Deviation: 4.77

V42 984 1 G PRES 2547 VOTE

Location: 283-289 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3127	99.6 %
17	1	0.0 %
20	1	0.0 %
137	1	0.0 %
194	1	0.0 %
271	1	0.0 %
290	1	0.0 %
575	1	0.0 %
605	1	0.0 %
702	1	0.0 %
765	1	0.0 %
808	1	0.0 %
809	1	0.0 %
1047	1	0.0 %
1758	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 2.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1758.00
- Standard Deviation: 48.75

V43 984 1 G PRES 2464 VOTE

Location: 290-296 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2948	93.9 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	17	0.5 %
2	9	0.3 %
3	14	0.4 %
4	13	0.4 %
5	14	0.4 %
6	12	0.4 %
7	6	0.2 %
8	11	0.4 %
9	7	0.2 %
10	5	0.2 %
11	7	0.2 %
12	8	0.3 %
13	4	0.1 %
14	2	0.1 %
15	3	0.1 %
16	5	0.2 %
17	3	0.1 %
18	1	0.0 %
19	1	0.0 %
20	2	0.1 %
21	3	0.1 %
22	1	0.0 %
23	1	0.0 %
24	1	0.0 %
25	2	0.1 %
26	2	0.1 %
27	1	0.0 %
28	1	0.0 %
29	1	0.0 %
31	2	0.1 %
32	1	0.0 %
33	2	0.1 %
34	1	0.0 %
36	1	0.0 %
39	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
50	1	0.0 %
54	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
55	1	0.0 %
61	1	0.0 %
62	1	0.0 %
67	1	0.0 %
85	1	0.0 %
91	1	0.0 %
98	1	0.0 %
101	1	0.0 %
111	1	0.0 %
120	1	0.0 %
123	1	0.0 %
154	2	0.1 %
160	1	0.0 %
186	1	0.0 %
218	1	0.0 %
266	1	0.0 %
295	1	0.0 %
355	1	0.0 %
389	1	0.0 %
1292	1	0.0 %
2862	1	0.0 %
3624	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 4.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3624.00
- Standard Deviation: 86.81

V44	984 1 G PRES 2504 VOTE
------------	-------------------------------

Location: 297-303 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2936	93.5 %
1	39	1.2 %
2	28	0.9 %
3	18	0.6 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	13	0.4 %
5	12	0.4 %
6	8	0.3 %
7	4	0.1 %
8	5	0.2 %
9	1	0.0 %
10	4	0.1 %
11	4	0.1 %
12	3	0.1 %
13	6	0.2 %
14	2	0.1 %
15	6	0.2 %
16	4	0.1 %
18	3	0.1 %
19	1	0.0 %
21	1	0.0 %
22	4	0.1 %
23	3	0.1 %
24	1	0.0 %
25	1	0.0 %
27	1	0.0 %
29	2	0.1 %
30	1	0.0 %
31	2	0.1 %
32	1	0.0 %
35	1	0.0 %
36	1	0.0 %
37	1	0.0 %
38	1	0.0 %
39	1	0.0 %
41	1	0.0 %
42	2	0.1 %
45	1	0.0 %
46	2	0.1 %
47	1	0.0 %
49	1	0.0 %
55	1	0.0 %
74	1	0.0 %
77	3	0.1 %
83	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
98	1	0.0 %
106	1	0.0 %
112	1	0.0 %
139	1	0.0 %
195	1	0.0 %
286	1	0.0 %
394	1	0.0 %
1010	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 1.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1010.00
- Standard Deviation: 21.24

V45

984 1 G PRES 2513 VOTE

Location: 304-310 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3076	97.9 %
1	12	0.4 %
2	12	0.4 %
3	9	0.3 %
4	8	0.3 %
5	6	0.2 %
6	4	0.1 %
7	1	0.0 %
8	1	0.0 %
9	1	0.0 %
11	1	0.0 %
12	1	0.0 %
13	1	0.0 %
15	1	0.0 %
27	1	0.0 %
28	1	0.0 %
39	1	0.0 %
52	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
57	1	0.0 %
58	1	0.0 %
180	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 3.83

V46

984 1 G PRES 2545 VOTE

Location: 311-317 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3054	97.2 %
1	1	0.0 %
2	4	0.1 %
3	3	0.1 %
4	2	0.1 %
5	5	0.2 %
6	3	0.1 %
7	2	0.1 %
8	1	0.0 %
10	3	0.1 %
11	2	0.1 %
12	2	0.1 %
13	3	0.1 %
14	2	0.1 %
15	1	0.0 %
16	3	0.1 %
17	7	0.2 %
18	5	0.2 %
19	1	0.0 %
20	2	0.1 %
21	1	0.0 %
22	3	0.1 %
23	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	1	0.0 %
25	1	0.0 %
26	1	0.0 %
27	3	0.1 %
28	1	0.0 %
29	1	0.0 %
30	3	0.1 %
31	2	0.1 %
34	2	0.1 %
36	1	0.0 %
38	2	0.1 %
39	1	0.0 %
41	1	0.0 %
45	1	0.0 %
49	1	0.0 %
74	1	0.0 %
76	1	0.0 %
77	1	0.0 %
123	2	0.1 %
131	1	0.0 %
356	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 356.00
- Standard Deviation: 8.46

V47

984 1 G PRES 2546 VOTE

Location: 318-324 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3092	98.4 %
1	17	0.5 %
2	9	0.3 %
3	10	0.3 %
4	3	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	3	0.1 %
7	1	0.0 %
9	1	0.0 %
13	2	0.1 %
22	1	0.0 %
31	1	0.0 %
45	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 1.15

V48

984 1 G PRES 0402 VOTE

Location: 325-331 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3079	98.0 %
25	1	0.0 %
56	1	0.0 %
61	1	0.0 %
71	1	0.0 %
115	1	0.0 %
116	1	0.0 %
119	1	0.0 %
131	1	0.0 %
137	1	0.0 %
141	1	0.0 %
144	1	0.0 %
145	1	0.0 %
153	1	0.0 %
158	1	0.0 %
175	1	0.0 %
182	1	0.0 %
192	1	0.0 %
194	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
206	1	0.0 %
211	1	0.0 %
219	1	0.0 %
247	1	0.0 %
257	1	0.0 %
262	1	0.0 %
271	1	0.0 %
272	1	0.0 %
291	1	0.0 %
299	1	0.0 %
300	1	0.0 %
303	1	0.0 %
311	1	0.0 %
327	1	0.0 %
329	1	0.0 %
346	1	0.0 %
390	1	0.0 %
393	1	0.0 %
395	1	0.0 %
523	1	0.0 %
619	1	0.0 %
653	1	0.0 %
668	1	0.0 %
702	1	0.0 %
851	1	0.0 %
940	1	0.0 %
990	1	0.0 %
1013	1	0.0 %
1039	1	0.0 %
1041	1	0.0 %
1068	1	0.0 %
1761	1	0.0 %
1788	1	0.0 %
1970	1	0.0 %
2838	1	0.0 %
3252	1	0.0 %
4616	1	0.0 %
5894	1	0.0 %
6568	1	0.0 %
6898	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
11336	1	0.0 %
15554	1	0.0 %
17352	1	0.0 %
20446	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 37.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20446.00
- Standard Deviation: 636.39

V49 984 1 G PRES 2523 VOTE

Location: 332-338 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2865	91.2 %
1	45	1.4 %
2	27	0.9 %
3	25	0.8 %
4	20	0.6 %
5	14	0.4 %
6	11	0.4 %
7	10	0.3 %
8	17	0.5 %
9	9	0.3 %
10	5	0.2 %
11	9	0.3 %
12	4	0.1 %
13	5	0.2 %
14	3	0.1 %
15	3	0.1 %
16	6	0.2 %
18	5	0.2 %
19	3	0.1 %
21	1	0.0 %
23	4	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	3	0.1 %
25	1	0.0 %
26	2	0.1 %
27	2	0.1 %
28	1	0.0 %
29	1	0.0 %
30	1	0.0 %
31	3	0.1 %
34	1	0.0 %
37	3	0.1 %
38	1	0.0 %
41	2	0.1 %
43	1	0.0 %
44	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	2	0.1 %
56	1	0.0 %
60	1	0.0 %
70	1	0.0 %
71	1	0.0 %
74	1	0.0 %
77	1	0.0 %
84	1	0.0 %
87	1	0.0 %
96	1	0.0 %
127	1	0.0 %
133	2	0.1 %
161	1	0.0 %
165	1	0.0 %
167	1	0.0 %
180	1	0.0 %
199	1	0.0 %
276	1	0.0 %
279	1	0.0 %
340	1	0.0 %
416	1	0.0 %
744	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3140 valid cases out of 3141 total cases.

- Study 13 -

- Mean: 2.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 744.00
- Standard Deviation: 20.26

V50

984 1 G PRES 1716 VOTE

Location: 339-345 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3074	97.9 %
3	4	0.1 %
4	1	0.0 %
11	1	0.0 %
13	2	0.1 %
14	2	0.1 %
15	1	0.0 %
17	1	0.0 %
18	1	0.0 %
21	1	0.0 %
22	1	0.0 %
23	1	0.0 %
27	1	0.0 %
30	1	0.0 %
34	1	0.0 %
37	1	0.0 %
38	3	0.1 %
39	1	0.0 %
40	1	0.0 %
42	1	0.0 %
44	1	0.0 %
50	2	0.1 %
51	2	0.1 %
53	1	0.0 %
58	1	0.0 %
65	1	0.0 %
83	1	0.0 %
87	1	0.0 %
88	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
93	1	0.0 %
95	1	0.0 %
96	1	0.0 %
99	1	0.0 %
100	1	0.0 %
101	1	0.0 %
112	1	0.0 %
138	1	0.0 %
140	1	0.0 %
170	1	0.0 %
176	1	0.0 %
185	1	0.0 %
232	1	0.0 %
295	1	0.0 %
326	1	0.0 %
336	1	0.0 %
368	1	0.0 %
405	1	0.0 %
557	1	0.0 %
568	1	0.0 %
580	1	0.0 %
591	1	0.0 %
712	1	0.0 %
798	1	0.0 %
831	1	0.0 %
1086	1	0.0 %
1226	1	0.0 %
1448	1	0.0 %
1795	1	0.0 %
6729	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 6.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6729.00
- Standard Deviation: 134.98

- Study 13 -

Location: 346-352 (width: 7; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3136	99.8 %
3	2	0.1 %
4	1	0.0 %
6	1	0.0 %
33	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 0.61

V52 984 1 G PRES 0722 VOTE

Location: 353-359 (width: 7; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3096	98.6 %
1	2	0.1 %
2	4	0.1 %
3	5	0.2 %
4	6	0.2 %
5	4	0.1 %
6	4	0.1 %
7	3	0.1 %
8	2	0.1 %
9	1	0.0 %
11	1	0.0 %
12	1	0.0 %
13	1	0.0 %
15	1	0.0 %
17	1	0.0 %
18	3	0.1 %
23	1	0.0 %
29	1	0.0 %
30	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	1	0.0 %
87	1	0.0 %
200	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 4.19

V53

984 1 G PRES 2527 VOTE

Location: 360-366 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2985	95.0 %
1	10	0.3 %
2	16	0.5 %
3	14	0.4 %
4	14	0.4 %
5	9	0.3 %
6	8	0.3 %
7	9	0.3 %
8	6	0.2 %
9	5	0.2 %
10	4	0.1 %
11	7	0.2 %
12	3	0.1 %
13	4	0.1 %
14	2	0.1 %
15	2	0.1 %
16	1	0.0 %
17	4	0.1 %
18	3	0.1 %
19	3	0.1 %
20	4	0.1 %
21	2	0.1 %
22	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	4	0.1 %
25	1	0.0 %
26	1	0.0 %
27	2	0.1 %
28	1	0.0 %
29	1	0.0 %
30	1	0.0 %
31	1	0.0 %
32	1	0.0 %
33	1	0.0 %
34	1	0.0 %
35	1	0.0 %
44	1	0.0 %
53	1	0.0 %
68	1	0.0 %
70	1	0.0 %
84	1	0.0 %
91	1	0.0 %
212	1	0.0 %
216	1	0.0 %
487	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 487.00
- Standard Deviation: 11.01

V54

984 1 G PRES 2528 VOTE

Location: 367-373 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3066	97.6 %
1	17	0.5 %
2	8	0.3 %
3	13	0.4 %
4	12	0.4 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	7	0.2 %
6	2	0.1 %
7	4	0.1 %
8	2	0.1 %
9	2	0.1 %
11	1	0.0 %
12	1	0.0 %
16	1	0.0 %
18	1	0.0 %
21	1	0.0 %
61	1	0.0 %
66	1	0.0 %
90	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 2.43

V55

984 1 G PRES 0386 VOTE

Location:

374-380 (width: 7; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2891	92.0 %
1	5	0.2 %
2	8	0.3 %
3	5	0.2 %
4	9	0.3 %
5	9	0.3 %
6	6	0.2 %
7	6	0.2 %
8	14	0.4 %
9	11	0.4 %
10	7	0.2 %
11	9	0.3 %
12	5	0.2 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	7	0.2 %
14	6	0.2 %
15	7	0.2 %
16	7	0.2 %
17	6	0.2 %
18	7	0.2 %
19	9	0.3 %
20	2	0.1 %
21	6	0.2 %
22	6	0.2 %
23	4	0.1 %
24	2	0.1 %
26	4	0.1 %
27	3	0.1 %
28	3	0.1 %
29	1	0.0 %
30	6	0.2 %
33	1	0.0 %
35	1	0.0 %
36	1	0.0 %
37	3	0.1 %
39	3	0.1 %
40	1	0.0 %
41	4	0.1 %
42	1	0.0 %
43	3	0.1 %
44	2	0.1 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
48	1	0.0 %
49	1	0.0 %
50	1	0.0 %
54	1	0.0 %
57	2	0.1 %
61	1	0.0 %
62	1	0.0 %
70	1	0.0 %
72	1	0.0 %
73	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
81	1	0.0 %
88	1	0.0 %
92	1	0.0 %
93	1	0.0 %
99	1	0.0 %
101	1	0.0 %
110	1	0.0 %
116	1	0.0 %
118	1	0.0 %
119	1	0.0 %
121	1	0.0 %
125	1	0.0 %
134	1	0.0 %
139	2	0.1 %
140	1	0.0 %
141	1	0.0 %
152	1	0.0 %
155	1	0.0 %
157	1	0.0 %
167	1	0.0 %
187	1	0.0 %
201	1	0.0 %
226	1	0.0 %
234	1	0.0 %
245	1	0.0 %
246	1	0.0 %
272	1	0.0 %
323	1	0.0 %
399	1	0.0 %
479	1	0.0 %
560	1	0.0 %
665	1	0.0 %
676	1	0.0 %
1448	1	0.0 %
1937	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 4.65
- Median: 0.00
- Mode: 0.00

- Study 13 -

- Minimum: 0.00
- Maximum: 1937.00
- Standard Deviation: 51.45

V56 984 1 G PRES 2537 VOTE

Location: 381-387 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3118	99.3 %
1	8	0.3 %
2	4	0.1 %
3	2	0.1 %
4	3	0.1 %
5	2	0.1 %
20	1	0.0 %
23	1	0.0 %
36	1	0.0 %
97	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 1.94

V57 984 1 G PRES 1717 VOTE

Location: 388-394 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3128	99.6 %
5	1	0.0 %
6	1	0.0 %
9	2	0.1 %
11	1	0.0 %
14	1	0.0 %
22	1	0.0 %
24	1	0.0 %
29	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	1	0.0 %
34	1	0.0 %
42	1	0.0 %
87	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 2.10

V58

984 1 G PRES 2531 VOTE

Location: 395-401 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3089	98.3 %
1	8	0.3 %
2	3	0.1 %
3	6	0.2 %
4	5	0.2 %
5	1	0.0 %
6	2	0.1 %
7	2	0.1 %
8	2	0.1 %
9	2	0.1 %
10	1	0.0 %
11	1	0.0 %
12	1	0.0 %
13	2	0.1 %
14	1	0.0 %
15	4	0.1 %
16	3	0.1 %
17	3	0.1 %
18	1	0.0 %
24	1	0.0 %
28	2	0.1 %
46	1	0.0 %

- Study 13 -

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 46.00
- Standard Deviation: 1.65

V59

984 1 G PRES 1299 VOTE

Location:

402-408 (width: 7; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3070	97.7 %
3	1	0.0 %
4	3	0.1 %
5	1	0.0 %
6	2	0.1 %
9	1	0.0 %
10	1	0.0 %
11	1	0.0 %
12	1	0.0 %
13	4	0.1 %
15	2	0.1 %
16	2	0.1 %
17	4	0.1 %
18	1	0.0 %
21	1	0.0 %
22	1	0.0 %
24	3	0.1 %
25	2	0.1 %
26	2	0.1 %
27	2	0.1 %
28	1	0.0 %
29	1	0.0 %
30	1	0.0 %
34	1	0.0 %
36	1	0.0 %
39	2	0.1 %
41	1	0.0 %
44	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
49	2	0.1 %
51	1	0.0 %
52	1	0.0 %
54	1	0.0 %
73	1	0.0 %
74	2	0.1 %
77	1	0.0 %
78	1	0.0 %
80	1	0.0 %
83	1	0.0 %
84	1	0.0 %
100	1	0.0 %
101	1	0.0 %
109	1	0.0 %
112	1	0.0 %
122	1	0.0 %
136	1	0.0 %
180	1	0.0 %
221	1	0.0 %
268	1	0.0 %
590	1	0.0 %

Based upon 3141 valid cases out of 3141 total cases.

- Mean: 1.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 590.00
- Standard Deviation: 14.57

V60	984 1 G PRES TOTAL VOTE
------------	--------------------------------

Location: 409-415 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3140 valid cases out of 3141 total cases.

- Mean: 29424.43
- Minimum: 73.00

- Study 13 -

- Maximum: 2612914.00
- Standard Deviation: 92715.64

V61 984 2 G GOV 0100 VOTE

Location: 416-422 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 646 valid cases out of 3141 total cases.

- Mean: 9445.57
- Minimum: 169.00
- Maximum: 336878.00
- Standard Deviation: 21911.49

V62 984 2 G GOV 0200 VOTE

Location: 423-429 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 646 valid cases out of 3141 total cases.

- Mean: 10062.78
- Minimum: 90.00
- Maximum: 306605.00
- Standard Deviation: 22612.60

V63 984 2 G GOV 0310 VOTE

Location: 430-436 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	528	16.8 %
1	2	0.1 %
2	1	0.0 %
3	2	0.1 %
4	2	0.1 %
5	1	0.0 %
7	5	0.2 %
8	1	0.0 %
10	2	0.1 %
12	3	0.1 %
13	1	0.0 %
14	5	0.2 %
15	3	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	1	0.0 %
18	4	0.1 %
19	1	0.0 %
20	2	0.1 %
21	2	0.1 %
22	1	0.0 %
23	2	0.1 %
24	1	0.0 %
25	2	0.1 %
26	1	0.0 %
27	1	0.0 %
28	2	0.1 %
29	1	0.0 %
30	2	0.1 %
31	2	0.1 %
32	2	0.1 %
36	3	0.1 %
38	1	0.0 %
39	2	0.1 %
40	2	0.1 %
42	1	0.0 %
44	1	0.0 %
45	1	0.0 %
47	2	0.1 %
48	1	0.0 %
51	1	0.0 %
52	1	0.0 %
54	1	0.0 %
57	1	0.0 %
59	2	0.1 %
61	3	0.1 %
62	1	0.0 %
65	1	0.0 %
74	1	0.0 %
76	3	0.1 %
77	1	0.0 %
80	1	0.0 %
83	1	0.0 %
86	1	0.0 %
89	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
95	2	0.1 %
98	1	0.0 %
106	1	0.0 %
107	1	0.0 %
108	1	0.0 %
109	1	0.0 %
110	1	0.0 %
112	1	0.0 %
115	1	0.0 %
116	1	0.0 %
120	1	0.0 %
122	1	0.0 %
129	1	0.0 %
132	1	0.0 %
135	1	0.0 %
139	1	0.0 %
141	1	0.0 %
144	1	0.0 %
153	1	0.0 %
166	1	0.0 %
201	1	0.0 %
224	1	0.0 %
235	1	0.0 %
263	1	0.0 %
623	1	0.0 %
725	1	0.0 %
839	1	0.0 %
1109	1	0.0 %
9999999 (M)	2495	79.4 %

Based upon 646 valid cases out of 3141 total cases.

- Mean: 14.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1109.00
- Standard Deviation: 72.34

V64

984 2 G GOV 1735 VOTE

Location:

437-443 (width: 7; decimal: 0)

- Study 13 -

Variable Type:

numeric

Based upon 646 valid cases out of 3141 total cases.

- Mean: 40.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1703.00
- Standard Deviation: 149.74

V65

984 2 G GOV 9999 VOTE

Location:

444-450 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	622	19.8 %
1	1	0.0 %
2	2	0.1 %
3	1	0.0 %
5	2	0.1 %
6	2	0.1 %
7	1	0.0 %
8	1	0.0 %
10	1	0.0 %
11	1	0.0 %
14	2	0.1 %
15	2	0.1 %
17	1	0.0 %
26	1	0.0 %
27	1	0.0 %
28	1	0.0 %
37	1	0.0 %
39	1	0.0 %
40	1	0.0 %
64	1	0.0 %
9999999 (M)	2495	79.4 %

Based upon 646 valid cases out of 3141 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 64.00
- Standard Deviation: 4.34

V66 984 2 G GOV 0646 VOTE

Location: 451-457 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	551	17.5 %
1	6	0.2 %
2	4	0.1 %
3	5	0.2 %
4	1	0.0 %
5	4	0.1 %
6	4	0.1 %
7	2	0.1 %
8	1	0.0 %
9	1	0.0 %
10	4	0.1 %
11	4	0.1 %
12	1	0.0 %
13	3	0.1 %
14	3	0.1 %
15	3	0.1 %
17	4	0.1 %
18	2	0.1 %
19	2	0.1 %
20	1	0.0 %
21	1	0.0 %
22	1	0.0 %
23	4	0.1 %
24	1	0.0 %
25	4	0.1 %
26	2	0.1 %
27	2	0.1 %
28	1	0.0 %
33	2	0.1 %
34	1	0.0 %
43	3	0.1 %
46	1	0.0 %
48	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
53	1	0.0 %
60	1	0.0 %
62	1	0.0 %
65	1	0.0 %
67	1	0.0 %
73	1	0.0 %
76	1	0.0 %
83	1	0.0 %
97	1	0.0 %
108	1	0.0 %
113	1	0.0 %
114	1	0.0 %
137	1	0.0 %
161	1	0.0 %
215	1	0.0 %
9999999 (M)	2495	79.4 %

Based upon 646 valid cases out of 3141 total cases.

- Mean: 4.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 215.00
- Standard Deviation: 17.37

V67	984 2 G GOV 1717 VOTE
------------	------------------------------

Location: 458-464 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	632	20.1 %
5	1	0.0 %
7	1	0.0 %
8	1	0.0 %
11	1	0.0 %
19	2	0.1 %
22	1	0.0 %
28	1	0.0 %
45	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
70	1	0.0 %
81	1	0.0 %
115	1	0.0 %
124	1	0.0 %
141	1	0.0 %
9999999 (M)	2495	79.4 %

Based upon 646 valid cases out of 3141 total cases.

- Mean: 1.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 141.00
- Standard Deviation: 9.92

V68

984 2 G GOV 2529 VOTE

Location: 465-471 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	632	20.1 %
6	1	0.0 %
19	2	0.1 %
20	1	0.0 %
21	2	0.1 %
22	1	0.0 %
49	1	0.0 %
65	1	0.0 %
66	1	0.0 %
89	1	0.0 %
92	1	0.0 %
106	1	0.0 %
135	1	0.0 %
9999999 (M)	2495	79.4 %

Based upon 646 valid cases out of 3141 total cases.

- Mean: 1.13
- Median: 0.00
- Mode: 0.00

- Study 13 -

- Minimum: 0.00
- Maximum: 135.00
- Standard Deviation: 9.53

V69	984 2 G GOV TOTAL VOTE
------------	-------------------------------

Location: 472-478 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 646 valid cases out of 3141 total cases.

- Mean: 19570.47
- Minimum: 351.00
- Maximum: 643483.00
- Standard Deviation: 43982.93

V70	984 3 G CONG 0100 VOTE
------------	-------------------------------

Location: 479-485 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3070 valid cases out of 3141 total cases.

- Mean: 13849.02
- Minimum: 0.00
- Maximum: 1248562.00
- Standard Deviation: 48145.35

V71	984 3 G CONG 2410 VOTE
------------	-------------------------------

Location: 486-492 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3092	98.4 %
29	1	0.0 %
33	1	0.0 %
45	2	0.1 %
64	1	0.0 %
68	2	0.1 %
78	1	0.0 %
80	1	0.0 %
82	1	0.0 %
90	1	0.0 %
111	1	0.0 %
122	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
125	1	0.0 %
126	2	0.1 %
127	1	0.0 %
128	1	0.0 %
131	1	0.0 %
140	1	0.0 %
159	1	0.0 %
184	1	0.0 %
193	1	0.0 %
204	1	0.0 %
224	1	0.0 %
226	1	0.0 %
228	1	0.0 %
237	1	0.0 %
265	1	0.0 %
268	1	0.0 %
281	1	0.0 %
282	1	0.0 %
338	1	0.0 %
347	1	0.0 %
371	1	0.0 %
474	1	0.0 %
478	1	0.0 %
548	1	0.0 %
549	1	0.0 %
681	1	0.0 %
776	1	0.0 %
1013	1	0.0 %
1178	1	0.0 %
1250	1	0.0 %
1522	1	0.0 %
2009	1	0.0 %
2372	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 5.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 2372.00
- Standard Deviation: 78.18

V72 984 3 G CONG 0200 VOTE

Location: 493-499 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 3104 valid cases out of 3141 total cases.

- Mean: 12420.23
- Minimum: 0.00
- Maximum: 1131946.00
- Standard Deviation: 39355.69

V73 984 3 G CONG 0646 VOTE

Location: 500-506 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3098	98.6 %
1	1	0.0 %
3	1	0.0 %
7	1	0.0 %
10	1	0.0 %
11	1	0.0 %
12	1	0.0 %
16	1	0.0 %
23	1	0.0 %
25	1	0.0 %
26	1	0.0 %
29	1	0.0 %
32	1	0.0 %
38	1	0.0 %
40	1	0.0 %
47	1	0.0 %
55	1	0.0 %
62	1	0.0 %
63	1	0.0 %
65	2	0.1 %
98	1	0.0 %
103	1	0.0 %
105	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
135	1	0.0 %
144	1	0.0 %
145	1	0.0 %
209	1	0.0 %
335	1	0.0 %
341	1	0.0 %
457	1	0.0 %
529	1	0.0 %
685	1	0.0 %
692	1	0.0 %
886	1	0.0 %
1098	1	0.0 %
1273	1	0.0 %
1587	1	0.0 %
1710	1	0.0 %
1836	1	0.0 %
2577	1	0.0 %
8086	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 7.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8086.00
- Standard Deviation: 165.64

V74

984 3 G CONG 9999 VOTE

Location: 507-513 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2903	92.4 %
1	67	2.1 %
2	36	1.1 %
3	15	0.5 %
4	14	0.4 %
5	13	0.4 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	7	0.2 %
7	8	0.3 %
8	9	0.3 %
9	3	0.1 %
10	9	0.3 %
11	3	0.1 %
12	2	0.1 %
13	3	0.1 %
15	3	0.1 %
16	4	0.1 %
17	2	0.1 %
18	1	0.0 %
19	3	0.1 %
20	2	0.1 %
21	3	0.1 %
22	3	0.1 %
23	2	0.1 %
24	3	0.1 %
25	1	0.0 %
30	1	0.0 %
31	1	0.0 %
32	2	0.1 %
35	1	0.0 %
37	1	0.0 %
44	1	0.0 %
45	1	0.0 %
47	1	0.0 %
53	1	0.0 %
57	1	0.0 %
78	1	0.0 %
100	1	0.0 %
101	1	0.0 %
103	1	0.0 %
109	1	0.0 %
155	1	0.0 %
219	1	0.0 %
229	1	0.0 %
253	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Study 13 -

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 253.00
- Standard Deviation: 9.24

V75

984 3 G CONG 9998 VOTE

Location: 514-520 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3112	99.1 %
95	1	0.0 %
100	1	0.0 %
110	1	0.0 %
113	1	0.0 %
123	1	0.0 %
138	1	0.0 %
149	1	0.0 %
171	1	0.0 %
172	1	0.0 %
183	1	0.0 %
188	1	0.0 %
200	1	0.0 %
209	1	0.0 %
210	1	0.0 %
219	1	0.0 %
240	1	0.0 %
262	1	0.0 %
263	1	0.0 %
269	1	0.0 %
272	2	0.1 %
273	1	0.0 %
302	1	0.0 %
310	1	0.0 %
402	1	0.0 %
502	1	0.0 %
761	1	0.0 %
9999999 (M)	2	0.1 %

- Study 13 -

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 2.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 761.00
- Standard Deviation: 25.62

V76 984 3 G CONG 1735 VOTE

Location: 521-527 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 78.89
- Minimum: 0.00
- Maximum: 57590.00
- Standard Deviation: 1148.65

V77 984 3 G CONG 2471 VOTE

Location: 528-534 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3134	99.8 %
192	1	0.0 %
521	1	0.0 %
2163	1	0.0 %
5074	1	0.0 %
6919	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 4.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6919.00
- Standard Deviation: 158.20

V78 984 3 G CONG 9001 VOTE

Location: 535-541 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3051	97.1 %
1	17	0.5 %
2	1	0.0 %
3	4	0.1 %
4	3	0.1 %
5	1	0.0 %
6	2	0.1 %
7	1	0.0 %
8	1	0.0 %
9	1	0.0 %
10	1	0.0 %
11	3	0.1 %
12	2	0.1 %
13	3	0.1 %
14	1	0.0 %
15	1	0.0 %
17	1	0.0 %
20	1	0.0 %
23	1	0.0 %
25	1	0.0 %
26	1	0.0 %
27	1	0.0 %
28	2	0.1 %
30	1	0.0 %
32	1	0.0 %
38	1	0.0 %
42	2	0.1 %
47	1	0.0 %
49	1	0.0 %
50	1	0.0 %
52	1	0.0 %
58	2	0.1 %
61	1	0.0 %
62	1	0.0 %
66	1	0.0 %
68	2	0.1 %
73	1	0.0 %
83	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
100	1	0.0 %
103	2	0.1 %
128	1	0.0 %
138	1	0.0 %
139	1	0.0 %
171	1	0.0 %
173	1	0.0 %
193	1	0.0 %
235	1	0.0 %
247	1	0.0 %
260	1	0.0 %
333	1	0.0 %
359	1	0.0 %
414	1	0.0 %
415	1	0.0 %
470	1	0.0 %
510	1	0.0 %
698	1	0.0 %
10207	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 5.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10207.00
- Standard Deviation: 183.86

V79

984 3 G CONG 0328 VOTE

Location: 542-548 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3136 valid cases out of 3141 total cases.

- Mean: 42.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17201.00
- Standard Deviation: 528.24

- Study 13 -

V80 984 3 G CONG 1404 VOTE

Location: 549-555 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3135	99.8 %
989	1	0.0 %
1674	1	0.0 %
3883	1	0.0 %
6055	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 4.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6055.00
- Standard Deviation: 132.95

V81 984 3 G CONG 1411 VOTE

Location: 556-562 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3133	99.7 %
1689	1	0.0 %
2472	1	0.0 %
3574	1	0.0 %
9677	1	0.0 %
15810	1	0.0 %
28321	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 19.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 28321.00

- Study 13 -

- Standard Deviation: 609.62

V82 984 3 G CONG 2542 VOTE

Location: 563-569 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3083	98.2 %
2	2	0.1 %
3	2	0.1 %
4	2	0.1 %
5	1	0.0 %
6	1	0.0 %
8	2	0.1 %
9	1	0.0 %
12	2	0.1 %
13	2	0.1 %
14	1	0.0 %
15	1	0.0 %
16	1	0.0 %
17	1	0.0 %
20	2	0.1 %
21	1	0.0 %
22	1	0.0 %
23	1	0.0 %
25	1	0.0 %
26	2	0.1 %
27	1	0.0 %
31	1	0.0 %
33	1	0.0 %
41	1	0.0 %
42	2	0.1 %
44	1	0.0 %
53	1	0.0 %
54	2	0.1 %
56	1	0.0 %
70	1	0.0 %
78	1	0.0 %
82	1	0.0 %
83	1	0.0 %
94	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
117	1	0.0 %
132	1	0.0 %
155	1	0.0 %
172	1	0.0 %
185	1	0.0 %
197	1	0.0 %
431	1	0.0 %
596	1	0.0 %
1014	1	0.0 %
1222	1	0.0 %
1613	1	0.0 %
1673	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 2.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1673.00
- Standard Deviation: 52.55

V83

984 3 G CONG 2544 VOTE

Location: 570-576 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3135	99.8 %
329	1	0.0 %
1726	1	0.0 %
4735	1	0.0 %
13543	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 6.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 13543.00
- Standard Deviation: 257.94

V84 984 3 G CONG 2543 VOTE

Location: 577-583 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3108	98.9 %
1	2	0.1 %
2	2	0.1 %
3	2	0.1 %
4	1	0.0 %
6	1	0.0 %
7	2	0.1 %
8	1	0.0 %
9	3	0.1 %
11	1	0.0 %
12	1	0.0 %
15	1	0.0 %
16	2	0.1 %
21	2	0.1 %
23	2	0.1 %
26	1	0.0 %
28	1	0.0 %
32	1	0.0 %
38	1	0.0 %
45	2	0.1 %
88	1	0.0 %
349	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 349.00
- Standard Deviation: 6.70

V85 984 3 G CONG 1486 VOTE

- Study 13 -

Location: 584-590 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3136	99.8 %
6	1	0.0 %
21	1	0.0 %
173	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 173.00
- Standard Deviation: 3.11

V86 984 3 G CONG 9009 VOTE

Location: 591-597 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3132	99.7 %
6	1	0.0 %
47	1	0.0 %
122	1	0.0 %
177	1	0.0 %
222	1	0.0 %
227	1	0.0 %
373	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 373.00
- Standard Deviation: 9.58

- Study 13 -

V87 984 3 G CONG 9010 VOTE

Location: 598-604 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
11	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 0.20

V88 984 3 G CONG 9011 VOTE

Location: 605-611 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
3	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.05

V89 984 3 G CONG 0310 VOTE

Location: 612-618 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3118	99.3 %
15	1	0.0 %
20	1	0.0 %
29	2	0.1 %
31	1	0.0 %
50	1	0.0 %
71	1	0.0 %
78	1	0.0 %
88	1	0.0 %
91	1	0.0 %
119	1	0.0 %
215	1	0.0 %
221	1	0.0 %
315	1	0.0 %
319	1	0.0 %
375	1	0.0 %
500	1	0.0 %
505	1	0.0 %
527	1	0.0 %
791	1	0.0 %
1853	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1853.00
- Standard Deviation: 41.15

V90	984 3 G CONG 0361 VOTE
------------	-------------------------------

Location: 619-625 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3043	96.9 %
3	1	0.0 %
4	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	4	0.1 %
6	1	0.0 %
7	1	0.0 %
8	2	0.1 %
9	3	0.1 %
10	3	0.1 %
11	3	0.1 %
12	2	0.1 %
13	1	0.0 %
14	2	0.1 %
15	2	0.1 %
16	3	0.1 %
17	2	0.1 %
18	2	0.1 %
19	3	0.1 %
20	4	0.1 %
22	1	0.0 %
23	1	0.0 %
24	2	0.1 %
27	3	0.1 %
28	2	0.1 %
29	2	0.1 %
30	2	0.1 %
31	2	0.1 %
35	1	0.0 %
36	1	0.0 %
37	2	0.1 %
38	2	0.1 %
40	1	0.0 %
42	1	0.0 %
43	1	0.0 %
45	1	0.0 %
48	1	0.0 %
49	1	0.0 %
50	1	0.0 %
51	2	0.1 %
55	1	0.0 %
56	2	0.1 %
58	1	0.0 %
60	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
64	2	0.1 %
67	2	0.1 %
89	1	0.0 %
91	2	0.1 %
93	1	0.0 %
99	1	0.0 %
115	1	0.0 %
125	1	0.0 %
136	1	0.0 %
141	1	0.0 %
144	1	0.0 %
173	1	0.0 %
192	1	0.0 %
267	1	0.0 %
349	1	0.0 %
852	1	0.0 %
888	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 888.00
- Standard Deviation: 25.08

V91	984 3 G CONG 9002 VOTE
------------	-------------------------------

Location: 626-632 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3120	99.3 %
1	5	0.2 %
3	1	0.0 %
4	1	0.0 %
5	2	0.1 %
7	1	0.0 %
10	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	1	0.0 %
32	1	0.0 %
50	1	0.0 %
171	1	0.0 %
278	1	0.0 %
319	1	0.0 %
1196	1	0.0 %
2031	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2031.00
- Standard Deviation: 42.85

V92 984 3 G CONG 2515 VOTE

Location: 633-639 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3131	99.7 %
1	1	0.0 %
52	1	0.0 %
75	1	0.0 %
107	1	0.0 %
121	1	0.0 %
482	1	0.0 %
609	1	0.0 %
1529	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 1529.00
- Standard Deviation: 30.78

V93 984 3 G CONG 2476 VOTE

Location: 640-646 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3127	99.6 %
279	1	0.0 %
491	1	0.0 %
733	1	0.0 %
1050	1	0.0 %
1125	1	0.0 %
1136	1	0.0 %
1306	1	0.0 %
1448	1	0.0 %
1591	1	0.0 %
2861	1	0.0 %
7729	1	0.0 %
49236	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 21.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 49236.00
- Standard Deviation: 892.83

V94 984 3 G CONG 2511 VOTE

Location: 647-653 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
526	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Study 13 -

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 526.00
- Standard Deviation: 9.39

V95 984 3 G CONG 2475 VOTE

Location: 654-660 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3135	99.8 %
626	1	0.0 %
9274	1	0.0 %
15465	1	0.0 %
47026	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 23.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 47026.00
- Standard Deviation: 898.86

V96 984 3 G CONG 2521 VOTE

Location: 661-667 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
451	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.14
- Median: 0.00

- Study 13 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 451.00
- Standard Deviation: 8.05

V97 984 3 G CONG 2405 VOTE

Location: 668-674 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3129	99.6 %
80	1	0.0 %
199	1	0.0 %
279	1	0.0 %
346	1	0.0 %
350	1	0.0 %
423	1	0.0 %
439	1	0.0 %
491	1	0.0 %
657	1	0.0 %
978	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 978.00
- Standard Deviation: 27.43

V98 984 3 G CONG 2548 VOTE

Location: 675-681 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3137	99.9 %
1039	1	0.0 %
6576	1	0.0 %
9999999 (M)	2	0.1 %

- Study 13 -

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 2.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6576.00
- Standard Deviation: 118.82

V99 984 3 G CONG 0543 VOTE

Location: 682-688 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3137	99.9 %
5246	1	0.0 %
10564	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 5.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10564.00
- Standard Deviation: 210.50

V100 984 3 G CONG 2503 VOTE

Location: 689-695 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3127	99.6 %
3	1	0.0 %
7	1	0.0 %
8	1	0.0 %
16	1	0.0 %
55	1	0.0 %
68	1	0.0 %
125	1	0.0 %
266	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
303	1	0.0 %
359	1	0.0 %
389	1	0.0 %
465	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 465.00
- Standard Deviation: 14.73

V101 984 3 G CONG 0557 VOTE

Location: 696-702 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
7725	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 2.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7725.00
- Standard Deviation: 137.88

V102 984 3 G CONG 0386 VOTE

Location: 703-709 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3132	99.7 %
51	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
119	1	0.0 %
131	1	0.0 %
195	1	0.0 %
205	1	0.0 %
752	1	0.0 %
3064	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3064.00
- Standard Deviation: 56.62

V103 984 3 G CONG 0505 VOTE

Location: 710-716 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3136	99.8 %
166	1	0.0 %
167	1	0.0 %
191	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 191.00
- Standard Deviation: 5.41

V104 984 3 G CONG 0645 VOTE

Location: 717-723 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3136	99.8 %
237	1	0.0 %
321	1	0.0 %
958	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 958.00
- Standard Deviation: 18.52

V105 984 3 G CONG 1770 VOTE

Location: 724-730 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
1835	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1835.00
- Standard Deviation: 32.75

V106 984 3 G CONG 2525 VOTE

Location: 731-737 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3137	99.9 %
544	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
652	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 652.00
- Standard Deviation: 15.15

V107 984 3 G CONG 2526 VOTE

Location: 738-744 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3137	99.9 %
276	1	0.0 %
631	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 631.00
- Standard Deviation: 12.29

V108 984 3 G CONG 2500 VOTE

Location: 745-751 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3135	99.8 %
86	1	0.0 %
279	1	0.0 %
875	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2728	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2728.00
- Standard Deviation: 51.39

V109	984 3 G CONG 0112 VOTE
-------------	-------------------------------

Location: 752-758 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3090	98.4 %
115	1	0.0 %
165	1	0.0 %
278	1	0.0 %
311	1	0.0 %
338	1	0.0 %
348	1	0.0 %
355	1	0.0 %
388	1	0.0 %
561	1	0.0 %
726	1	0.0 %
907	1	0.0 %
915	1	0.0 %
920	1	0.0 %
936	1	0.0 %
940	1	0.0 %
954	1	0.0 %
1083	1	0.0 %
1119	1	0.0 %
1136	1	0.0 %
1192	1	0.0 %
1197	1	0.0 %
1207	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1330	1	0.0 %
1385	1	0.0 %
1399	1	0.0 %
1418	1	0.0 %
1573	1	0.0 %
1600	1	0.0 %
1700	1	0.0 %
1844	1	0.0 %
1869	1	0.0 %
1949	1	0.0 %
2245	1	0.0 %
2385	1	0.0 %
2994	1	0.0 %
3445	1	0.0 %
4218	1	0.0 %
5238	1	0.0 %
7608	1	0.0 %
7881	1	0.0 %
8849	1	0.0 %
9880	1	0.0 %
12439	1	0.0 %
14387	1	0.0 %
17909	1	0.0 %
22171	1	0.0 %
23191	1	0.0 %
25792	1	0.0 %
36058	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 76.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36058.00
- Standard Deviation: 1139.25

V110

984 3 G CONG 1706 VOTE

Location: 759-765 (width: 7; decimal: 0)

Variable Type: numeric

- Study 13 -

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3102	98.8 %
41	1	0.0 %
79	1	0.0 %
112	1	0.0 %
137	1	0.0 %
270	1	0.0 %
309	1	0.0 %
342	1	0.0 %
364	1	0.0 %
373	1	0.0 %
449	1	0.0 %
459	1	0.0 %
477	1	0.0 %
478	1	0.0 %
480	1	0.0 %
494	1	0.0 %
532	1	0.0 %
547	1	0.0 %
568	1	0.0 %
572	1	0.0 %
580	1	0.0 %
588	1	0.0 %
887	1	0.0 %
1123	1	0.0 %
1179	1	0.0 %
1481	1	0.0 %
1514	1	0.0 %
1630	1	0.0 %
1641	1	0.0 %
1816	1	0.0 %
3932	1	0.0 %
4705	1	0.0 %
4726	1	0.0 %
5258	1	0.0 %
5623	1	0.0 %
6428	1	0.0 %
8321	1	0.0 %
9089	1	0.0 %
9999999 (M)	2	0.1 %

- Study 13 -

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 21.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9089.00
- Standard Deviation: 324.94

V111 **984 3 G CONG 0402 VOTE**

Location: 766-772 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3122	99.4 %
36	1	0.0 %
109	1	0.0 %
153	1	0.0 %
160	1	0.0 %
204	1	0.0 %
394	1	0.0 %
533	1	0.0 %
931	1	0.0 %
1574	1	0.0 %
1884	1	0.0 %
3131	1	0.0 %
4515	1	0.0 %
11805	1	0.0 %
12537	1	0.0 %
12598	1	0.0 %
14948	1	0.0 %
17230	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 26.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17230.00
- Standard Deviation: 567.61

- Study 13 -

V112 984 3 G CONG 2464 VOTE

Location: 773-779 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3135	99.8 %
2	1	0.0 %
25	1	0.0 %
27	1	0.0 %
309	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 309.00
- Standard Deviation: 5.55

V113 984 3 G CONG 0902 VOTE

Location: 780-786 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3137	99.9 %
455	1	0.0 %
5025	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5025.00
- Standard Deviation: 90.05

V114 984 3 G CONG 2535 VOTE

Location: 787-793 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
10493	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 3.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10493.00
- Standard Deviation: 187.29

V115 984 3 G CONG 9003 VOTE

Location: 794-800 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3136	99.8 %
1	1	0.0 %
8	1	0.0 %
10	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.23

V116 984 3 G CONG 2516 VOTE

Location: 801-807 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3136	99.8 %
39	1	0.0 %
484	1	0.0 %
5058	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5058.00
- Standard Deviation: 90.69

V117 984 3 G CONG 9006 VOTE

Location: 808-814 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3139	99.9 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

V118 984 3 G CONG 9007 VOTE

Location: 815-821 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
40	1	0.0 %
9999999 (M)	2	0.1 %

- Study 13 -

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 0.71

V119 984 3 G CONG 2517 VOTE

Location: 822-828 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
1602	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1602.00
- Standard Deviation: 28.59

V120 984 3 G CONG 2523 VOTE

Location: 829-835 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3138	99.9 %
4352	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4352.00

- Study 13 -

- Standard Deviation: 77.68

V121 984 3 G CONG 9004 VOTE

Location: 836-842 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3136	99.8 %
17	1	0.0 %
21	1	0.0 %
2265	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2265.00
- Standard Deviation: 40.43

V122 984 3 G CONG 9005 VOTE

Location: 843-849 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3136	99.8 %
24	1	0.0 %
26	1	0.0 %
2421	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2421.00
- Standard Deviation: 43.22

- Study 13 -

V123 984 3 G CONG 2536 VOTE

Location: 850-856 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3135	99.8 %
29	1	0.0 %
378	1	0.0 %
1015	1	0.0 %
1242	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1242.00
- Standard Deviation: 29.41

V124 984 3 G CONG 2499 VOTE

Location: 857-863 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3135	99.8 %
5982	1	0.0 %
7236	1	0.0 %
61851	1	0.0 %
106096	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 57.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 106096.00
- Standard Deviation: 2197.95

- Study 13 -

V125 984 3 G CONG 2530 VOTE

Location: 864-870 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3125	99.5 %
34	1	0.0 %
37	1	0.0 %
154	1	0.0 %
170	1	0.0 %
195	1	0.0 %
198	1	0.0 %
199	1	0.0 %
238	1	0.0 %
392	1	0.0 %
436	1	0.0 %
486	1	0.0 %
553	1	0.0 %
882	1	0.0 %
884	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 884.00
- Standard Deviation: 29.15

V126 984 3 G CONG 2498 VOTE

Location: 871-877 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3125	99.5 %
21	1	0.0 %
37	1	0.0 %
100	1	0.0 %
116	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
120	1	0.0 %
128	1	0.0 %
145	1	0.0 %
168	1	0.0 %
189	1	0.0 %
294	1	0.0 %
301	1	0.0 %
314	1	0.0 %
599	1	0.0 %
781	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 781.00
- Standard Deviation: 20.99

V127 984 3 G CONG 0340 VOTE

Location: 878-884 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3129	99.6 %
4	1	0.0 %
155	1	0.0 %
264	1	0.0 %
314	1	0.0 %
321	1	0.0 %
616	1	0.0 %
798	1	0.0 %
1170	1	0.0 %
1565	1	0.0 %
1648	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Study 13 -

- Mean: 2.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1648.00
- Standard Deviation: 49.95

V128 984 3 G CONG 2532 VOTE

Location: 885-891 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3125	99.5 %
2	1	0.0 %
3	1	0.0 %
5	1	0.0 %
11	1	0.0 %
15	1	0.0 %
20	1	0.0 %
22	1	0.0 %
25	1	0.0 %
33	1	0.0 %
35	1	0.0 %
409	1	0.0 %
426	1	0.0 %
616	1	0.0 %
811	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 811.00
- Standard Deviation: 21.03

V129 984 3 G CONG 1299 VOTE

Location: 892-898 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3131	99.7 %
20	1	0.0 %
67	1	0.0 %
80	1	0.0 %
99	1	0.0 %
166	1	0.0 %
233	1	0.0 %
271	1	0.0 %
370	1	0.0 %
9999999 (M)	2	0.1 %

Based upon 3139 valid cases out of 3141 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 370.00
- Standard Deviation: 9.98

V130 984 3 G CONG TOTAL VOTE

Location: 899-905 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3032 valid cases out of 3141 total cases.

- Mean: 27053.55
- Minimum: 69.00
- Maximum: 2459963.00
- Standard Deviation: 86338.26

V131 984 5 G SEN 0100 VOTE

Location: 906-912 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2316 valid cases out of 3141 total cases.

- Mean: 9956.03
- Minimum: 15.00
- Maximum: 1222716.00
- Standard Deviation: 36570.28

V132 984 5 G SEN 0200 VOTE

- Study 13 -

Location: 913-919 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 2316 valid cases out of 3141 total cases.

- Mean: 9889.50
- Minimum: 47.00
- Maximum: 904806.00
- Standard Deviation: 30744.92

V133 984 5 G SEN 1735 VOTE

Location: 920-926 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 2317 valid cases out of 3141 total cases.

- Mean: 64.62
- Minimum: 0.00
- Maximum: 25949.00
- Standard Deviation: 591.00

V134 984 5 G SEN 9999 VOTE

Location: 927-933 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 99999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2090	66.5 %
1	80	2.5 %
2	30	1.0 %
3	14	0.4 %
4	12	0.4 %
5	16	0.5 %
6	11	0.4 %
7	6	0.2 %
8	7	0.2 %
9	2	0.1 %
10	2	0.1 %
11	5	0.2 %
12	1	0.0 %
15	1	0.0 %
16	3	0.1 %
17	2	0.1 %
19	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	1	0.0 %
21	1	0.0 %
23	3	0.1 %
24	1	0.0 %
25	1	0.0 %
26	1	0.0 %
27	3	0.1 %
28	1	0.0 %
29	1	0.0 %
30	1	0.0 %
31	1	0.0 %
32	1	0.0 %
33	1	0.0 %
38	1	0.0 %
39	1	0.0 %
41	1	0.0 %
45	2	0.1 %
50	1	0.0 %
51	1	0.0 %
52	1	0.0 %
53	1	0.0 %
57	1	0.0 %
60	1	0.0 %
62	1	0.0 %
101	1	0.0 %
117	1	0.0 %
158	1	0.0 %
230	1	0.0 %
234	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 1.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 234.00
- Standard Deviation: 9.31

- Study 13 -

Location: 934-940 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2254	71.8 %
2	2	0.1 %
3	2	0.1 %
4	4	0.1 %
5	1	0.0 %
6	1	0.0 %
7	1	0.0 %
8	2	0.1 %
9	2	0.1 %
11	2	0.1 %
12	3	0.1 %
13	3	0.1 %
15	2	0.1 %
21	1	0.0 %
24	1	0.0 %
26	1	0.0 %
29	1	0.0 %
31	2	0.1 %
36	1	0.0 %
37	3	0.1 %
40	4	0.1 %
44	1	0.0 %
46	1	0.0 %
48	1	0.0 %
50	1	0.0 %
52	1	0.0 %
54	1	0.0 %
61	1	0.0 %
64	1	0.0 %
70	1	0.0 %
80	1	0.0 %
84	1	0.0 %
85	1	0.0 %
94	1	0.0 %
123	1	0.0 %
197	1	0.0 %
198	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
341	1	0.0 %
538	1	0.0 %
587	1	0.0 %
712	1	0.0 %
1083	1	0.0 %
1406	1	0.0 %
1484	1	0.0 %
2902	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 4.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2902.00
- Standard Deviation: 80.87

V136 984 5 G SEN 1737 VOTE

Location: 941-947 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2257	71.9 %
1	4	0.1 %
2	4	0.1 %
3	11	0.4 %
4	6	0.2 %
5	5	0.2 %
6	3	0.1 %
7	3	0.1 %
8	1	0.0 %
9	1	0.0 %
11	2	0.1 %
12	3	0.1 %
13	1	0.0 %
14	1	0.0 %
15	1	0.0 %
16	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	2	0.1 %
22	1	0.0 %
29	1	0.0 %
48	2	0.1 %
52	1	0.0 %
64	1	0.0 %
76	1	0.0 %
97	1	0.0 %
111	1	0.0 %
132	1	0.0 %
391	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 391.00
- Standard Deviation: 9.59

V137 984 5 G SEN 0646 VOTE

Location: 948-954 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 13.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3485.00
- Standard Deviation: 95.81

V138 984 5 G SEN 0543 VOTE

Location: 955-961 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2142	68.2 %
1	20	0.6 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	14	0.4 %
3	12	0.4 %
4	16	0.5 %
5	11	0.4 %
6	14	0.4 %
7	14	0.4 %
8	7	0.2 %
9	6	0.2 %
10	7	0.2 %
11	3	0.1 %
12	1	0.0 %
13	2	0.1 %
14	2	0.1 %
15	2	0.1 %
16	2	0.1 %
17	2	0.1 %
19	2	0.1 %
20	1	0.0 %
21	2	0.1 %
22	2	0.1 %
23	2	0.1 %
24	2	0.1 %
25	1	0.0 %
26	1	0.0 %
28	2	0.1 %
29	1	0.0 %
31	1	0.0 %
35	1	0.0 %
40	1	0.0 %
41	1	0.0 %
44	1	0.0 %
45	1	0.0 %
47	1	0.0 %
49	1	0.0 %
51	1	0.0 %
53	1	0.0 %
54	1	0.0 %
58	1	0.0 %
63	1	0.0 %
66	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
75	1	0.0 %
79	1	0.0 %
87	1	0.0 %
95	1	0.0 %
140	1	0.0 %
185	1	0.0 %
284	1	0.0 %
393	1	0.0 %
419	1	0.0 %
2430	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 2.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2430.00
- Standard Deviation: 52.70

V139 984 5 G SEN 0557 VOTE

Location: 962-968 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2215	70.5 %
1	1	0.0 %
3	2	0.1 %
4	3	0.1 %
5	1	0.0 %
6	3	0.1 %
7	5	0.2 %
8	2	0.1 %
10	5	0.2 %
11	3	0.1 %
12	2	0.1 %
13	2	0.1 %
14	3	0.1 %
15	3	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	2	0.1 %
18	4	0.1 %
19	1	0.0 %
20	1	0.0 %
21	2	0.1 %
22	2	0.1 %
24	1	0.0 %
25	1	0.0 %
26	1	0.0 %
27	1	0.0 %
29	2	0.1 %
30	1	0.0 %
31	2	0.1 %
33	1	0.0 %
34	1	0.0 %
35	1	0.0 %
36	2	0.1 %
39	1	0.0 %
40	2	0.1 %
43	3	0.1 %
44	1	0.0 %
45	2	0.1 %
46	1	0.0 %
47	1	0.0 %
50	1	0.0 %
52	1	0.0 %
58	1	0.0 %
59	2	0.1 %
60	1	0.0 %
61	1	0.0 %
62	1	0.0 %
70	1	0.0 %
71	1	0.0 %
74	1	0.0 %
85	1	0.0 %
99	1	0.0 %
124	1	0.0 %
131	1	0.0 %
133	1	0.0 %
146	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
196	1	0.0 %
201	1	0.0 %
204	1	0.0 %
218	1	0.0 %
226	1	0.0 %
238	1	0.0 %
284	1	0.0 %
357	1	0.0 %
439	1	0.0 %
452	1	0.0 %
637	1	0.0 %
1073	1	0.0 %
5004	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 5.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5004.00
- Standard Deviation: 109.13

V140	984 5 G SEN 9001 VOTE
-------------	------------------------------

Location: 969-975 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2258	71.9 %
1	24	0.8 %
2	9	0.3 %
3	4	0.1 %
4	4	0.1 %
5	1	0.0 %
6	4	0.1 %
7	1	0.0 %
9	1	0.0 %
14	1	0.0 %
17	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	2	0.1 %
22	1	0.0 %
23	1	0.0 %
29	1	0.0 %
33	1	0.0 %
35	1	0.0 %
53	1	0.0 %
70	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 2.42

V141	984 5 G SEN 1468 VOTE
-------------	------------------------------

Location: 976-982 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2218	70.6 %
7	1	0.0 %
8	2	0.1 %
9	2	0.1 %
11	1	0.0 %
12	2	0.1 %
13	1	0.0 %
15	1	0.0 %
16	1	0.0 %
18	2	0.1 %
19	2	0.1 %
20	1	0.0 %
23	1	0.0 %
24	2	0.1 %
25	1	0.0 %
26	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	2	0.1 %
31	2	0.1 %
32	1	0.0 %
34	1	0.0 %
36	1	0.0 %
37	2	0.1 %
38	3	0.1 %
39	1	0.0 %
41	4	0.1 %
45	1	0.0 %
47	1	0.0 %
50	1	0.0 %
56	1	0.0 %
57	2	0.1 %
58	1	0.0 %
59	3	0.1 %
61	2	0.1 %
64	1	0.0 %
67	1	0.0 %
68	1	0.0 %
71	1	0.0 %
72	1	0.0 %
73	1	0.0 %
76	1	0.0 %
78	1	0.0 %
80	1	0.0 %
81	1	0.0 %
82	3	0.1 %
84	1	0.0 %
85	1	0.0 %
95	1	0.0 %
96	1	0.0 %
97	1	0.0 %
98	1	0.0 %
102	1	0.0 %
103	1	0.0 %
107	1	0.0 %
110	1	0.0 %
113	1	0.0 %
121	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
122	1	0.0 %
123	1	0.0 %
124	1	0.0 %
127	1	0.0 %
131	1	0.0 %
134	1	0.0 %
157	1	0.0 %
158	1	0.0 %
162	1	0.0 %
170	1	0.0 %
181	1	0.0 %
202	1	0.0 %
210	1	0.0 %
222	1	0.0 %
231	1	0.0 %
248	1	0.0 %
256	1	0.0 %
272	1	0.0 %
376	1	0.0 %
444	1	0.0 %
751	1	0.0 %
1046	1	0.0 %
1334	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 4.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1334.00
- Standard Deviation: 44.62

V142	984 5 G SEN 0310 VOTE
-------------	------------------------------

Location: 983-989 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2213	70.5 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	1	0.0 %
3	2	0.1 %
4	6	0.2 %
5	7	0.2 %
6	4	0.1 %
7	5	0.2 %
8	3	0.1 %
9	3	0.1 %
10	4	0.1 %
11	3	0.1 %
12	5	0.2 %
13	2	0.1 %
15	1	0.0 %
16	2	0.1 %
17	2	0.1 %
18	3	0.1 %
19	2	0.1 %
20	3	0.1 %
22	3	0.1 %
23	1	0.0 %
24	2	0.1 %
25	1	0.0 %
26	1	0.0 %
27	1	0.0 %
28	2	0.1 %
29	1	0.0 %
30	1	0.0 %
31	4	0.1 %
32	2	0.1 %
33	1	0.0 %
35	2	0.1 %
38	2	0.1 %
39	2	0.1 %
41	1	0.0 %
43	1	0.0 %
45	1	0.0 %
59	1	0.0 %
62	1	0.0 %
75	1	0.0 %
78	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
85	1	0.0 %
88	1	0.0 %
91	1	0.0 %
94	1	0.0 %
99	1	0.0 %
137	1	0.0 %
177	1	0.0 %
220	1	0.0 %
355	1	0.0 %
412	1	0.0 %
712	1	0.0 %
1281	1	0.0 %
1420	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 2.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1420.00
- Standard Deviation: 44.74

V143	984 5 G SEN 0112 VOTE
-------------	------------------------------

Location: 990-996 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2212	70.4 %
6	1	0.0 %
11	2	0.1 %
12	2	0.1 %
14	2	0.1 %
15	2	0.1 %
16	1	0.0 %
17	2	0.1 %
19	1	0.0 %
21	2	0.1 %
22	4	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	2	0.1 %
24	3	0.1 %
25	1	0.0 %
26	1	0.0 %
27	2	0.1 %
28	2	0.1 %
30	2	0.1 %
32	2	0.1 %
33	3	0.1 %
34	2	0.1 %
35	3	0.1 %
36	2	0.1 %
37	1	0.0 %
38	3	0.1 %
39	2	0.1 %
40	1	0.0 %
43	2	0.1 %
44	1	0.0 %
45	2	0.1 %
46	1	0.0 %
47	1	0.0 %
49	3	0.1 %
50	3	0.1 %
51	1	0.0 %
53	1	0.0 %
54	1	0.0 %
55	1	0.0 %
57	3	0.1 %
58	2	0.1 %
62	2	0.1 %
68	2	0.1 %
71	2	0.1 %
72	2	0.1 %
73	2	0.1 %
76	1	0.0 %
81	1	0.0 %
88	1	0.0 %
90	1	0.0 %
97	1	0.0 %
101	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
130	1	0.0 %
134	1	0.0 %
141	1	0.0 %
147	2	0.1 %
159	1	0.0 %
160	1	0.0 %
188	1	0.0 %
254	1	0.0 %
277	1	0.0 %
419	2	0.1 %
488	1	0.0 %
532	1	0.0 %
691	1	0.0 %
1434	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 4.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1434.00
- Standard Deviation: 40.95

V144 984 5 G SEN 0361 VOTE

Location: 997-1003 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2212	70.4 %
2	2	0.1 %
4	6	0.2 %
5	3	0.1 %
6	7	0.2 %
7	3	0.1 %
8	5	0.2 %
9	6	0.2 %
10	5	0.2 %
11	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	2	0.1 %
13	3	0.1 %
14	2	0.1 %
16	2	0.1 %
17	3	0.1 %
18	2	0.1 %
19	4	0.1 %
20	3	0.1 %
23	1	0.0 %
24	1	0.0 %
26	2	0.1 %
27	2	0.1 %
28	2	0.1 %
29	2	0.1 %
30	4	0.1 %
31	1	0.0 %
32	2	0.1 %
33	3	0.1 %
37	1	0.0 %
38	2	0.1 %
39	1	0.0 %
40	1	0.0 %
42	2	0.1 %
46	1	0.0 %
49	1	0.0 %
54	2	0.1 %
56	1	0.0 %
61	1	0.0 %
63	1	0.0 %
65	1	0.0 %
69	1	0.0 %
74	1	0.0 %
85	1	0.0 %
88	1	0.0 %
96	1	0.0 %
131	1	0.0 %
172	1	0.0 %
219	1	0.0 %
267	1	0.0 %
1486	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 1.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1486.00
- Standard Deviation: 32.60

V145 984 5 G SEN 2477 VOTE

Location: 1004-1010 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2253	71.7 %
161	1	0.0 %
182	1	0.0 %
209	1	0.0 %
239	1	0.0 %
244	1	0.0 %
257	1	0.0 %
286	1	0.0 %
295	1	0.0 %
305	1	0.0 %
339	1	0.0 %
364	1	0.0 %
366	1	0.0 %
367	1	0.0 %
401	2	0.1 %
421	1	0.0 %
449	1	0.0 %
472	1	0.0 %
500	1	0.0 %
513	1	0.0 %
522	1	0.0 %
565	1	0.0 %
577	1	0.0 %
580	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
590	1	0.0 %
603	1	0.0 %
612	1	0.0 %
614	1	0.0 %
615	1	0.0 %
641	1	0.0 %
658	1	0.0 %
690	1	0.0 %
707	1	0.0 %
709	1	0.0 %
726	1	0.0 %
729	1	0.0 %
749	1	0.0 %
777	1	0.0 %
790	1	0.0 %
888	1	0.0 %
921	1	0.0 %
946	1	0.0 %
992	1	0.0 %
1076	1	0.0 %
1100	1	0.0 %
1114	1	0.0 %
1172	1	0.0 %
1210	1	0.0 %
1223	1	0.0 %
1231	1	0.0 %
1512	1	0.0 %
1539	1	0.0 %
1567	1	0.0 %
1881	1	0.0 %
1898	2	0.1 %
3275	1	0.0 %
3772	1	0.0 %
4210	1	0.0 %
4290	1	0.0 %
5043	1	0.0 %
7161	1	0.0 %
7218	1	0.0 %
10184	1	0.0 %
9999999 (M)	824	26.2 %

- Study 13 -

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 37.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10184.00
- Standard Deviation: 378.60

V146 **984 5 G SEN 2405 VOTE**

Location: 1011-1017 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2301	73.3 %
76	1	0.0 %
99	1	0.0 %
109	1	0.0 %
115	1	0.0 %
143	1	0.0 %
159	1	0.0 %
197	1	0.0 %
225	1	0.0 %
289	1	0.0 %
291	1	0.0 %
381	1	0.0 %
399	1	0.0 %
416	1	0.0 %
430	1	0.0 %
448	1	0.0 %
561	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 1.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 561.00
- Standard Deviation: 25.57

V147 **984 5 G SEN 2503 VOTE**

- Study 13 -

Location: 1018-1024 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2234	71.1 %
6	1	0.0 %
10	1	0.0 %
15	1	0.0 %
19	2	0.1 %
20	1	0.0 %
23	1	0.0 %
24	1	0.0 %
25	1	0.0 %
26	2	0.1 %
27	2	0.1 %
28	2	0.1 %
29	1	0.0 %
30	2	0.1 %
33	1	0.0 %
37	1	0.0 %
42	1	0.0 %
44	2	0.1 %
47	2	0.1 %
49	1	0.0 %
51	1	0.0 %
53	1	0.0 %
58	1	0.0 %
59	1	0.0 %
62	1	0.0 %
65	1	0.0 %
67	1	0.0 %
68	4	0.1 %
71	1	0.0 %
73	1	0.0 %
75	2	0.1 %
79	1	0.0 %
86	1	0.0 %
87	1	0.0 %
97	1	0.0 %
101	1	0.0 %
115	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
116	2	0.1 %
118	2	0.1 %
121	1	0.0 %
122	1	0.0 %
128	1	0.0 %
133	1	0.0 %
136	1	0.0 %
143	1	0.0 %
183	1	0.0 %
185	1	0.0 %
190	1	0.0 %
213	1	0.0 %
275	1	0.0 %
283	1	0.0 %
289	1	0.0 %
338	1	0.0 %
342	1	0.0 %
349	1	0.0 %
354	1	0.0 %
359	1	0.0 %
402	1	0.0 %
409	1	0.0 %
410	1	0.0 %
425	1	0.0 %
471	1	0.0 %
577	1	0.0 %
618	1	0.0 %
630	1	0.0 %
717	1	0.0 %
1009	1	0.0 %
1610	1	0.0 %
2203	1	0.0 %
2722	1	0.0 %
3767	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 9.88
- Median: 0.00
- Mode: 0.00

- Study 13 -

- Minimum: 0.00
- Maximum: 3767.00
- Standard Deviation: 120.55

V148 984 5 G SEN 2464 VOTE

Location: 1025-1031 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2235	71.2 %
1	7	0.2 %
2	8	0.3 %
3	2	0.1 %
4	6	0.2 %
5	4	0.1 %
6	9	0.3 %
7	6	0.2 %
8	1	0.0 %
9	5	0.2 %
10	3	0.1 %
11	2	0.1 %
13	1	0.0 %
14	4	0.1 %
15	2	0.1 %
16	1	0.0 %
17	2	0.1 %
20	2	0.1 %
21	1	0.0 %
24	1	0.0 %
28	1	0.0 %
29	1	0.0 %
36	1	0.0 %
38	1	0.0 %
45	1	0.0 %
62	1	0.0 %
68	1	0.0 %
69	1	0.0 %
73	1	0.0 %
77	2	0.1 %
116	1	0.0 %
131	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
177	1	0.0 %
745	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 745.00
- Standard Deviation: 16.85

V149	984 5 G SEN 2504 VOTE
-------------	------------------------------

Location: 1032-1038 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2255	71.8 %
1	10	0.3 %
2	10	0.3 %
3	5	0.2 %
4	10	0.3 %
5	3	0.1 %
6	3	0.1 %
7	3	0.1 %
8	2	0.1 %
9	1	0.0 %
10	2	0.1 %
13	2	0.1 %
14	1	0.0 %
17	1	0.0 %
18	1	0.0 %
21	1	0.0 %
22	1	0.0 %
26	1	0.0 %
29	1	0.0 %
48	1	0.0 %
59	2	0.1 %
293	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 293.00
- Standard Deviation: 6.55

V150 984 5 G SEN 0328 VOTE

Location: 1039-1045 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2146	68.3 %
1	10	0.3 %
2	11	0.4 %
3	14	0.4 %
4	14	0.4 %
5	5	0.2 %
6	9	0.3 %
7	5	0.2 %
8	2	0.1 %
9	8	0.3 %
10	7	0.2 %
11	6	0.2 %
12	5	0.2 %
13	5	0.2 %
14	4	0.1 %
15	3	0.1 %
16	5	0.2 %
17	3	0.1 %
18	4	0.1 %
19	1	0.0 %
20	2	0.1 %
21	3	0.1 %
22	3	0.1 %
23	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	3	0.1 %
26	2	0.1 %
27	1	0.0 %
28	2	0.1 %
29	1	0.0 %
31	1	0.0 %
32	1	0.0 %
33	3	0.1 %
34	3	0.1 %
39	2	0.1 %
41	1	0.0 %
42	1	0.0 %
43	2	0.1 %
44	1	0.0 %
46	1	0.0 %
50	1	0.0 %
52	1	0.0 %
54	1	0.0 %
64	1	0.0 %
71	1	0.0 %
75	1	0.0 %
94	1	0.0 %
105	1	0.0 %
125	1	0.0 %
144	1	0.0 %
194	1	0.0 %
239	1	0.0 %
417	1	0.0 %
461	1	0.0 %
478	1	0.0 %
746	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 2.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 746.00
- Standard Deviation: 24.38

- Study 13 -

V151 **984 5 G SEN 2474 VOTE**

Location: 1046-1052 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2231	71.0 %
1	1	0.0 %
2	4	0.1 %
3	4	0.1 %
4	1	0.0 %
5	2	0.1 %
6	5	0.2 %
7	3	0.1 %
8	5	0.2 %
9	3	0.1 %
10	3	0.1 %
11	1	0.0 %
12	4	0.1 %
13	2	0.1 %
14	4	0.1 %
15	1	0.0 %
16	3	0.1 %
17	3	0.1 %
18	3	0.1 %
19	1	0.0 %
20	2	0.1 %
22	2	0.1 %
23	3	0.1 %
24	1	0.0 %
25	2	0.1 %
26	2	0.1 %
27	1	0.0 %
28	1	0.0 %
29	1	0.0 %
31	1	0.0 %
32	3	0.1 %
37	1	0.0 %
38	2	0.1 %
39	1	0.0 %
45	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
53	1	0.0 %
69	1	0.0 %
92	1	0.0 %
119	1	0.0 %
122	1	0.0 %
132	1	0.0 %
228	1	0.0 %
341	1	0.0 %
775	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 1.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 775.00
- Standard Deviation: 19.20

V152 984 5 G SEN 2524 VOTE

Location: 1053-1059 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2296	73.1 %
75	1	0.0 %
93	1	0.0 %
112	1	0.0 %
115	1	0.0 %
129	1	0.0 %
148	1	0.0 %
274	1	0.0 %
290	1	0.0 %
311	1	0.0 %
331	1	0.0 %
398	1	0.0 %
439	1	0.0 %
512	1	0.0 %
516	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
605	1	0.0 %
618	1	0.0 %
644	1	0.0 %
701	1	0.0 %
768	1	0.0 %
1412	1	0.0 %
1918	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 4.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1918.00
- Standard Deviation: 63.00

V153	984 5 G SEN 0505 VOTE
-------------	------------------------------

Location: 1060-1066 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2296	73.1 %
8	1	0.0 %
9	1	0.0 %
18	1	0.0 %
19	1	0.0 %
20	1	0.0 %
36	1	0.0 %
49	1	0.0 %
71	1	0.0 %
107	1	0.0 %
111	1	0.0 %
131	1	0.0 %
142	1	0.0 %
160	1	0.0 %
169	1	0.0 %
196	1	0.0 %
219	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
354	1	0.0 %
373	1	0.0 %
896	1	0.0 %
917	1	0.0 %
2048	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 2.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2048.00
- Standard Deviation: 52.15

V154 **984 5 G SEN 2468 VOTE**

Location: 1067-1073 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2296	73.1 %
20	1	0.0 %
23	1	0.0 %
27	1	0.0 %
28	1	0.0 %
34	1	0.0 %
55	1	0.0 %
74	2	0.1 %
84	1	0.0 %
100	1	0.0 %
119	1	0.0 %
140	1	0.0 %
146	1	0.0 %
150	2	0.1 %
184	1	0.0 %
201	1	0.0 %
223	1	0.0 %
268	1	0.0 %
311	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
480	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 1.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 480.00
- Standard Deviation: 16.80

V155	984 5 G SEN 2515 VOTE
-------------	------------------------------

Location: 1074-1080 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2222	70.7 %
3	1	0.0 %
5	1	0.0 %
8	1	0.0 %
17	1	0.0 %
20	1	0.0 %
28	1	0.0 %
30	1	0.0 %
31	1	0.0 %
36	4	0.1 %
42	1	0.0 %
43	1	0.0 %
45	2	0.1 %
48	1	0.0 %
49	1	0.0 %
52	1	0.0 %
64	1	0.0 %
72	1	0.0 %
80	1	0.0 %
83	1	0.0 %
85	1	0.0 %
90	1	0.0 %
91	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
96	1	0.0 %
97	2	0.1 %
99	1	0.0 %
101	1	0.0 %
104	1	0.0 %
106	1	0.0 %
117	1	0.0 %
121	1	0.0 %
132	1	0.0 %
134	1	0.0 %
139	1	0.0 %
147	1	0.0 %
149	1	0.0 %
180	1	0.0 %
191	1	0.0 %
200	3	0.1 %
203	1	0.0 %
218	1	0.0 %
233	2	0.1 %
234	1	0.0 %
235	1	0.0 %
247	1	0.0 %
257	2	0.1 %
260	1	0.0 %
261	1	0.0 %
263	1	0.0 %
265	1	0.0 %
281	1	0.0 %
381	1	0.0 %
400	1	0.0 %
422	1	0.0 %
437	1	0.0 %
450	1	0.0 %
457	1	0.0 %
463	1	0.0 %
474	1	0.0 %
523	1	0.0 %
550	1	0.0 %
560	1	0.0 %
568	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
587	1	0.0 %
682	1	0.0 %
690	1	0.0 %
802	1	0.0 %
814	1	0.0 %
824	1	0.0 %
988	1	0.0 %
1002	1	0.0 %
1111	1	0.0 %
1158	1	0.0 %
1304	1	0.0 %
1366	1	0.0 %
1405	1	0.0 %
1549	1	0.0 %
2376	1	0.0 %
2396	1	0.0 %
2441	1	0.0 %
3228	1	0.0 %
5783	1	0.0 %
6019	1	0.0 %
6438	1	0.0 %
7503	1	0.0 %
23760	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 37.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 23760.00
- Standard Deviation: 578.94

V156	984 5 G SEN 9002 VOTE
-------------	------------------------------

Location: 1081-1087 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2285	72.7 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	17	0.5 %
2	6	0.2 %
3	2	0.1 %
4	2	0.1 %
5	1	0.0 %
8	2	0.1 %
13	1	0.0 %
26	1	0.0 %
9999999 (M)	824	26.2 %

Based upon 2317 valid cases out of 3141 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26.00
- Standard Deviation: 0.68

V157 984 5 G SEN TOTAL VOTE

Location: 1088-1094 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2316 valid cases out of 3141 total cases.

- Mean: 20052.51
- Minimum: 70.00
- Maximum: 2164460.00
- Standard Deviation: 66430.54

V158 984 7 G STATE 0100 VOTE

Location: 1095-1101 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1185 valid cases out of 3141 total cases.

- Mean: 10229.09
- Minimum: 60.00
- Maximum: 433712.00
- Standard Deviation: 25895.40

V159 984 7 G STATE 1735 VOTE

Location: 1102-1108 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric
Based upon 1185 valid cases out of 3141 total cases.

- Mean: 75.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20918.00
- Standard Deviation: 699.10

V160 984 7 G STATE 0200 VOTE

Location: 1109-1115 (width: 7; decimal: 0)
Variable Type: numeric
Based upon 1185 valid cases out of 3141 total cases.

- Mean: 9555.63
- Minimum: 55.00
- Maximum: 336636.00
- Standard Deviation: 24467.45

V161 984 7 G STATE 0328 VOTE

Location: 1116-1122 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1096	34.9 %
11	1	0.0 %
27	1	0.0 %
29	1	0.0 %
30	1	0.0 %
31	1	0.0 %
36	1	0.0 %
39	1	0.0 %
40	1	0.0 %
41	1	0.0 %
45	1	0.0 %
49	1	0.0 %
51	1	0.0 %
53	2	0.1 %
56	1	0.0 %
57	1	0.0 %
60	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
61	1	0.0 %
62	2	0.1 %
63	2	0.1 %
66	1	0.0 %
69	1	0.0 %
70	1	0.0 %
74	1	0.0 %
79	1	0.0 %
81	1	0.0 %
86	1	0.0 %
88	1	0.0 %
96	1	0.0 %
97	1	0.0 %
99	2	0.1 %
103	1	0.0 %
104	2	0.1 %
105	1	0.0 %
121	1	0.0 %
132	1	0.0 %
137	1	0.0 %
146	1	0.0 %
155	1	0.0 %
171	1	0.0 %
188	1	0.0 %
199	1	0.0 %
226	1	0.0 %
348	1	0.0 %
353	1	0.0 %
354	1	0.0 %
373	1	0.0 %
431	1	0.0 %
545	1	0.0 %
581	1	0.0 %
641	1	0.0 %
648	1	0.0 %
684	1	0.0 %
768	1	0.0 %
828	1	0.0 %
878	1	0.0 %
954	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1051	1	0.0 %
1107	1	0.0 %
1289	1	0.0 %
1449	1	0.0 %
1465	1	0.0 %
1504	1	0.0 %
1518	1	0.0 %
1693	1	0.0 %
1714	1	0.0 %
2027	1	0.0 %
2704	1	0.0 %
2751	1	0.0 %
3376	1	0.0 %
3845	1	0.0 %
3948	1	0.0 %
4774	1	0.0 %
4902	1	0.0 %
5544	1	0.0 %
6193	1	0.0 %
6404	1	0.0 %
9598	1	0.0 %
10341	1	0.0 %
10985	1	0.0 %
16327	1	0.0 %
19295	1	0.0 %
21722	1	0.0 %
39828	1	0.0 %
51375	1	0.0 %
9999999 (M)	1956	62.3 %

Based upon 1185 valid cases out of 3141 total cases.

- Mean: 211.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 51375.00
- Standard Deviation: 2221.90

V162

984 7 G STATE 9999 VOTE

Location:

1123-1129 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1149	36.6 %
1	3	0.1 %
2	2	0.1 %
3	3	0.1 %
4	1	0.0 %
5	2	0.1 %
6	1	0.0 %
7	1	0.0 %
8	2	0.1 %
9	2	0.1 %
10	1	0.0 %
11	1	0.0 %
12	2	0.1 %
14	1	0.0 %
15	1	0.0 %
16	1	0.0 %
24	1	0.0 %
30	1	0.0 %
32	1	0.0 %
34	1	0.0 %
40	1	0.0 %
54	1	0.0 %
71	1	0.0 %
82	1	0.0 %
89	1	0.0 %
138	1	0.0 %
345	1	0.0 %
1065	1	0.0 %
9999999 (M)	1956	62.3 %

Based upon 1185 valid cases out of 3141 total cases.

- Mean: 1.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1065.00
- Standard Deviation: 33.11

- Study 13 -

V163 984 7 G STATE 1716 VOTE

Location: 1130-1136 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1118	35.6 %
16	1	0.0 %
20	1	0.0 %
23	1	0.0 %
28	1	0.0 %
32	1	0.0 %
39	1	0.0 %
43	1	0.0 %
64	1	0.0 %
73	2	0.1 %
76	1	0.0 %
77	1	0.0 %
78	1	0.0 %
82	1	0.0 %
88	1	0.0 %
91	1	0.0 %
97	1	0.0 %
98	1	0.0 %
99	1	0.0 %
121	1	0.0 %
124	1	0.0 %
145	1	0.0 %
146	1	0.0 %
176	1	0.0 %
178	1	0.0 %
189	1	0.0 %
192	1	0.0 %
194	1	0.0 %
222	1	0.0 %
223	1	0.0 %
229	1	0.0 %
244	1	0.0 %
274	1	0.0 %
276	1	0.0 %
310	1	0.0 %
311	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
316	1	0.0 %
367	1	0.0 %
397	1	0.0 %
421	1	0.0 %
447	1	0.0 %
469	1	0.0 %
482	1	0.0 %
563	1	0.0 %
588	1	0.0 %
614	1	0.0 %
665	1	0.0 %
692	1	0.0 %
969	1	0.0 %
979	1	0.0 %
1017	1	0.0 %
1047	1	0.0 %
1068	1	0.0 %
1072	1	0.0 %
1201	1	0.0 %
1322	1	0.0 %
1416	1	0.0 %
1418	1	0.0 %
1573	1	0.0 %
1582	1	0.0 %
1712	1	0.0 %
1834	1	0.0 %
1855	1	0.0 %
1861	1	0.0 %
2105	1	0.0 %
7173	1	0.0 %
12739	1	0.0 %
9999999 (M)	1956	62.3 %

Based upon 1185 valid cases out of 3141 total cases.

- Mean: 46.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12739.00
- Standard Deviation: 460.80

- Study 13 -

V164 984 7 G STATE 2538 VOTE

Location: 1137-1143 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1171	37.3 %
58	1	0.0 %
60	1	0.0 %
200	1	0.0 %
217	1	0.0 %
254	1	0.0 %
291	1	0.0 %
332	1	0.0 %
396	1	0.0 %
449	1	0.0 %
531	1	0.0 %
655	1	0.0 %
800	1	0.0 %
1361	1	0.0 %
1990	1	0.0 %
9999999 (M)	1956	62.3 %

Based upon 1185 valid cases out of 3141 total cases.

- Mean: 6.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1990.00
- Standard Deviation: 81.30

V165 984 7 G STATE TOTAL VOTE

Location: 1144-1150 (width: 7; decimal: 0)
 Variable Type: numeric

Based upon 1185 valid cases out of 3141 total cases.

- Mean: 20126.89
- Minimum: 346.00
- Maximum: 696502.00
- Standard Deviation: 49997.61