

ICPSR 0013

General Election Data for the United States, 1950-1990

*Inter-university Consortium for Political
and Social Research*

Codebook for National, 1980

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/13/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #00013

General Election Data for the United States, 1950-1990

– National, 1980

- 1) Collection Update:** The SPSS setup files were updated to conform to current standards. SAS and Stata setup files, as well as SPSS and Stata system files, a SAS transport (CPORT) file, an R data file, a tab-delimited data file, and a PDF codebook have been added to the collection.
- 2) Variable Labels:** Users may notice that some variable labels refer to “ICPR”. This reference is to a former name for ICPSR.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1980

Variable Name and Label (Total Cases = 3133)		Percent of Cases with Missing Values
18.1% (23 of 127 variables)	have 0% Missing Values	
0.0% (0 of 127 variables)	have 0% - 1% Missing Values	
0.0% (0 of 127 variables)	have 1% - 3% Missing Values	
0.0% (0 of 127 variables)	have 3% - 5% Missing Values	
39.4% (50 of 127 variables)	have 5% - 10% Missing Values	
V3	DISTRICT	5.7%
V37	980 3 G CONG 0200 VOTE	5.2%
V38	980 3 G CONG 0100 VOTE	5.2%
V39	980 3 G CONG 0543 VOTE	5.7%
V40	980 3 G CONG 0328 VOTE	5.7%
V41	980 3 G CONG 9999 VOTE	5.2%
V42	980 3 G CONG 0557 VOTE	5.7%
V43	980 3 G CONG 0646 VOTE	5.7%
V44	980 3 G CONG 9001 VOTE	5.7%
V45	980 3 G CONG 1717 VOTE	5.7%
V46	980 3 G CONG 1735 VOTE	5.7%
V47	980 3 G CONG 0505 VOTE	5.7%
V48	980 3 G CONG 2419 VOTE	5.7%
V49	980 3 G CONG 1770 VOTE	5.7%
V50	980 3 G CONG 2467 VOTE	5.7%
V51	980 3 G CONG 1299 VOTE	5.7%
V52	980 3 G CONG 2468 VOTE	5.7%
V53	980 3 G CONG 1741 VOTE	5.7%
V54	980 3 G CONG 2469 VOTE	5.7%
V55	980 3 G CONG 2470 VOTE	5.7%
V56	980 3 G CONG 2462 VOTE	5.7%
V57	980 3 G CONG 0380 VOTE	5.7%
V58	980 3 G CONG 2466 VOTE	5.7%
V59	980 3 G CONG 1734 VOTE	5.7%
V60	980 3 G CONG 0112 VOTE	5.7%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1980

Variable Name and Label (Total Cases = 3133)		Percent of Cases with Missing Values
V61	980 3 G CONG 1706 VOTE	5.7%
V62	980 3 G CONG 0402 VOTE	5.7%
V63	980 3 G CONG 1761 VOTE	5.7%
V64	980 3 G CONG 2464 VOTE	5.7%
V65	980 3 G CONG 2465 VOTE	5.7%
V66	980 3 G CONG 2442 VOTE	5.7%
V67	980 3 G CONG 2473 VOTE	5.7%
V68	980 3 G CONG 1404 VOTE	5.7%
V69	980 3 G CONG 9005 VOTE	5.7%
V70	980 3 G CONG 9006 VOTE	5.7%
V71	980 3 G CONG 9007 VOTE	5.7%
V72	980 3 G CONG 9004 VOTE	5.7%
V73	980 3 G CONG 9002 VOTE	5.7%
V74	980 3 G CONG 9003 VOTE	5.7%
V75	980 3 G CONG 0310 VOTE	5.7%
V76	980 3 G CONG 2472 VOTE	5.7%
V77	980 3 G CONG 2474 VOTE	5.7%
V78	980 3 G CONG 0718 VOTE	5.7%
V79	980 3 G CONG 2410 VOTE	5.7%
V80	980 3 G CONG 1437 VOTE	5.7%
V81	980 3 G CONG 2477 VOTE	5.7%
V82	980 3 G CONG 2476 VOTE	5.7%
V83	980 3 G CONG 2475 VOTE	5.7%
V84	980 3 G CONG 1411 VOTE	5.7%
V85	980 3 G CONG TOTAL VOTE	5.7%
0.0% (0 of 127 variables)		have 10% - 20% Missing Values
26.0% (33 of 127 variables)		have 20% - 40% Missing Values
V86	980 4 G SEN 0100 VOTE	33.7%
V87	980 4 G SEN 0200 VOTE	33.7%
V88	980 4 G SEN 0543 VOTE	33.7%
V89	980 4 G SEN 1735 VOTE	33.7%
V90	980 4 G SEN 9999 VOTE	33.7%
V91	980 4 G SEN 0328 VOTE	33.7%
V92	980 4 G SEN 1717 VOTE	33.7%
V93	980 4 G SEN 0112 VOTE	33.7%
V94	980 4 G SEN 1706 VOTE	33.7%
V95	980 4 G SEN 0402 VOTE	33.7%
V96	980 4 G SEN 1761 VOTE	33.7%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1980

Variable Name and Label (Total Cases = 3133)		Percent of Cases with Missing Values
V97	980 4 G SEN 0646 VOTE	33.7%
V98	980 4 G SEN 2464 VOTE	33.7%
V99	980 4 G SEN 1716 VOTE	33.7%
V100	980 4 G SEN 0557 VOTE	33.7%
V101	980 4 G SEN 9001 VOTE	33.7%
V102	980 4 G SEN 9002 VOTE	33.7%
V103	980 4 G SEN 1299 VOTE	33.7%
V104	980 4 G SEN 2472 VOTE	33.7%
V105	980 4 G SEN 2479 VOTE	33.7%
V106	980 4 G SEN 0999 VOTE	35.8%
V107	980 4 G SEN 1718 VOTE	33.7%
V108	980 4 G SEN 2410 VOTE	33.7%
V109	980 4 G SEN 1437 VOTE	33.7%
V110	980 4 G SEN 2475 VOTE	33.7%
V111	980 4 G SEN 2476 VOTE	33.7%
V112	980 4 G SEN 2477 VOTE	33.7%
V113	980 4 G SEN 2471 VOTE	33.7%
V114	980 4 G SEN 0361 VOTE	33.7%
V115	980 4 G SEN 0310 VOTE	33.7%
V116	980 4 G SEN 1411 VOTE	33.7%
V117	980 4 G SEN 1404 VOTE	33.7%
V118	980 4 G SEN TOTAL VOTE	35.8%
16.5% (21 of 127 variables)		have 40% - 99% Missing Values
V4	STATE OFFICE SUB-CODE	62.0%
V26	980 2 G GOV 0100 VOTE	79.4%
V27	980 2 G GOV 0200 VOTE	79.4%
V28	980 2 G GOV 1735 VOTE	79.4%
V29	980 2 G GOV 9999 VOTE	79.4%
V30	980 2 G GOV 9001 VOTE	79.4%
V31	980 2 G GOV 9002 VOTE	79.4%
V32	980 2 G GOV 1717 VOTE	79.4%
V33	980 2 G GOV 0310 VOTE	79.4%
V34	980 2 G GOV 0380 VOTE	79.4%
V35	980 2 G GOV 0646 VOTE	79.4%
V36	980 2 G GOV TOTAL VOTE	79.4%
V119	980 7 G STATE 0100 VOTE	62.0%
V120	980 7 G STATE 0200 VOTE	62.0%
V121	980 7 G STATE 1717 VOTE	62.0%
V122	980 7 G STATE 9999 VOTE	62.0%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1980

Variable Name and Label (Total Cases = 3133)		Percent of Cases with Missing Values
V123	980 7 G STATE 1735 VOTE	62.0%
V124	980 7 G STATE 0380 VOTE	62.0%
V125	980 7 G STATE 2472 VOTE	62.0%
V126	980 7 G STATE 0328 VOTE	62.0%
V127	980 7 G STATE TOTAL VOTE	62.0%
0.0% (0 of 127 variables)		have 100% missing values

ICPSR 13

General Election Data for the United States, 1950-1990

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

General Election Data for the United States, 1950-1990

National, 1980

V1 **ICPR STATE CODE**

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	8	0.3 %
2	16	0.5 %
3	14	0.4 %
4	10	0.3 %
5	5	0.2 %
6	14	0.4 %
11	3	0.1 %
12	21	0.7 %
13	62	2.0 %
14	67	2.1 %
21	102	3.3 %
22	92	2.9 %
23	83	2.6 %
24	88	2.8 %
25	72	2.3 %
31	99	3.2 %
32	105	3.4 %
33	87	2.8 %
34	115	3.7 %
35	93	3.0 %
36	53	1.7 %
37	66	2.1 %
40	136	4.3 %
41	67	2.1 %
42	75	2.4 %
43	67	2.1 %
44	159	5.1 %
45	64	2.0 %
46	82	2.6 %
47	100	3.2 %
48	46	1.5 %
49	254	8.1 %
51	120	3.8 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	24	0.8 %
53	77	2.5 %
54	95	3.0 %
56	55	1.8 %
61	14	0.4 %
62	63	2.0 %
63	44	1.4 %
64	56	1.8 %
65	17	0.5 %
66	32	1.0 %
67	29	0.9 %
68	23	0.7 %
71	58	1.9 %
72	36	1.1 %
73	39	1.2 %
81	22	0.7 %
82	4	0.1 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 41.32
- Median: 43.00
- Mode: 49.00
- Minimum: 1.00
- Maximum: 82.00
- Standard Deviation: 15.91

V2	COUNTY NAME
----	-------------

Location: 3-19 (width: 17; decimal: 0)

Variable Type: character

Based upon 3133 valid cases out of 3133 total cases.

V3	DISTRICT
----	----------

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	430	13.7 %
2	438	14.0 %
3	251	8.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	206	6.6 %
5	192	6.1 %
6	211	6.7 %
7	171	5.5 %
8	102	3.3 %
9	95	3.0 %
10	104	3.3 %
11	58	1.9 %
12	6	0.2 %
13	37	1.2 %
14	16	0.5 %
15	27	0.9 %
16	17	0.5 %
17	39	1.2 %
18	18	0.6 %
19	27	0.9 %
20	8	0.3 %
21	34	1.1 %
22	21	0.7 %
23	14	0.4 %
24	22	0.7 %
25	2	0.1 %
26	2	0.1 %
27	3	0.1 %
29	5	0.2 %
30	5	0.2 %
31	5	0.2 %
32	3	0.1 %
33	4	0.1 %
34	1	0.0 %
35	3	0.1 %
36	2	0.1 %
39	3	0.1 %
43	1	0.0 %
52	171	5.5 %
53	42	1.3 %
54	16	0.5 %
55	4	0.1 %
56	4	0.1 %
57	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
63	1	0.0 %
67	1	0.0 %
98	132	4.2 %
99 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 14.07
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 22.85

V4 STATE OFFICE SUB-CODE

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	240	7.7 %
2	321	10.2 %
4	3	0.1 %
5	99	3.2 %
6	228	7.3 %
8	175	5.6 %
11	123	3.9 %
99 (M)	1944	62.0 %

Based upon 1189 valid cases out of 3133 total cases.

- Mean: 4.63
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 3.28

V5 980 1 G PRES 0200 VOTE

Location: 24-30 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3133 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 13927.13
- Minimum: 50.00
- Maximum: 1224533.00
- Standard Deviation: 41706.14

V6 980 1 G PRES 0100 VOTE

Location: 31-37 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 11282.14
- Minimum: 22.00
- Maximum: 1124584.00
- Standard Deviation: 38721.31

V7 980 1 G PRES 0328 VOTE

Location: 38-44 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 1820.50
- Minimum: 0.00
- Maximum: 175882.00
- Standard Deviation: 6968.79

V8 980 1 G PRES 0557 VOTE

Location: 45-51 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 73.78
- Minimum: 0.00
- Maximum: 14970.00
- Standard Deviation: 433.59

V9 980 1 G PRES 1735 VOTE

Location: 52-58 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 293.70
- Minimum: 0.00

- Study 13 -

- Maximum: 37832.00
- Standard Deviation: 1056.28

V10 980 1 G PRES 9999 VOTE

Location: 59-65 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2623	83.7 %
1	94	3.0 %
2	57	1.8 %
3	37	1.2 %
4	26	0.8 %
5	26	0.8 %
6	31	1.0 %
7	13	0.4 %
8	10	0.3 %
9	12	0.4 %
10	8	0.3 %
11	9	0.3 %
12	9	0.3 %
13	8	0.3 %
14	7	0.2 %
15	8	0.3 %
16	7	0.2 %
17	8	0.3 %
18	4	0.1 %
19	5	0.2 %
20	3	0.1 %
21	8	0.3 %
22	6	0.2 %
23	1	0.0 %
24	4	0.1 %
25	6	0.2 %
26	1	0.0 %
27	1	0.0 %
28	6	0.2 %
30	4	0.1 %
31	2	0.1 %
32	2	0.1 %
33	1	0.0 %
34	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	7	0.2 %
36	3	0.1 %
37	2	0.1 %
38	1	0.0 %
39	5	0.2 %
40	1	0.0 %
41	2	0.1 %
43	1	0.0 %
44	1	0.0 %
45	2	0.1 %
49	1	0.0 %
52	2	0.1 %
54	1	0.0 %
62	1	0.0 %
63	1	0.0 %
64	1	0.0 %
65	1	0.0 %
67	1	0.0 %
68	2	0.1 %
70	1	0.0 %
72	1	0.0 %
73	1	0.0 %
74	1	0.0 %
77	1	0.0 %
79	1	0.0 %
83	1	0.0 %
85	1	0.0 %
87	1	0.0 %
88	3	0.1 %
89	1	0.0 %
90	1	0.0 %
91	1	0.0 %
92	1	0.0 %
94	1	0.0 %
95	1	0.0 %
96	1	0.0 %
99	1	0.0 %
100	1	0.0 %
101	1	0.0 %
114	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
115	1	0.0 %
118	1	0.0 %
121	1	0.0 %
123	2	0.1 %
128	1	0.0 %
132	1	0.0 %
134	2	0.1 %
152	1	0.0 %
158	1	0.0 %
168	1	0.0 %
174	1	0.0 %
175	1	0.0 %
181	1	0.0 %
189	1	0.0 %
203	1	0.0 %
210	1	0.0 %
216	1	0.0 %
218	1	0.0 %
279	1	0.0 %
287	1	0.0 %
555	1	0.0 %
637	1	0.0 %
1109	1	0.0 %
2123	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 4.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2123.00
- Standard Deviation: 48.52

V11 980 1 G PRES 0543 VOTE

Location: 66-72 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 13.91
- Median: 0.00

- Study 13 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 7849.00
- Standard Deviation: 157.54

V12 980 1 G PRES 0646 VOTE

Location: 73-79 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 14.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6229.00
- Standard Deviation: 135.99

V13 980 1 G PRES 0361 VOTE

Location: 80-86 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2670	85.2 %
1	126	4.0 %
2	69	2.2 %
3	39	1.2 %
4	35	1.1 %
5	27	0.9 %
6	16	0.5 %
7	8	0.3 %
8	18	0.6 %
9	6	0.2 %
10	7	0.2 %
11	5	0.2 %
12	5	0.2 %
13	6	0.2 %
14	12	0.4 %
15	4	0.1 %
16	2	0.1 %
17	3	0.1 %
18	2	0.1 %
19	6	0.2 %
20	3	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	3	0.1 %
22	2	0.1 %
23	2	0.1 %
24	1	0.0 %
26	1	0.0 %
27	3	0.1 %
28	1	0.0 %
29	2	0.1 %
30	1	0.0 %
31	1	0.0 %
36	2	0.1 %
37	1	0.0 %
38	1	0.0 %
39	2	0.1 %
42	2	0.1 %
43	2	0.1 %
45	1	0.0 %
49	2	0.1 %
50	1	0.0 %
56	2	0.1 %
57	1	0.0 %
59	1	0.0 %
61	3	0.1 %
63	2	0.1 %
65	2	0.1 %
69	1	0.0 %
72	1	0.0 %
73	1	0.0 %
77	2	0.1 %
78	1	0.0 %
79	1	0.0 %
92	1	0.0 %
97	1	0.0 %
98	1	0.0 %
102	1	0.0 %
115	1	0.0 %
132	1	0.0 %
177	1	0.0 %
211	1	0.0 %
240	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
251	1	0.0 %
254	1	0.0 %
287	1	0.0 %
349	1	0.0 %
371	1	0.0 %
393	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 2.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 393.00
- Standard Deviation: 17.34

V14

980 1 G PRES 2464 VOTE

Location: 87-93 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2554	81.5 %
1	104	3.3 %
2	73	2.3 %
3	50	1.6 %
4	39	1.2 %
5	37	1.2 %
6	18	0.6 %
7	20	0.6 %
8	21	0.7 %
9	8	0.3 %
10	13	0.4 %
11	11	0.4 %
12	13	0.4 %
13	11	0.4 %
14	8	0.3 %
15	8	0.3 %
16	9	0.3 %
17	5	0.2 %
18	4	0.1 %
19	10	0.3 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	7	0.2 %
21	5	0.2 %
22	5	0.2 %
23	3	0.1 %
24	4	0.1 %
25	2	0.1 %
26	3	0.1 %
27	3	0.1 %
28	3	0.1 %
29	5	0.2 %
30	2	0.1 %
31	2	0.1 %
32	2	0.1 %
33	1	0.0 %
34	2	0.1 %
35	1	0.0 %
36	3	0.1 %
37	5	0.2 %
38	3	0.1 %
39	3	0.1 %
40	1	0.0 %
41	2	0.1 %
47	1	0.0 %
48	1	0.0 %
51	2	0.1 %
52	1	0.0 %
55	2	0.1 %
57	1	0.0 %
58	1	0.0 %
64	1	0.0 %
66	2	0.1 %
71	2	0.1 %
75	1	0.0 %
76	1	0.0 %
77	1	0.0 %
79	1	0.0 %
81	1	0.0 %
84	1	0.0 %
89	1	0.0 %
97	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99	1	0.0 %
100	3	0.1 %
106	1	0.0 %
107	1	0.0 %
113	1	0.0 %
115	1	0.0 %
123	1	0.0 %
128	1	0.0 %
131	1	0.0 %
136	1	0.0 %
145	1	0.0 %
149	1	0.0 %
166	1	0.0 %
174	1	0.0 %
196	1	0.0 %
209	1	0.0 %
240	1	0.0 %
259	1	0.0 %
269	1	0.0 %
294	1	0.0 %
317	1	0.0 %
337	1	0.0 %
576	1	0.0 %
760	1	0.0 %
1774	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 4.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1774.00
- Standard Deviation: 40.08

V15 980 1 G PRES 0380 VOTE

Location: 94-100 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2631	84.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	139	4.4 %
2	82	2.6 %
3	58	1.9 %
4	38	1.2 %
5	29	0.9 %
6	20	0.6 %
7	15	0.5 %
8	13	0.4 %
9	9	0.3 %
10	4	0.1 %
11	7	0.2 %
12	2	0.1 %
13	2	0.1 %
14	1	0.0 %
15	6	0.2 %
16	1	0.0 %
17	4	0.1 %
18	4	0.1 %
19	2	0.1 %
20	2	0.1 %
21	2	0.1 %
22	5	0.2 %
23	4	0.1 %
24	1	0.0 %
25	1	0.0 %
26	1	0.0 %
28	1	0.0 %
30	2	0.1 %
32	1	0.0 %
33	2	0.1 %
35	2	0.1 %
36	3	0.1 %
37	1	0.0 %
38	1	0.0 %
39	2	0.1 %
40	3	0.1 %
44	1	0.0 %
46	2	0.1 %
47	2	0.1 %
48	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	1	0.0 %
52	3	0.1 %
53	1	0.0 %
57	2	0.1 %
71	1	0.0 %
72	1	0.0 %
76	1	0.0 %
82	1	0.0 %
102	1	0.0 %
105	1	0.0 %
106	1	0.0 %
110	1	0.0 %
111	1	0.0 %
123	1	0.0 %
126	1	0.0 %
130	1	0.0 %
184	1	0.0 %
205	1	0.0 %
224	1	0.0 %
229	1	0.0 %
456	1	0.0 %
524	1	0.0 %
820	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 2.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 820.00
- Standard Deviation: 22.03

V16	980 1 G PRES 0310 VOTE
------------	-------------------------------

Location: 101-107 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2811	89.7 %
1	56	1.8 %
2	53	1.7 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	20	0.6 %
4	19	0.6 %
5	24	0.8 %
6	10	0.3 %
7	18	0.6 %
8	9	0.3 %
9	8	0.3 %
10	3	0.1 %
11	7	0.2 %
12	6	0.2 %
13	9	0.3 %
14	2	0.1 %
15	4	0.1 %
16	3	0.1 %
17	2	0.1 %
18	1	0.0 %
19	3	0.1 %
20	2	0.1 %
21	1	0.0 %
22	1	0.0 %
24	2	0.1 %
25	2	0.1 %
27	2	0.1 %
30	2	0.1 %
31	2	0.1 %
35	2	0.1 %
40	2	0.1 %
41	1	0.0 %
43	1	0.0 %
45	1	0.0 %
46	1	0.0 %
48	1	0.0 %
49	1	0.0 %
50	1	0.0 %
51	1	0.0 %
52	1	0.0 %
55	1	0.0 %
57	1	0.0 %
58	1	0.0 %
59	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
60	1	0.0 %
61	1	0.0 %
62	2	0.1 %
63	1	0.0 %
66	1	0.0 %
67	1	0.0 %
70	1	0.0 %
71	3	0.1 %
74	1	0.0 %
83	1	0.0 %
97	1	0.0 %
107	1	0.0 %
116	1	0.0 %
118	1	0.0 %
129	1	0.0 %
130	1	0.0 %
134	1	0.0 %
138	1	0.0 %
166	1	0.0 %
178	1	0.0 %
194	1	0.0 %
201	1	0.0 %
208	1	0.0 %
216	1	0.0 %
293	1	0.0 %
343	1	0.0 %
378	1	0.0 %
384	1	0.0 %
571	1	0.0 %
624	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 2.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 624.00
- Standard Deviation: 23.01

- Study 13 -

Location: 108-114 (width: 7; decimal: 0)
Variable Type: numeric
Based upon 3133 valid cases out of 3133 total cases.

- Mean: 10.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3795.00
- Standard Deviation: 115.20

V18 980 1 G PRES 2465 VOTE

Location: 115-121 (width: 7; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3112	99.3 %
4	1	0.0 %
8	1	0.0 %
9	1	0.0 %
11	1	0.0 %
13	2	0.1 %
20	1	0.0 %
21	1	0.0 %
26	1	0.0 %
31	1	0.0 %
34	1	0.0 %
63	1	0.0 %
66	1	0.0 %
67	1	0.0 %
69	1	0.0 %
72	1	0.0 %
92	1	0.0 %
105	1	0.0 %
165	1	0.0 %
194	1	0.0 %
2611	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 1.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 2611.00
- Standard Deviation: 47.02

V19 980 1 G PRES 2460 VOTE

Location: 122-128 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3112	99.3 %
10	1	0.0 %
12	2	0.1 %
13	1	0.0 %
15	1	0.0 %
21	1	0.0 %
28	1	0.0 %
30	1	0.0 %
37	1	0.0 %
39	1	0.0 %
46	1	0.0 %
54	1	0.0 %
58	1	0.0 %
59	1	0.0 %
60	1	0.0 %
70	1	0.0 %
73	1	0.0 %
75	1	0.0 %
90	1	0.0 %
308	1	0.0 %
608	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 608.00
- Standard Deviation: 12.75

V20 980 1 G PRES 9001 VOTE

Location: 129-135 (width: 7; decimal: 0)

Variable Type: numeric

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3025	96.6 %
1	1	0.0 %
2	1	0.0 %
3	7	0.2 %
4	4	0.1 %
5	4	0.1 %
6	8	0.3 %
7	8	0.3 %
8	3	0.1 %
9	2	0.1 %
10	1	0.0 %
11	5	0.2 %
12	4	0.1 %
13	4	0.1 %
14	4	0.1 %
15	2	0.1 %
16	1	0.0 %
17	1	0.0 %
18	2	0.1 %
19	2	0.1 %
20	2	0.1 %
21	1	0.0 %
22	1	0.0 %
23	1	0.0 %
25	2	0.1 %
27	1	0.0 %
28	1	0.0 %
29	2	0.1 %
30	2	0.1 %
31	1	0.0 %
33	1	0.0 %
34	1	0.0 %
35	1	0.0 %
36	1	0.0 %
43	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
50	2	0.1 %
59	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
64	2	0.1 %
69	1	0.0 %
73	1	0.0 %
74	1	0.0 %
77	2	0.1 %
88	1	0.0 %
95	1	0.0 %
104	1	0.0 %
125	1	0.0 %
183	1	0.0 %
187	1	0.0 %
189	1	0.0 %
195	1	0.0 %
208	1	0.0 %
252	1	0.0 %
454	1	0.0 %
972	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 1.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 972.00
- Standard Deviation: 21.94

V21	980 1 G PRES 0112 VOTE
------------	-------------------------------

Location: 136-142 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3071	98.0 %
140	1	0.0 %
250	1	0.0 %
253	1	0.0 %
261	1	0.0 %
401	1	0.0 %
414	1	0.0 %
416	1	0.0 %
462	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
531	1	0.0 %
532	1	0.0 %
543	1	0.0 %
551	1	0.0 %
576	1	0.0 %
585	1	0.0 %
613	1	0.0 %
623	1	0.0 %
627	1	0.0 %
640	1	0.0 %
684	1	0.0 %
687	1	0.0 %
725	1	0.0 %
732	1	0.0 %
788	1	0.0 %
824	1	0.0 %
892	1	0.0 %
901	1	0.0 %
927	1	0.0 %
965	1	0.0 %
1013	1	0.0 %
1017	1	0.0 %
1038	1	0.0 %
1052	1	0.0 %
1075	1	0.0 %
1149	1	0.0 %
1180	1	0.0 %
1307	1	0.0 %
1601	1	0.0 %
1665	1	0.0 %
1857	1	0.0 %
2137	1	0.0 %
2292	1	0.0 %
2424	1	0.0 %
2694	1	0.0 %
2846	1	0.0 %
2848	1	0.0 %
2850	1	0.0 %
2861	1	0.0 %
3645	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4675	1	0.0 %
5481	1	0.0 %
6950	1	0.0 %
7361	1	0.0 %
8081	1	0.0 %
8838	1	0.0 %
8883	1	0.0 %
9133	1	0.0 %
12461	1	0.0 %
17218	1	0.0 %
24439	1	0.0 %
27338	1	0.0 %
29720	1	0.0 %
30459	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 81.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30459.00
- Standard Deviation: 1150.40

V22 980 1 G PRES 1404 VOTE

Location: 143-149 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 13.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4054.00
- Standard Deviation: 105.94

V23 980 1 G PRES 2478 VOTE

Location: 150-156 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3093	98.7 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	13	0.4 %
2	9	0.3 %
3	4	0.1 %
4	4	0.1 %
5	1	0.0 %
7	1	0.0 %
10	1	0.0 %
17	1	0.0 %
19	1	0.0 %
27	2	0.1 %
34	2	0.1 %
57	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 57.00
- Standard Deviation: 1.59

V24

980 1 G PRES 1411 VOTE

Location: 157-163 (width: 7; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3076	98.2 %
7	1	0.0 %
9	2	0.1 %
11	1	0.0 %
13	1	0.0 %
16	1	0.0 %
17	1	0.0 %
18	1	0.0 %
20	2	0.1 %
21	1	0.0 %
22	1	0.0 %
24	1	0.0 %
28	1	0.0 %
29	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
34	1	0.0 %
39	1	0.0 %
40	1	0.0 %
43	1	0.0 %
47	2	0.1 %
48	1	0.0 %
49	1	0.0 %
57	1	0.0 %
68	1	0.0 %
91	1	0.0 %
96	1	0.0 %
104	1	0.0 %
106	2	0.1 %
108	1	0.0 %
118	2	0.1 %
167	1	0.0 %
172	1	0.0 %
178	1	0.0 %
180	1	0.0 %
193	1	0.0 %
208	1	0.0 %
224	1	0.0 %
243	1	0.0 %
256	1	0.0 %
280	1	0.0 %
361	1	0.0 %
362	1	0.0 %
387	1	0.0 %
448	1	0.0 %
455	1	0.0 %
463	1	0.0 %
610	1	0.0 %
743	1	0.0 %
939	1	0.0 %
1012	1	0.0 %
1065	1	0.0 %
1283	1	0.0 %
1383	1	0.0 %
4921	1	0.0 %

Based upon 3133 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 5.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4921.00
- Standard Deviation: 103.02

V25 **980 1 G PRES TOTAL VOTE**

Location: 164-170 (width: 7; decimal: 0)
Variable Type: numeric
Based upon 3133 valid cases out of 3133 total cases.

- Mean: 27555.85
- Minimum: 72.00
- Maximum: 2440185.00
- Standard Deviation: 87214.42

V26 **980 2 G GOV 0100 VOTE**

Location: 171-177 (width: 7; decimal: 0)
Variable Type: numeric
Based upon 646 valid cases out of 3133 total cases.

- Mean: 9180.58
- Minimum: 191.00
- Maximum: 267218.00
- Standard Deviation: 20488.48

V27 **980 2 G GOV 0200 VOTE**

Location: 178-184 (width: 7; decimal: 0)
Variable Type: numeric
Based upon 646 valid cases out of 3133 total cases.

- Mean: 9189.83
- Minimum: 136.00
- Maximum: 327941.00
- Standard Deviation: 22114.43

V28 **980 2 G GOV 1735 VOTE**

Location: 185-191 (width: 7; decimal: 0)
Variable Type: numeric
Based upon 646 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 24.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1498.00
- Standard Deviation: 107.00

V29 980 2 G GOV 9999 VOTE

Location: 192-198 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	623	19.9 %
2	3	0.1 %
3	2	0.1 %
4	1	0.0 %
5	2	0.1 %
6	1	0.0 %
10	1	0.0 %
11	4	0.1 %
12	2	0.1 %
14	1	0.0 %
16	1	0.0 %
23	1	0.0 %
36	1	0.0 %
42	1	0.0 %
52	1	0.0 %
57	1	0.0 %
9999999 (M)	2487	79.4 %

Based upon 646 valid cases out of 3133 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 57.00
- Standard Deviation: 4.09

V30 980 2 G GOV 9001 VOTE

Location: 199-205 (width: 7; decimal: 0)
 Variable Type: numeric

- Study 13 -

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	632	20.2 %
27	1	0.0 %
84	1	0.0 %
210	1	0.0 %
212	1	0.0 %
213	1	0.0 %
277	1	0.0 %
330	1	0.0 %
357	1	0.0 %
383	1	0.0 %
404	1	0.0 %
428	1	0.0 %
655	1	0.0 %
671	1	0.0 %
1072	1	0.0 %
9999999 (M)	2487	79.4 %

Based upon 646 valid cases out of 3133 total cases.

- Mean: 8.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1072.00
- Standard Deviation: 67.43

V31 980 2 G GOV 9002 VOTE

Location: 206-212 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	632	20.2 %
17	1	0.0 %
19	1	0.0 %
49	1	0.0 %
63	1	0.0 %
72	1	0.0 %
77	1	0.0 %
84	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
106	1	0.0 %
141	1	0.0 %
186	1	0.0 %
224	1	0.0 %
265	1	0.0 %
397	1	0.0 %
563	1	0.0 %
9999999 (M)	2487	79.4 %

Based upon 646 valid cases out of 3133 total cases.

- Mean: 3.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 563.00
- Standard Deviation: 32.42

V32

980 2 G GOV 1717 VOTE

Location: 213-219 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	632	20.2 %
9	1	0.0 %
10	1	0.0 %
51	1	0.0 %
57	1	0.0 %
60	1	0.0 %
81	1	0.0 %
92	1	0.0 %
103	1	0.0 %
107	1	0.0 %
116	1	0.0 %
158	1	0.0 %
195	1	0.0 %
276	1	0.0 %
637	1	0.0 %
9999999 (M)	2487	79.4 %

Based upon 646 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 3.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 637.00
- Standard Deviation: 30.48

V33

980 2 G GOV 0310 VOTE

Location: 220-226 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	527	16.8 %
2	3	0.1 %
3	2	0.1 %
4	2	0.1 %
5	1	0.0 %
6	3	0.1 %
7	2	0.1 %
8	3	0.1 %
10	3	0.1 %
11	4	0.1 %
12	3	0.1 %
13	2	0.1 %
14	1	0.0 %
15	2	0.1 %
16	1	0.0 %
17	1	0.0 %
18	1	0.0 %
19	2	0.1 %
20	1	0.0 %
21	2	0.1 %
22	1	0.0 %
23	1	0.0 %
24	1	0.0 %
25	1	0.0 %
28	3	0.1 %
29	1	0.0 %
31	3	0.1 %
32	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	1	0.0 %
34	1	0.0 %
35	4	0.1 %
37	3	0.1 %
38	2	0.1 %
39	1	0.0 %
44	1	0.0 %
46	2	0.1 %
48	1	0.0 %
49	2	0.1 %
50	2	0.1 %
51	2	0.1 %
56	1	0.0 %
59	1	0.0 %
62	2	0.1 %
63	1	0.0 %
64	2	0.1 %
65	1	0.0 %
70	1	0.0 %
71	1	0.0 %
72	1	0.0 %
75	1	0.0 %
81	1	0.0 %
82	1	0.0 %
84	1	0.0 %
87	1	0.0 %
94	1	0.0 %
96	1	0.0 %
97	1	0.0 %
98	1	0.0 %
100	1	0.0 %
101	1	0.0 %
104	1	0.0 %
106	1	0.0 %
108	1	0.0 %
119	2	0.1 %
122	1	0.0 %
141	1	0.0 %
145	1	0.0 %
153	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
178	1	0.0 %
189	1	0.0 %
206	1	0.0 %
220	1	0.0 %
242	1	0.0 %
263	1	0.0 %
292	1	0.0 %
299	1	0.0 %
303	1	0.0 %
349	1	0.0 %
546	1	0.0 %
563	1	0.0 %
665	1	0.0 %
1543	1	0.0 %
9999999 (M)	2487	79.4 %

Based upon 646 valid cases out of 3133 total cases.

- Mean: 16.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1543.00
- Standard Deviation: 81.45

V34 **980 2 G GOV 0380 VOTE**

Location: 227-233 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	532	17.0 %
1	2	0.1 %
2	6	0.2 %
3	10	0.3 %
4	9	0.3 %
5	11	0.4 %
6	4	0.1 %
7	8	0.3 %
8	7	0.2 %
9	4	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	4	0.1 %
11	5	0.2 %
12	1	0.0 %
13	4	0.1 %
14	4	0.1 %
15	4	0.1 %
16	1	0.0 %
17	1	0.0 %
18	2	0.1 %
21	1	0.0 %
22	2	0.1 %
24	1	0.0 %
25	1	0.0 %
29	1	0.0 %
30	1	0.0 %
32	1	0.0 %
40	1	0.0 %
43	1	0.0 %
58	1	0.0 %
60	1	0.0 %
62	1	0.0 %
66	1	0.0 %
78	1	0.0 %
90	1	0.0 %
91	1	0.0 %
96	1	0.0 %
121	1	0.0 %
126	1	0.0 %
221	1	0.0 %
279	1	0.0 %
312	1	0.0 %
621	1	0.0 %
809	1	0.0 %
1263	1	0.0 %
1901	1	0.0 %
9999999 (M)	2487	79.4 %

Based upon 646 valid cases out of 3133 total cases.

- Mean: 11.13
- Median: 0.00

- Study 13 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1901.00
- Standard Deviation: 100.28

V35 980 2 G GOV 0646 VOTE

Location: 234-240 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	548	17.5 %
1	3	0.1 %
2	5	0.2 %
3	2	0.1 %
4	8	0.3 %
5	1	0.0 %
6	2	0.1 %
7	1	0.0 %
8	4	0.1 %
9	3	0.1 %
10	6	0.2 %
11	3	0.1 %
12	3	0.1 %
13	3	0.1 %
14	1	0.0 %
15	2	0.1 %
16	2	0.1 %
17	4	0.1 %
20	3	0.1 %
21	5	0.2 %
22	3	0.1 %
24	1	0.0 %
25	2	0.1 %
26	2	0.1 %
27	3	0.1 %
29	1	0.0 %
30	1	0.0 %
31	1	0.0 %
35	1	0.0 %
36	1	0.0 %
37	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
38	2	0.1 %
39	2	0.1 %
42	1	0.0 %
44	1	0.0 %
46	1	0.0 %
55	1	0.0 %
58	1	0.0 %
83	1	0.0 %
95	1	0.0 %
110	1	0.0 %
117	1	0.0 %
124	1	0.0 %
132	1	0.0 %
151	1	0.0 %
162	1	0.0 %
163	1	0.0 %
232	1	0.0 %
9999999 (M)	2487	79.4 %

Based upon 646 valid cases out of 3133 total cases.

- Mean: 4.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 232.00
- Standard Deviation: 18.98

V36 980 2 G GOV TOTAL VOTE

Location: 241-247 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 646 valid cases out of 3133 total cases.

- Mean: 18442.34
- Minimum: 337.00
- Maximum: 595159.00
- Standard Deviation: 41706.68

V37 980 3 G CONG 0200 VOTE

Location: 248-254 (width: 7; decimal: 0)

Variable Type: numeric

- Study 13 -

Based upon 2969 valid cases out of 3133 total cases.

- Mean: 11718.70
- Minimum: 0.00
- Maximum: 1092508.00
- Standard Deviation: 37824.12

V38 980 3 G CONG 0100 VOTE

Location: 255-261 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2970 valid cases out of 3133 total cases.

- Mean: 12454.43
- Minimum: 0.00
- Maximum: 1175135.00
- Standard Deviation: 43665.21

V39 980 3 G CONG 0543 VOTE

Location: 262-268 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2952	94.2 %
43	1	0.0 %
131	1	0.0 %
2537	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2537.00
- Standard Deviation: 46.74

V40 980 3 G CONG 0328 VOTE

Location: 269-275 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2860	91.3 %
4	1	0.0 %
8	2	0.1 %
9	1	0.0 %
10	1	0.0 %
11	1	0.0 %
13	2	0.1 %
16	3	0.1 %
19	2	0.1 %
20	1	0.0 %
21	1	0.0 %
22	3	0.1 %
24	3	0.1 %
25	2	0.1 %
27	1	0.0 %
32	1	0.0 %
33	1	0.0 %
38	1	0.0 %
39	1	0.0 %
41	1	0.0 %
46	2	0.1 %
50	1	0.0 %
51	2	0.1 %
52	1	0.0 %
53	1	0.0 %
54	1	0.0 %
59	2	0.1 %
61	1	0.0 %
70	1	0.0 %
73	1	0.0 %
80	1	0.0 %
96	2	0.1 %
108	1	0.0 %
109	1	0.0 %
110	1	0.0 %
113	1	0.0 %
124	1	0.0 %
126	1	0.0 %
128	1	0.0 %
138	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
146	1	0.0 %
149	1	0.0 %
176	1	0.0 %
211	1	0.0 %
246	1	0.0 %
249	1	0.0 %
257	1	0.0 %
294	1	0.0 %
327	1	0.0 %
333	1	0.0 %
355	1	0.0 %
361	1	0.0 %
405	1	0.0 %
430	1	0.0 %
477	1	0.0 %
503	1	0.0 %
505	1	0.0 %
540	1	0.0 %
606	1	0.0 %
619	1	0.0 %
640	1	0.0 %
649	1	0.0 %
670	1	0.0 %
716	1	0.0 %
721	1	0.0 %
833	1	0.0 %
861	1	0.0 %
1117	1	0.0 %
1134	1	0.0 %
1278	1	0.0 %
1300	1	0.0 %
1335	1	0.0 %
1595	1	0.0 %
1902	1	0.0 %
2014	1	0.0 %
2448	1	0.0 %
2554	1	0.0 %
3210	1	0.0 %
3671	1	0.0 %
5288	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5715	1	0.0 %
7242	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 19.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7242.00
- Standard Deviation: 242.05

V41

980 3 G CONG 9999 VOTE

Location: 276-282 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2672	85.3 %
1	75	2.4 %
2	46	1.5 %
3	25	0.8 %
4	8	0.3 %
5	9	0.3 %
6	13	0.4 %
7	5	0.2 %
8	12	0.4 %
9	7	0.2 %
10	6	0.2 %
11	4	0.1 %
12	6	0.2 %
13	3	0.1 %
14	4	0.1 %
15	3	0.1 %
17	4	0.1 %
20	1	0.0 %
21	4	0.1 %
22	1	0.0 %
23	3	0.1 %
24	5	0.2 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	2	0.1 %
30	2	0.1 %
31	1	0.0 %
34	1	0.0 %
36	1	0.0 %
37	1	0.0 %
38	2	0.1 %
40	2	0.1 %
41	1	0.0 %
46	1	0.0 %
47	1	0.0 %
48	2	0.1 %
55	1	0.0 %
56	1	0.0 %
60	2	0.1 %
63	1	0.0 %
64	1	0.0 %
66	1	0.0 %
70	2	0.1 %
75	1	0.0 %
77	1	0.0 %
81	1	0.0 %
85	1	0.0 %
88	1	0.0 %
89	1	0.0 %
91	2	0.1 %
94	1	0.0 %
120	1	0.0 %
122	1	0.0 %
125	1	0.0 %
126	1	0.0 %
132	1	0.0 %
134	1	0.0 %
143	1	0.0 %
144	1	0.0 %
145	1	0.0 %
149	1	0.0 %
150	2	0.1 %
186	1	0.0 %
198	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
259	1	0.0 %
324	1	0.0 %
329	1	0.0 %
2214	1	0.0 %
4847	1	0.0 %
9999999 (M)	163	5.2 %

Based upon 2970 valid cases out of 3133 total cases.

- Mean: 4.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4847.00
- Standard Deviation: 98.93

V42

980 3 G CONG 0557 VOTE

Location: 283-289 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2931	93.6 %
201	1	0.0 %
205	1	0.0 %
208	1	0.0 %
291	1	0.0 %
303	2	0.1 %
693	1	0.0 %
770	1	0.0 %
814	1	0.0 %
874	1	0.0 %
1048	1	0.0 %
1062	1	0.0 %
1088	1	0.0 %
1204	1	0.0 %
1254	1	0.0 %
1272	1	0.0 %
1356	1	0.0 %
1559	1	0.0 %
1827	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2238	1	0.0 %
2321	1	0.0 %
3290	1	0.0 %
3549	1	0.0 %
7356	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 11.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7356.00
- Standard Deviation: 189.48

V43	980 3 G CONG 0646 VOTE
------------	-------------------------------

Location: 290-296 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2915	93.0 %
1	2	0.1 %
2	2	0.1 %
3	2	0.1 %
7	1	0.0 %
8	1	0.0 %
11	1	0.0 %
13	1	0.0 %
21	1	0.0 %
26	1	0.0 %
27	1	0.0 %
30	1	0.0 %
33	1	0.0 %
38	1	0.0 %
46	1	0.0 %
54	1	0.0 %
90	1	0.0 %
99	1	0.0 %
100	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
103	1	0.0 %
151	1	0.0 %
162	1	0.0 %
186	1	0.0 %
188	1	0.0 %
293	1	0.0 %
380	1	0.0 %
559	1	0.0 %
692	1	0.0 %
755	1	0.0 %
865	1	0.0 %
966	1	0.0 %
1086	1	0.0 %
1304	1	0.0 %
1474	1	0.0 %
1779	1	0.0 %
1998	1	0.0 %
2043	1	0.0 %
2204	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 6.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2204.00
- Standard Deviation: 91.21

V44

980 3 G CONG 9001 VOTE

Location: 297-303 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2854	91.1 %
1	18	0.6 %
2	8	0.3 %
3	4	0.1 %
4	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	3	0.1 %
7	2	0.1 %
8	1	0.0 %
9	4	0.1 %
10	1	0.0 %
12	1	0.0 %
13	1	0.0 %
14	1	0.0 %
15	1	0.0 %
18	1	0.0 %
22	2	0.1 %
23	1	0.0 %
24	1	0.0 %
26	3	0.1 %
27	1	0.0 %
28	1	0.0 %
29	1	0.0 %
33	1	0.0 %
34	2	0.1 %
39	1	0.0 %
41	1	0.0 %
44	1	0.0 %
48	1	0.0 %
50	1	0.0 %
52	1	0.0 %
67	1	0.0 %
72	1	0.0 %
80	1	0.0 %
87	1	0.0 %
88	1	0.0 %
89	1	0.0 %
94	1	0.0 %
95	1	0.0 %
111	1	0.0 %
112	1	0.0 %
122	1	0.0 %
149	1	0.0 %
152	1	0.0 %
157	1	0.0 %
163	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
166	1	0.0 %
180	1	0.0 %
263	1	0.0 %
291	1	0.0 %
308	1	0.0 %
415	1	0.0 %
423	1	0.0 %
786	1	0.0 %
1149	1	0.0 %
1379	1	0.0 %
1951	1	0.0 %
2480	1	0.0 %
2932	1	0.0 %
3041	1	0.0 %
3559	1	0.0 %
3588	1	0.0 %
3784	1	0.0 %
5349	1	0.0 %
9837	1	0.0 %
9987	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 18.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9987.00
- Standard Deviation: 316.81

V45	980 3 G CONG 1717 VOTE
------------	-------------------------------

Location: 304-310 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2941	93.9 %
139	1	0.0 %
168	1	0.0 %
404	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
564	1	0.0 %
591	1	0.0 %
668	1	0.0 %
679	1	0.0 %
845	1	0.0 %
1100	1	0.0 %
1709	1	0.0 %
1732	1	0.0 %
1812	1	0.0 %
1820	1	0.0 %
2987	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 5.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2987.00
- Standard Deviation: 92.12

V46 980 3 G CONG 1735 VOTE

Location: 311-317 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 174.20
- Minimum: 0.00
- Maximum: 66140.00
- Standard Deviation: 1678.79

V47 980 3 G CONG 0505 VOTE

Location: 318-324 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2943	93.9 %
39	1	0.0 %
45	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
59	1	0.0 %
82	1	0.0 %
118	1	0.0 %
164	1	0.0 %
262	1	0.0 %
276	1	0.0 %
392	1	0.0 %
454	1	0.0 %
826	1	0.0 %
1091	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 1.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1091.00
- Standard Deviation: 28.66

V48 980 3 G CONG 2419 VOTE

Location: 325-331 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2906	92.8 %
1	9	0.3 %
2	5	0.2 %
3	5	0.2 %
4	4	0.1 %
6	3	0.1 %
7	1	0.0 %
8	1	0.0 %
10	1	0.0 %
11	1	0.0 %
12	2	0.1 %
14	1	0.0 %
16	1	0.0 %
20	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	1	0.0 %
22	1	0.0 %
25	1	0.0 %
31	1	0.0 %
34	1	0.0 %
45	1	0.0 %
51	1	0.0 %
58	1	0.0 %
62	1	0.0 %
77	1	0.0 %
83	1	0.0 %
136	1	0.0 %
181	1	0.0 %
3594	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 1.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3594.00
- Standard Deviation: 66.32

V49 980 3 G CONG 1770 VOTE

Location: 332-338 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2953	94.3 %
498	1	0.0 %
1090	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 1090.00
- Standard Deviation: 22.04

V50 980 3 G CONG 2467 VOTE

Location: 339-345 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2951	94.2 %
139	1	0.0 %
209	1	0.0 %
654	1	0.0 %
774	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 774.00
- Standard Deviation: 19.20

V51 980 3 G CONG 1299 VOTE

Location: 346-352 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2952	94.2 %
131	1	0.0 %
143	1	0.0 %
392	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 392.00

- Study 13 -

- Standard Deviation: 8.04

V52 980 3 G CONG 2468 VOTE

Location: 353-359 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2950	94.2 %
31	1	0.0 %
37	1	0.0 %
193	1	0.0 %
263	1	0.0 %
1025	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1025.00
- Standard Deviation: 19.80

V53 980 3 G CONG 1741 VOTE

Location: 360-366 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2953	94.3 %
18	1	0.0 %
524	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 524.00
- Standard Deviation: 9.65

- Study 13 -

V54 980 3 G CONG 2469 VOTE

Location: 367-373 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2953	94.3 %
20	1	0.0 %
261	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 261.00
- Standard Deviation: 4.82

V55 980 3 G CONG 2470 VOTE

Location: 374-380 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2954	94.3 %
1138	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1138.00
- Standard Deviation: 20.93

V56 980 3 G CONG 2462 VOTE

Location: 381-387 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2953	94.3 %
197	1	0.0 %
2740	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2740.00
- Standard Deviation: 50.53

V57

980 3 G CONG 0380 VOTE

Location: 388-394 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2942	93.9 %
1	1	0.0 %
5	1	0.0 %
12	1	0.0 %
18	1	0.0 %
25	1	0.0 %
29	1	0.0 %
33	1	0.0 %
39	1	0.0 %
47	1	0.0 %
49	1	0.0 %
311	1	0.0 %
571	1	0.0 %
594	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 594.00
- Standard Deviation: 16.29

V58 980 3 G CONG 2466 VOTE

Location: 395-401 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2953	94.3 %
21	1	0.0 %
263	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 263.00
- Standard Deviation: 4.85

V59 980 3 G CONG 1734 VOTE

Location: 402-408 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2954	94.3 %
2358	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2358.00
- Standard Deviation: 43.38

V60 980 3 G CONG 0112 VOTE

Location: 409-415 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2896	92.4 %
193	1	0.0 %
211	1	0.0 %
337	1	0.0 %
409	1	0.0 %
466	1	0.0 %
545	1	0.0 %
550	1	0.0 %
563	1	0.0 %
587	1	0.0 %
592	2	0.1 %
654	1	0.0 %
705	1	0.0 %
756	2	0.1 %
824	1	0.0 %
857	1	0.0 %
873	1	0.0 %
977	1	0.0 %
979	1	0.0 %
1045	1	0.0 %
1103	1	0.0 %
1142	2	0.1 %
1183	1	0.0 %
1206	1	0.0 %
1244	1	0.0 %
1246	1	0.0 %
1336	1	0.0 %
1401	1	0.0 %
1520	1	0.0 %
1849	1	0.0 %
1893	1	0.0 %
1933	1	0.0 %
2060	1	0.0 %
2102	1	0.0 %
2125	1	0.0 %
2183	1	0.0 %
2300	1	0.0 %
2535	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2676	1	0.0 %
2702	1	0.0 %
2837	1	0.0 %
3461	1	0.0 %
3504	1	0.0 %
4120	1	0.0 %
4762	1	0.0 %
4887	1	0.0 %
7985	1	0.0 %
8423	1	0.0 %
9028	1	0.0 %
10614	1	0.0 %
11963	1	0.0 %
15665	1	0.0 %
19508	1	0.0 %
24059	1	0.0 %
24716	1	0.0 %
29313	1	0.0 %
35186	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 91.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35186.00
- Standard Deviation: 1239.25

V61

980 3 G CONG 1706 VOTE

Location: 416-422 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2895	92.4 %
91	1	0.0 %
93	1	0.0 %
100	1	0.0 %
139	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
212	1	0.0 %
227	1	0.0 %
232	1	0.0 %
233	1	0.0 %
238	1	0.0 %
245	1	0.0 %
257	1	0.0 %
264	1	0.0 %
306	1	0.0 %
308	1	0.0 %
357	1	0.0 %
370	2	0.1 %
379	1	0.0 %
385	1	0.0 %
391	1	0.0 %
394	1	0.0 %
400	1	0.0 %
472	1	0.0 %
485	1	0.0 %
514	2	0.1 %
528	1	0.0 %
539	1	0.0 %
547	1	0.0 %
563	1	0.0 %
571	1	0.0 %
586	1	0.0 %
594	1	0.0 %
748	1	0.0 %
771	1	0.0 %
802	1	0.0 %
881	1	0.0 %
925	1	0.0 %
1014	1	0.0 %
1360	1	0.0 %
1384	2	0.1 %
1404	1	0.0 %
1456	1	0.0 %
1912	1	0.0 %
1934	1	0.0 %
1970	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2373	1	0.0 %
4158	1	0.0 %
4196	1	0.0 %
5011	1	0.0 %
5513	1	0.0 %
5941	1	0.0 %
6672	1	0.0 %
9389	1	0.0 %
9481	1	0.0 %
11991	1	0.0 %
13345	1	0.0 %
16530	1	0.0 %
22382	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 49.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22382.00
- Standard Deviation: 706.20

V62	980 3 G CONG 0402 VOTE
------------	-------------------------------

Location: 423-429 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2906	92.8 %
28	1	0.0 %
35	1	0.0 %
46	1	0.0 %
62	1	0.0 %
83	2	0.1 %
86	1	0.0 %
110	1	0.0 %
131	1	0.0 %
136	1	0.0 %
154	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
213	1	0.0 %
214	1	0.0 %
246	1	0.0 %
337	1	0.0 %
367	1	0.0 %
408	1	0.0 %
419	1	0.0 %
422	1	0.0 %
431	1	0.0 %
444	1	0.0 %
481	1	0.0 %
492	1	0.0 %
506	1	0.0 %
510	1	0.0 %
582	1	0.0 %
628	1	0.0 %
640	1	0.0 %
653	1	0.0 %
667	1	0.0 %
720	1	0.0 %
829	1	0.0 %
924	1	0.0 %
981	1	0.0 %
1210	1	0.0 %
1397	1	0.0 %
1657	2	0.1 %
1682	1	0.0 %
3089	1	0.0 %
3093	1	0.0 %
5354	1	0.0 %
6253	1	0.0 %
9857	1	0.0 %
10406	1	0.0 %
13762	1	0.0 %
13989	1	0.0 %
14287	1	0.0 %
31433	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 44.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 31433.00
- Standard Deviation: 798.36

V63 980 3 G CONG 1761 VOTE

Location: 430-436 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2944	94.0 %
39	1	0.0 %
56	1	0.0 %
160	1	0.0 %
245	1	0.0 %
250	1	0.0 %
309	1	0.0 %
431	1	0.0 %
570	1	0.0 %
683	1	0.0 %
1296	1	0.0 %
2196	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 2.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2196.00
- Standard Deviation: 51.10

V64 980 3 G CONG 2464 VOTE

Location: 437-443 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2950	94.2 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	1	0.0 %
25	1	0.0 %
42	1	0.0 %
44	1	0.0 %
497	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 497.00
- Standard Deviation: 9.23

V65	980 3 G CONG 2465 VOTE
------------	-------------------------------

Location: 444-450 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2954	94.3 %
4151	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 1.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4151.00
- Standard Deviation: 76.36

V66	980 3 G CONG 2442 VOTE
------------	-------------------------------

Location: 451-457 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2954	94.3 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4055	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4055.00
- Standard Deviation: 74.60

V67 980 3 G CONG 2473 VOTE

Location: 458-464 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2933	93.6 %
6	1	0.0 %
8	1	0.0 %
15	1	0.0 %
16	1	0.0 %
40	1	0.0 %
50	1	0.0 %
54	2	0.1 %
65	1	0.0 %
71	1	0.0 %
90	1	0.0 %
185	1	0.0 %
189	1	0.0 %
221	1	0.0 %
287	1	0.0 %
288	1	0.0 %
369	1	0.0 %
407	1	0.0 %
543	1	0.0 %
732	1	0.0 %
825	1	0.0 %
1470	1	0.0 %
9999999 (M)	178	5.7 %

- Study 13 -

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 2.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1470.00
- Standard Deviation: 38.04

V68

980 3 G CONG 1404 VOTE

Location: 465-471 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2870	91.6 %
1	1	0.0 %
2	1	0.0 %
4	1	0.0 %
10	2	0.1 %
13	1	0.0 %
14	1	0.0 %
15	1	0.0 %
16	1	0.0 %
17	1	0.0 %
18	2	0.1 %
19	1	0.0 %
22	1	0.0 %
23	1	0.0 %
24	1	0.0 %
26	1	0.0 %
28	1	0.0 %
29	2	0.1 %
30	2	0.1 %
33	1	0.0 %
37	1	0.0 %
45	1	0.0 %
47	1	0.0 %
51	1	0.0 %
52	2	0.1 %
57	1	0.0 %
58	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
59	1	0.0 %
61	1	0.0 %
66	2	0.1 %
69	2	0.1 %
70	1	0.0 %
71	1	0.0 %
72	2	0.1 %
73	2	0.1 %
74	2	0.1 %
79	1	0.0 %
86	1	0.0 %
87	1	0.0 %
96	1	0.0 %
101	1	0.0 %
108	1	0.0 %
109	1	0.0 %
117	1	0.0 %
130	1	0.0 %
149	1	0.0 %
154	1	0.0 %
163	1	0.0 %
172	1	0.0 %
178	1	0.0 %
183	1	0.0 %
188	1	0.0 %
196	1	0.0 %
204	1	0.0 %
225	1	0.0 %
273	1	0.0 %
274	1	0.0 %
287	1	0.0 %
289	1	0.0 %
296	1	0.0 %
533	1	0.0 %
542	1	0.0 %
563	1	0.0 %
576	1	0.0 %
818	1	0.0 %
840	1	0.0 %
1085	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1441	1	0.0 %
1467	1	0.0 %
1550	1	0.0 %
1835	1	0.0 %
1973	1	0.0 %
2341	1	0.0 %
2586	1	0.0 %
3494	1	0.0 %
5023	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 11.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5023.00
- Standard Deviation: 151.55

V69 980 3 G CONG 9005 VOTE

Location: 472-478 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2948	94.1 %
371	1	0.0 %
654	1	0.0 %
871	1	0.0 %
884	1	0.0 %
942	1	0.0 %
2020	1	0.0 %
4357	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 3.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 4357.00
- Standard Deviation: 93.86

V70 980 3 G CONG 9006 VOTE

Location: 479-485 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2950	94.2 %
4	1	0.0 %
320	1	0.0 %
366	1	0.0 %
915	1	0.0 %
5295	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 2.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5295.00
- Standard Deviation: 99.24

V71 980 3 G CONG 9007 VOTE

Location: 486-492 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2954	94.3 %
6	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.11

- Study 13 -

V72 980 3 G CONG 9004 VOTE

Location: 493-499 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2954	94.3 %
2411	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2411.00
- Standard Deviation: 44.35

V73 980 3 G CONG 9002 VOTE

Location: 500-506 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2939	93.8 %
968	1	0.0 %
1013	1	0.0 %
1349	1	0.0 %
1585	1	0.0 %
2053	1	0.0 %
2064	1	0.0 %
2137	1	0.0 %
2903	1	0.0 %
3106	1	0.0 %
3732	1	0.0 %
4014	1	0.0 %
4504	1	0.0 %
4997	1	0.0 %
6864	1	0.0 %
8181	1	0.0 %
25941	1	0.0 %
9999999 (M)	178	5.7 %

- Study 13 -

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 25.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25941.00
- Standard Deviation: 551.28

V74 980 3 G CONG 9003 VOTE

Location: 507-513 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2954	94.3 %
1710	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1710.00
- Standard Deviation: 31.46

V75 980 3 G CONG 0310 VOTE

Location: 514-520 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2918	93.1 %
1	6	0.2 %
2	5	0.2 %
3	2	0.1 %
6	3	0.1 %
8	2	0.1 %
9	1	0.0 %
11	1	0.0 %
12	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	2	0.1 %
15	1	0.0 %
16	1	0.0 %
18	1	0.0 %
19	1	0.0 %
22	1	0.0 %
24	1	0.0 %
26	1	0.0 %
36	1	0.0 %
42	1	0.0 %
45	1	0.0 %
154	1	0.0 %
310	1	0.0 %
468	1	0.0 %
1407	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1407.00
- Standard Deviation: 28.05

V76

980 3 G CONG 2472 VOTE

Location: 521-527 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2891	92.3 %
2	1	0.0 %
11	2	0.1 %
12	2	0.1 %
14	1	0.0 %
15	1	0.0 %
17	4	0.1 %
18	2	0.1 %
19	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	2	0.1 %
31	2	0.1 %
33	1	0.0 %
36	1	0.0 %
37	2	0.1 %
38	1	0.0 %
40	1	0.0 %
44	1	0.0 %
49	1	0.0 %
53	1	0.0 %
57	1	0.0 %
58	1	0.0 %
59	1	0.0 %
62	1	0.0 %
68	1	0.0 %
79	1	0.0 %
81	1	0.0 %
88	1	0.0 %
89	1	0.0 %
97	1	0.0 %
103	1	0.0 %
105	1	0.0 %
108	1	0.0 %
110	1	0.0 %
114	1	0.0 %
119	1	0.0 %
126	1	0.0 %
128	1	0.0 %
142	1	0.0 %
147	1	0.0 %
149	1	0.0 %
155	1	0.0 %
159	1	0.0 %
172	2	0.1 %
179	1	0.0 %
215	1	0.0 %
252	1	0.0 %
266	1	0.0 %
272	1	0.0 %
387	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
404	1	0.0 %
416	1	0.0 %
711	1	0.0 %
712	1	0.0 %
723	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 2.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 723.00
- Standard Deviation: 29.91

V77	980 3 G CONG 2474 VOTE
------------	-------------------------------

Location: 528-534 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2952	94.2 %
13	1	0.0 %
327	1	0.0 %
2212	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2212.00
- Standard Deviation: 41.13

V78	980 3 G CONG 0718 VOTE
------------	-------------------------------

Location: 535-541 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2952	94.2 %
9	1	0.0 %
246	1	0.0 %
1361	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1361.00
- Standard Deviation: 25.44

V79	980 3 G CONG 2410 VOTE
------------	-------------------------------

Location: 542-548 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2916	93.1 %
8	1	0.0 %
10	1	0.0 %
15	1	0.0 %
18	1	0.0 %
22	1	0.0 %
23	1	0.0 %
31	1	0.0 %
44	1	0.0 %
54	2	0.1 %
73	1	0.0 %
92	1	0.0 %
109	1	0.0 %
117	1	0.0 %
124	1	0.0 %
135	1	0.0 %
159	1	0.0 %
165	1	0.0 %
167	1	0.0 %
172	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
190	1	0.0 %
202	1	0.0 %
203	1	0.0 %
222	1	0.0 %
260	1	0.0 %
264	1	0.0 %
384	1	0.0 %
396	1	0.0 %
428	1	0.0 %
451	1	0.0 %
646	1	0.0 %
839	1	0.0 %
941	1	0.0 %
1110	1	0.0 %
1180	1	0.0 %
1654	1	0.0 %
3841	1	0.0 %
3875	1	0.0 %
4246	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 7.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4246.00
- Standard Deviation: 137.90

V80

980 3 G CONG 1437 VOTE

Location: 549-555 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2954	94.3 %
1743	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1743.00
- Standard Deviation: 32.06

V81	980 3 G CONG 2477 VOTE
------------	-------------------------------

Location: 556-562 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2941	93.9 %
49	1	0.0 %
56	1	0.0 %
87	1	0.0 %
216	1	0.0 %
229	1	0.0 %
241	1	0.0 %
305	1	0.0 %
337	1	0.0 %
404	1	0.0 %
557	1	0.0 %
685	1	0.0 %
776	1	0.0 %
960	1	0.0 %
1341	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 2.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1341.00
- Standard Deviation: 39.58

V82	980 3 G CONG 2476 VOTE
------------	-------------------------------

Location: 563-569 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2919	93.2 %
10	1	0.0 %
160	1	0.0 %
196	1	0.0 %
227	1	0.0 %
284	1	0.0 %
296	1	0.0 %
324	1	0.0 %
352	1	0.0 %
403	1	0.0 %
426	1	0.0 %
436	1	0.0 %
460	1	0.0 %
463	1	0.0 %
480	1	0.0 %
488	1	0.0 %
500	1	0.0 %
589	1	0.0 %
723	1	0.0 %
738	1	0.0 %
986	1	0.0 %
1002	1	0.0 %
1302	1	0.0 %
1393	1	0.0 %
1451	1	0.0 %
1498	1	0.0 %
1953	1	0.0 %
2411	1	0.0 %
2562	1	0.0 %
2827	1	0.0 %
4823	1	0.0 %
5161	1	0.0 %
6118	1	0.0 %
6576	1	0.0 %
9290	1	0.0 %
9691	1	0.0 %
21499	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 29.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 21499.00
- Standard Deviation: 523.04

V83	980 3 G CONG 2475 VOTE
------------	-------------------------------

Location: 570-576 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2951	94.2 %
196	1	0.0 %
320	1	0.0 %
358	1	0.0 %
1627	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 0.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1627.00
- Standard Deviation: 31.41

V84	980 3 G CONG 1411 VOTE
------------	-------------------------------

Location: 577-583 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2944	94.0 %
55	1	0.0 %
223	1	0.0 %
315	1	0.0 %
455	1	0.0 %
572	1	0.0 %
1734	1	0.0 %
2248	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2403	1	0.0 %
6241	1	0.0 %
14457	1	0.0 %
16585	1	0.0 %
9999999 (M)	178	5.7 %

Based upon 2955 valid cases out of 3133 total cases.

- Mean: 15.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16585.00
- Standard Deviation: 426.30

V85 980 3 G CONG TOTAL VOTE

Location: 584-590 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2954 valid cases out of 3133 total cases.

- Mean: 24664.26
- Minimum: 45.00
- Maximum: 2301411.00
- Standard Deviation: 80803.25

V86 980 4 G SEN 0100 VOTE

Location: 591-597 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 14617.27
- Minimum: 80.00
- Maximum: 1348919.00
- Standard Deviation: 53317.62

V87 980 4 G SEN 0200 VOTE

Location: 598-604 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 12795.71

- Study 13 -

- Minimum: 21.00
- Maximum: 894712.00
- Standard Deviation: 37549.48

V88 980 4 G SEN 0543 VOTE

Location: 605-611 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 2078 valid cases out of 3133 total cases.

- Mean: 11.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7973.00
- Standard Deviation: 184.90

V89 980 4 G SEN 1735 VOTE

Location: 612-618 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 2078 valid cases out of 3133 total cases.

- Mean: 176.41
- Minimum: 0.00
- Maximum: 47597.00
- Standard Deviation: 1424.85

V90 980 4 G SEN 9999 VOTE

Location: 619-625 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1910	61.0 %
1	40	1.3 %
2	23	0.7 %
3	12	0.4 %
4	8	0.3 %
5	9	0.3 %
6	14	0.4 %
7	3	0.1 %
8	6	0.2 %
9	1	0.0 %
10	3	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	4	0.1 %
12	1	0.0 %
13	4	0.1 %
14	1	0.0 %
16	3	0.1 %
17	3	0.1 %
20	1	0.0 %
22	1	0.0 %
23	1	0.0 %
27	2	0.1 %
32	1	0.0 %
33	1	0.0 %
37	2	0.1 %
38	2	0.1 %
39	1	0.0 %
40	3	0.1 %
41	2	0.1 %
44	1	0.0 %
45	1	0.0 %
47	1	0.0 %
48	1	0.0 %
50	1	0.0 %
56	2	0.1 %
59	1	0.0 %
74	1	0.0 %
77	1	0.0 %
78	1	0.0 %
107	1	0.0 %
117	1	0.0 %
206	1	0.0 %
917	1	0.0 %
1586	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 2.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1586.00

- Study 13 -

- Standard Deviation: 40.91

V91 980 4 G SEN 0328 VOTE

Location: 626-632 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2064	65.9 %
11	1	0.0 %
15	1	0.0 %
62	1	0.0 %
66	1	0.0 %
70	1	0.0 %
74	1	0.0 %
77	1	0.0 %
93	1	0.0 %
114	1	0.0 %
163	1	0.0 %
189	1	0.0 %
243	1	0.0 %
244	1	0.0 %
343	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 0.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 343.00
- Standard Deviation: 12.86

V92 980 4 G SEN 1717 VOTE

Location: 633-639 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2064	65.9 %
12	1	0.0 %
19	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	1	0.0 %
43	1	0.0 %
50	2	0.1 %
55	1	0.0 %
56	1	0.0 %
126	1	0.0 %
130	1	0.0 %
152	1	0.0 %
209	1	0.0 %
306	1	0.0 %
328	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 328.00
- Standard Deviation: 12.31

V93 980 4 G SEN 0112 VOTE

Location: 640-646 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2016	64.3 %
124	1	0.0 %
328	1	0.0 %
330	1	0.0 %
341	1	0.0 %
526	1	0.0 %
560	1	0.0 %
575	1	0.0 %
581	1	0.0 %
685	1	0.0 %
687	1	0.0 %
690	1	0.0 %
724	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
725	1	0.0 %
748	1	0.0 %
781	1	0.0 %
787	1	0.0 %
793	1	0.0 %
844	1	0.0 %
847	1	0.0 %
877	1	0.0 %
886	1	0.0 %
948	1	0.0 %
1028	1	0.0 %
1127	1	0.0 %
1128	1	0.0 %
1134	1	0.0 %
1167	2	0.1 %
1184	1	0.0 %
1207	1	0.0 %
1215	1	0.0 %
1294	1	0.0 %
1363	1	0.0 %
1395	1	0.0 %
1497	1	0.0 %
1577	1	0.0 %
1914	1	0.0 %
2022	1	0.0 %
2348	1	0.0 %
2726	1	0.0 %
2727	1	0.0 %
2775	1	0.0 %
2796	1	0.0 %
3094	1	0.0 %
3360	1	0.0 %
3464	1	0.0 %
3481	1	0.0 %
3624	1	0.0 %
4768	1	0.0 %
5384	1	0.0 %
6525	1	0.0 %
6799	1	0.0 %
8231	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9236	1	0.0 %
9358	1	0.0 %
13092	1	0.0 %
16979	1	0.0 %
18974	1	0.0 %
22065	1	0.0 %
27497	1	0.0 %
29878	1	0.0 %
30113	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 132.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30113.00
- Standard Deviation: 1445.72

V94 980 4 G SEN 1706 VOTE

Location: 647-653 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2016	64.3 %
55	1	0.0 %
123	1	0.0 %
135	1	0.0 %
228	1	0.0 %
245	1	0.0 %
282	1	0.0 %
299	1	0.0 %
306	1	0.0 %
315	1	0.0 %
326	1	0.0 %
351	1	0.0 %
363	1	0.0 %
366	1	0.0 %
388	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
398	1	0.0 %
416	1	0.0 %
422	1	0.0 %
433	1	0.0 %
438	1	0.0 %
442	1	0.0 %
472	1	0.0 %
476	1	0.0 %
480	1	0.0 %
492	1	0.0 %
493	1	0.0 %
520	1	0.0 %
595	1	0.0 %
646	1	0.0 %
682	1	0.0 %
712	1	0.0 %
733	1	0.0 %
758	1	0.0 %
781	1	0.0 %
821	1	0.0 %
827	1	0.0 %
871	1	0.0 %
915	1	0.0 %
934	1	0.0 %
1113	1	0.0 %
1151	1	0.0 %
1255	1	0.0 %
1495	1	0.0 %
1614	1	0.0 %
1624	1	0.0 %
1679	1	0.0 %
1999	1	0.0 %
2148	1	0.0 %
2290	1	0.0 %
2654	1	0.0 %
2875	1	0.0 %
3395	1	0.0 %
4356	1	0.0 %
4569	1	0.0 %
4715	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5940	1	0.0 %
8347	1	0.0 %
8950	1	0.0 %
11372	1	0.0 %
12434	1	0.0 %
12681	1	0.0 %
15836	1	0.0 %
19439	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 73.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19439.00
- Standard Deviation: 813.77

V95 980 4 G SEN 0402 VOTE

Location: 654-660 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2016	64.3 %
355	1	0.0 %
515	1	0.0 %
898	1	0.0 %
1260	1	0.0 %
1343	1	0.0 %
1469	1	0.0 %
1506	1	0.0 %
1546	1	0.0 %
1686	1	0.0 %
1721	1	0.0 %
1737	1	0.0 %
1785	1	0.0 %
1811	1	0.0 %
1851	1	0.0 %
1973	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2097	1	0.0 %
2288	1	0.0 %
2318	1	0.0 %
2327	1	0.0 %
2380	1	0.0 %
2416	1	0.0 %
2509	1	0.0 %
2569	1	0.0 %
2622	1	0.0 %
2733	1	0.0 %
2760	1	0.0 %
2801	1	0.0 %
2949	1	0.0 %
2969	1	0.0 %
3024	1	0.0 %
3041	1	0.0 %
3093	1	0.0 %
3156	1	0.0 %
3330	1	0.0 %
3402	1	0.0 %
4011	1	0.0 %
4917	1	0.0 %
5823	1	0.0 %
5933	1	0.0 %
5952	1	0.0 %
6627	1	0.0 %
7610	1	0.0 %
8407	1	0.0 %
8500	1	0.0 %
8915	1	0.0 %
9052	1	0.0 %
9117	1	0.0 %
9130	1	0.0 %
9424	1	0.0 %
11142	1	0.0 %
12182	1	0.0 %
19253	1	0.0 %
21862	1	0.0 %
25915	1	0.0 %
34832	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
37302	1	0.0 %
42320	1	0.0 %
51896	1	0.0 %
52956	1	0.0 %
53358	1	0.0 %
58651	1	0.0 %
63217	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 319.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 63217.00
- Standard Deviation: 3309.57

V96

980 4 G SEN 1761 VOTE

Location: 661-667 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2016	64.3 %
11	1	0.0 %
29	1	0.0 %
50	1	0.0 %
52	1	0.0 %
58	1	0.0 %
60	1	0.0 %
62	1	0.0 %
74	1	0.0 %
78	2	0.1 %
82	1	0.0 %
83	2	0.1 %
86	1	0.0 %
90	1	0.0 %
92	1	0.0 %
93	3	0.1 %
107	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
108	1	0.0 %
111	1	0.0 %
112	1	0.0 %
113	2	0.1 %
132	1	0.0 %
135	1	0.0 %
136	1	0.0 %
147	1	0.0 %
148	1	0.0 %
156	2	0.1 %
170	1	0.0 %
194	1	0.0 %
198	1	0.0 %
212	1	0.0 %
219	1	0.0 %
221	1	0.0 %
241	1	0.0 %
265	1	0.0 %
268	1	0.0 %
271	1	0.0 %
290	1	0.0 %
312	1	0.0 %
329	1	0.0 %
348	1	0.0 %
358	1	0.0 %
363	1	0.0 %
376	1	0.0 %
406	1	0.0 %
420	1	0.0 %
430	1	0.0 %
614	1	0.0 %
685	1	0.0 %
833	1	0.0 %
968	1	0.0 %
1003	1	0.0 %
1049	1	0.0 %
1609	1	0.0 %
1647	1	0.0 %
2001	1	0.0 %
2144	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 10.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2144.00
- Standard Deviation: 99.22

V97 980 4 G SEN 0646 VOTE

Location: 668-674 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 23.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7173.00
- Standard Deviation: 203.96

V98 980 4 G SEN 2464 VOTE

Location: 675-681 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1925	61.4 %
1	5	0.2 %
2	4	0.1 %
3	11	0.4 %
4	8	0.3 %
5	6	0.2 %
6	7	0.2 %
7	12	0.4 %
8	3	0.1 %
9	7	0.2 %
10	5	0.2 %
11	7	0.2 %
12	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	3	0.1 %
14	3	0.1 %
15	3	0.1 %
16	1	0.0 %
17	1	0.0 %
18	9	0.3 %
19	4	0.1 %
20	1	0.0 %
21	1	0.0 %
22	4	0.1 %
24	4	0.1 %
26	2	0.1 %
30	1	0.0 %
31	2	0.1 %
32	1	0.0 %
37	1	0.0 %
38	1	0.0 %
39	2	0.1 %
40	2	0.1 %
41	2	0.1 %
42	1	0.0 %
43	1	0.0 %
45	1	0.0 %
46	2	0.1 %
50	1	0.0 %
52	1	0.0 %
54	1	0.0 %
57	1	0.0 %
62	1	0.0 %
63	1	0.0 %
64	1	0.0 %
79	2	0.1 %
81	1	0.0 %
83	1	0.0 %
85	1	0.0 %
91	1	0.0 %
144	1	0.0 %
177	1	0.0 %
223	1	0.0 %
248	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
264	1	0.0 %
286	1	0.0 %
313	1	0.0 %
327	1	0.0 %
409	1	0.0 %
450	1	0.0 %
3733	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 4.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3733.00
- Standard Deviation: 84.67

V99

980 4 G SEN 1716 VOTE

Location: 682-688 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2011	64.2 %
2	2	0.1 %
3	1	0.0 %
4	1	0.0 %
6	1	0.0 %
14	1	0.0 %
15	1	0.0 %
16	1	0.0 %
17	2	0.1 %
19	1	0.0 %
20	1	0.0 %
23	1	0.0 %
24	1	0.0 %
25	1	0.0 %
26	1	0.0 %
28	1	0.0 %
29	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	1	0.0 %
33	1	0.0 %
34	2	0.1 %
35	1	0.0 %
36	1	0.0 %
40	1	0.0 %
43	1	0.0 %
44	1	0.0 %
52	1	0.0 %
53	1	0.0 %
57	1	0.0 %
59	1	0.0 %
63	1	0.0 %
66	2	0.1 %
69	2	0.1 %
72	1	0.0 %
80	1	0.0 %
87	2	0.1 %
90	1	0.0 %
93	1	0.0 %
96	1	0.0 %
101	1	0.0 %
104	1	0.0 %
116	1	0.0 %
117	1	0.0 %
132	1	0.0 %
134	1	0.0 %
194	1	0.0 %
200	1	0.0 %
207	1	0.0 %
231	1	0.0 %
251	1	0.0 %
263	1	0.0 %
293	2	0.1 %
319	1	0.0 %
325	1	0.0 %
393	1	0.0 %
597	1	0.0 %
645	1	0.0 %
777	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1064	1	0.0 %
2381	1	0.0 %
5145	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 7.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5145.00
- Standard Deviation: 130.83

V100	980 4 G SEN 0557 VOTE
-------------	------------------------------

Location: 689-695 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1977	63.1 %
1	1	0.0 %
2	2	0.1 %
3	7	0.2 %
4	3	0.1 %
6	4	0.1 %
7	2	0.1 %
8	3	0.1 %
9	1	0.0 %
10	9	0.3 %
11	5	0.2 %
12	4	0.1 %
13	2	0.1 %
14	3	0.1 %
16	3	0.1 %
17	1	0.0 %
18	5	0.2 %
21	2	0.1 %
22	1	0.0 %
23	2	0.1 %
24	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	1	0.0 %
32	1	0.0 %
35	1	0.0 %
36	1	0.0 %
37	2	0.1 %
43	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	2	0.1 %
49	1	0.0 %
53	1	0.0 %
57	1	0.0 %
61	1	0.0 %
64	1	0.0 %
70	1	0.0 %
71	1	0.0 %
78	1	0.0 %
85	1	0.0 %
98	1	0.0 %
103	1	0.0 %
108	1	0.0 %
123	1	0.0 %
131	1	0.0 %
157	1	0.0 %
181	1	0.0 %
185	1	0.0 %
204	1	0.0 %
249	1	0.0 %
255	1	0.0 %
308	1	0.0 %
312	1	0.0 %
390	1	0.0 %
452	1	0.0 %
523	1	0.0 %
738	1	0.0 %
870	1	0.0 %
1489	1	0.0 %
10657	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 9.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10657.00
- Standard Deviation: 238.48

V101 980 4 G SEN 9001 VOTE

Location: 696-702 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 2078 valid cases out of 3133 total cases.

- Mean: 44.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9388.00
- Standard Deviation: 340.56

V102 980 4 G SEN 9002 VOTE

Location: 703-709 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 2078 valid cases out of 3133 total cases.

- Mean: 38.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14110.00
- Standard Deviation: 473.80

V103 980 4 G SEN 1299 VOTE

Location: 710-716 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2006	64.0 %
2	1	0.0 %
3	1	0.0 %
5	1	0.0 %
7	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	1	0.0 %
14	2	0.1 %
15	1	0.0 %
16	1	0.0 %
17	2	0.1 %
18	2	0.1 %
19	1	0.0 %
21	1	0.0 %
25	3	0.1 %
33	1	0.0 %
38	1	0.0 %
47	3	0.1 %
53	1	0.0 %
56	1	0.0 %
64	1	0.0 %
71	1	0.0 %
72	1	0.0 %
75	1	0.0 %
85	2	0.1 %
89	1	0.0 %
94	1	0.0 %
95	1	0.0 %
105	1	0.0 %
106	1	0.0 %
111	1	0.0 %
116	1	0.0 %
117	1	0.0 %
127	1	0.0 %
132	2	0.1 %
133	1	0.0 %
151	1	0.0 %
170	1	0.0 %
182	1	0.0 %
195	1	0.0 %
196	1	0.0 %
212	1	0.0 %
218	1	0.0 %
220	1	0.0 %
232	1	0.0 %
240	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
253	1	0.0 %
266	1	0.0 %
297	1	0.0 %
347	1	0.0 %
359	1	0.0 %
437	1	0.0 %
441	1	0.0 %
496	1	0.0 %
506	1	0.0 %
556	1	0.0 %
565	1	0.0 %
592	1	0.0 %
604	1	0.0 %
617	1	0.0 %
640	1	0.0 %
1178	1	0.0 %
1436	1	0.0 %
2142	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 7.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2142.00
- Standard Deviation: 76.11

V104

980 4 G SEN 2472 VOTE

Location: 717-723 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1960	62.6 %
1	11	0.4 %
2	10	0.3 %
3	10	0.3 %
4	4	0.1 %
5	5	0.2 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	5	0.2 %
7	5	0.2 %
8	5	0.2 %
9	2	0.1 %
10	1	0.0 %
12	4	0.1 %
13	3	0.1 %
14	3	0.1 %
15	4	0.1 %
16	4	0.1 %
18	2	0.1 %
19	2	0.1 %
20	4	0.1 %
21	1	0.0 %
23	1	0.0 %
24	1	0.0 %
25	2	0.1 %
26	1	0.0 %
27	1	0.0 %
28	1	0.0 %
30	2	0.1 %
31	1	0.0 %
33	2	0.1 %
37	1	0.0 %
41	1	0.0 %
44	2	0.1 %
46	1	0.0 %
56	1	0.0 %
60	1	0.0 %
61	1	0.0 %
62	1	0.0 %
65	1	0.0 %
71	1	0.0 %
73	1	0.0 %
75	1	0.0 %
87	1	0.0 %
90	1	0.0 %
92	1	0.0 %
116	1	0.0 %
124	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
230	1	0.0 %
372	1	0.0 %
447	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 1.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 447.00
- Standard Deviation: 15.52

V105 980 4 G SEN 2479 VOTE

Location: 724-730 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2025	64.6 %
1	10	0.3 %
2	4	0.1 %
3	7	0.2 %
4	2	0.1 %
5	6	0.2 %
6	1	0.0 %
7	1	0.0 %
8	2	0.1 %
9	1	0.0 %
10	1	0.0 %
11	2	0.1 %
13	1	0.0 %
17	1	0.0 %
25	2	0.1 %
28	1	0.0 %
30	1	0.0 %
33	1	0.0 %
35	1	0.0 %
53	1	0.0 %
56	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
66	1	0.0 %
84	1	0.0 %
126	1	0.0 %
208	1	0.0 %
246	1	0.0 %
433	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 0.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 433.00
- Standard Deviation: 12.60

V106 980 4 G SEN 0999 VOTE

Location: 731-737 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2011	64.2 %
9999999 (M)	1122	35.8 %

Based upon 2011 valid cases out of 3133 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

V107 980 4 G SEN 1718 VOTE

Location: 738-744 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2011	64.2 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	1	0.0 %
5	1	0.0 %
6	1	0.0 %
8	1	0.0 %
9	2	0.1 %
10	2	0.1 %
11	1	0.0 %
12	1	0.0 %
13	1	0.0 %
14	1	0.0 %
15	1	0.0 %
16	1	0.0 %
30	1	0.0 %
32	1	0.0 %
42	1	0.0 %
43	1	0.0 %
52	1	0.0 %
60	1	0.0 %
62	1	0.0 %
63	1	0.0 %
66	1	0.0 %
68	1	0.0 %
74	1	0.0 %
85	1	0.0 %
88	1	0.0 %
94	1	0.0 %
116	1	0.0 %
123	1	0.0 %
125	1	0.0 %
137	1	0.0 %
149	1	0.0 %
152	1	0.0 %
158	1	0.0 %
161	1	0.0 %
177	1	0.0 %
179	2	0.1 %
192	1	0.0 %
195	1	0.0 %
201	1	0.0 %
202	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
208	1	0.0 %
210	2	0.1 %
213	1	0.0 %
217	1	0.0 %
219	1	0.0 %
221	1	0.0 %
229	1	0.0 %
238	1	0.0 %
272	1	0.0 %
291	1	0.0 %
320	1	0.0 %
321	1	0.0 %
323	1	0.0 %
341	1	0.0 %
353	1	0.0 %
366	1	0.0 %
394	1	0.0 %
475	1	0.0 %
545	1	0.0 %
706	1	0.0 %
835	1	0.0 %
1125	1	0.0 %
3912	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 7.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3912.00
- Standard Deviation: 98.28

V108	980 4 G SEN 2410 VOTE
-------------	------------------------------

Location: 745-751 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2011	64.2 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	1	0.0 %
5	2	0.1 %
6	1	0.0 %
7	3	0.1 %
10	1	0.0 %
11	1	0.0 %
12	1	0.0 %
13	1	0.0 %
14	1	0.0 %
16	1	0.0 %
24	2	0.1 %
29	1	0.0 %
31	1	0.0 %
33	1	0.0 %
39	1	0.0 %
40	1	0.0 %
43	1	0.0 %
46	1	0.0 %
47	2	0.1 %
53	1	0.0 %
55	1	0.0 %
57	1	0.0 %
64	1	0.0 %
65	1	0.0 %
67	1	0.0 %
68	1	0.0 %
86	1	0.0 %
89	1	0.0 %
93	1	0.0 %
98	1	0.0 %
105	1	0.0 %
107	3	0.1 %
112	1	0.0 %
118	1	0.0 %
120	1	0.0 %
131	1	0.0 %
134	1	0.0 %
144	1	0.0 %
148	1	0.0 %
157	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
158	1	0.0 %
159	1	0.0 %
164	1	0.0 %
167	1	0.0 %
208	1	0.0 %
210	2	0.1 %
241	1	0.0 %
268	1	0.0 %
335	1	0.0 %
363	1	0.0 %
415	1	0.0 %
416	1	0.0 %
460	1	0.0 %
473	1	0.0 %
521	1	0.0 %
565	1	0.0 %
756	1	0.0 %
787	1	0.0 %
3418	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 6.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3418.00
- Standard Deviation: 85.09

V109

980 4 G SEN 1437 VOTE

Location: 752-758 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2014	64.3 %
1	2	0.1 %
2	1	0.0 %
3	4	0.1 %
4	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	4	0.1 %
6	6	0.2 %
7	2	0.1 %
8	2	0.1 %
9	4	0.1 %
11	2	0.1 %
13	3	0.1 %
14	3	0.1 %
16	4	0.1 %
17	1	0.0 %
18	1	0.0 %
20	2	0.1 %
21	1	0.0 %
24	1	0.0 %
25	1	0.0 %
26	1	0.0 %
28	1	0.0 %
29	3	0.1 %
30	1	0.0 %
31	1	0.0 %
35	1	0.0 %
38	1	0.0 %
39	1	0.0 %
54	2	0.1 %
59	1	0.0 %
66	1	0.0 %
85	1	0.0 %
104	1	0.0 %
125	1	0.0 %
199	1	0.0 %
1459	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 1.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1459.00
- Standard Deviation: 32.75

- Study 13 -

V110 980 4 G SEN 2475 VOTE

Location: 759-765 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2014	64.3 %
11	1	0.0 %
14	1	0.0 %
15	1	0.0 %
17	1	0.0 %
19	1	0.0 %
20	1	0.0 %
21	1	0.0 %
24	1	0.0 %
25	1	0.0 %
26	3	0.1 %
27	3	0.1 %
28	2	0.1 %
29	1	0.0 %
30	3	0.1 %
31	2	0.1 %
32	1	0.0 %
33	1	0.0 %
37	1	0.0 %
40	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
52	1	0.0 %
56	2	0.1 %
58	2	0.1 %
60	2	0.1 %
62	1	0.0 %
65	1	0.0 %
71	1	0.0 %
72	1	0.0 %
78	1	0.0 %
79	1	0.0 %
80	1	0.0 %
85	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99	1	0.0 %
102	1	0.0 %
104	1	0.0 %
106	1	0.0 %
107	1	0.0 %
112	1	0.0 %
116	1	0.0 %
123	2	0.1 %
128	1	0.0 %
133	1	0.0 %
135	1	0.0 %
170	1	0.0 %
206	1	0.0 %
238	1	0.0 %
311	1	0.0 %
477	1	0.0 %
640	1	0.0 %
1110	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 3.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1110.00
- Standard Deviation: 33.49

V111 980 4 G SEN 2476 VOTE

Location: 766-772 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2014	64.3 %
634	1	0.0 %
642	1	0.0 %
676	1	0.0 %
870	1	0.0 %
915	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1090	1	0.0 %
1172	1	0.0 %
1239	1	0.0 %
1252	1	0.0 %
1279	1	0.0 %
1449	1	0.0 %
1516	1	0.0 %
1600	1	0.0 %
1659	1	0.0 %
1680	1	0.0 %
1683	1	0.0 %
1685	1	0.0 %
1692	1	0.0 %
1732	1	0.0 %
1783	1	0.0 %
1909	1	0.0 %
1942	1	0.0 %
1961	1	0.0 %
2006	1	0.0 %
2042	1	0.0 %
2118	1	0.0 %
2122	1	0.0 %
2132	1	0.0 %
2272	1	0.0 %
2306	1	0.0 %
2364	1	0.0 %
2446	1	0.0 %
2503	1	0.0 %
2511	1	0.0 %
2533	1	0.0 %
2538	1	0.0 %
2615	1	0.0 %
2993	1	0.0 %
3635	1	0.0 %
3676	1	0.0 %
3764	1	0.0 %
3885	1	0.0 %
4187	1	0.0 %
4577	1	0.0 %
4706	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4777	1	0.0 %
4786	1	0.0 %
5277	1	0.0 %
5304	1	0.0 %
5813	1	0.0 %
5825	1	0.0 %
6038	1	0.0 %
6651	1	0.0 %
7041	1	0.0 %
7694	1	0.0 %
7776	1	0.0 %
9167	1	0.0 %
9339	1	0.0 %
12215	1	0.0 %
15966	1	0.0 %
21985	1	0.0 %
29421	1	0.0 %
29465	1	0.0 %
35391	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 156.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35391.00
- Standard Deviation: 1498.44

V112

980 4 G SEN 2477 VOTE

Location: 773-779 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2014	64.3 %
13	1	0.0 %
21	2	0.1 %
22	1	0.0 %
24	3	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	1	0.0 %
27	1	0.0 %
29	1	0.0 %
31	1	0.0 %
37	2	0.1 %
38	1	0.0 %
39	1	0.0 %
40	2	0.1 %
41	1	0.0 %
42	2	0.1 %
43	1	0.0 %
44	1	0.0 %
52	1	0.0 %
56	1	0.0 %
57	1	0.0 %
58	1	0.0 %
59	1	0.0 %
61	2	0.1 %
63	1	0.0 %
67	1	0.0 %
70	1	0.0 %
71	1	0.0 %
73	1	0.0 %
76	1	0.0 %
81	1	0.0 %
84	1	0.0 %
86	1	0.0 %
88	1	0.0 %
89	1	0.0 %
90	1	0.0 %
92	1	0.0 %
99	1	0.0 %
103	1	0.0 %
119	1	0.0 %
121	1	0.0 %
126	2	0.1 %
140	1	0.0 %
149	1	0.0 %
154	1	0.0 %
155	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
192	1	0.0 %
197	1	0.0 %
207	1	0.0 %
209	2	0.1 %
281	1	0.0 %
320	1	0.0 %
322	1	0.0 %
702	1	0.0 %
785	1	0.0 %
1585	1	0.0 %
1768	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 4.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1768.00
- Standard Deviation: 60.05

V113	980 4 G SEN 2471 VOTE
-------------	------------------------------

Location: 780-786 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2064	65.9 %
32	1	0.0 %
63	1	0.0 %
65	1	0.0 %
66	1	0.0 %
70	1	0.0 %
75	1	0.0 %
82	1	0.0 %
93	1	0.0 %
115	1	0.0 %
116	1	0.0 %
135	1	0.0 %
158	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1252	1	0.0 %
1286	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 1.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1286.00
- Standard Deviation: 40.01

V114	980 4 G SEN 0361 VOTE
-------------	------------------------------

Location: 787-793 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2016	64.3 %
1	1	0.0 %
2	1	0.0 %
3	5	0.2 %
4	4	0.1 %
5	3	0.1 %
6	2	0.1 %
7	3	0.1 %
8	1	0.0 %
10	2	0.1 %
11	2	0.1 %
13	3	0.1 %
14	1	0.0 %
16	1	0.0 %
17	1	0.0 %
20	2	0.1 %
22	4	0.1 %
24	2	0.1 %
27	1	0.0 %
29	1	0.0 %
31	1	0.0 %
34	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
37	1	0.0 %
38	1	0.0 %
51	1	0.0 %
53	1	0.0 %
55	1	0.0 %
65	1	0.0 %
82	1	0.0 %
85	1	0.0 %
89	1	0.0 %
113	1	0.0 %
133	1	0.0 %
134	1	0.0 %
207	1	0.0 %
263	1	0.0 %
299	1	0.0 %
350	1	0.0 %
679	1	0.0 %
842	1	0.0 %
1045	1	0.0 %
2130	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 3.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2130.00
- Standard Deviation: 58.85

V115 980 4 G SEN 0310 VOTE

Location: 794-800 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2049	65.4 %
1	2	0.1 %
2	3	0.1 %
3	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	1	0.0 %
7	2	0.1 %
8	3	0.1 %
10	1	0.0 %
13	2	0.1 %
14	1	0.0 %
16	1	0.0 %
19	2	0.1 %
27	1	0.0 %
28	1	0.0 %
32	1	0.0 %
39	1	0.0 %
129	1	0.0 %
156	1	0.0 %
168	1	0.0 %
286	1	0.0 %
957	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 0.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 957.00
- Standard Deviation: 22.71

V116

980 4 G SEN 1411 VOTE

Location: 801-807 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2020	64.5 %
18	1	0.0 %
35	1	0.0 %
80	1	0.0 %
100	1	0.0 %
128	1	0.0 %
140	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
162	1	0.0 %
196	1	0.0 %
198	1	0.0 %
212	1	0.0 %
226	1	0.0 %
227	1	0.0 %
235	1	0.0 %
323	1	0.0 %
336	1	0.0 %
373	1	0.0 %
415	1	0.0 %
425	1	0.0 %
430	1	0.0 %
473	1	0.0 %
485	1	0.0 %
545	1	0.0 %
563	1	0.0 %
593	1	0.0 %
882	1	0.0 %
887	1	0.0 %
1011	1	0.0 %
1075	1	0.0 %
1206	1	0.0 %
1276	1	0.0 %
1449	1	0.0 %
1474	1	0.0 %
1625	1	0.0 %
1626	1	0.0 %
1807	1	0.0 %
1830	1	0.0 %
2061	1	0.0 %
2108	1	0.0 %
2207	1	0.0 %
2453	1	0.0 %
2915	1	0.0 %
2919	1	0.0 %
3273	1	0.0 %
3328	1	0.0 %
3537	1	0.0 %
4199	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4284	1	0.0 %
4534	1	0.0 %
5274	1	0.0 %
5759	1	0.0 %
7026	1	0.0 %
9047	1	0.0 %
9219	1	0.0 %
10349	1	0.0 %
12341	1	0.0 %
13791	1	0.0 %
16539	1	0.0 %
46125	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 94.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 46125.00
- Standard Deviation: 1253.28

V117 980 4 G SEN 1404 VOTE

Location: 808-814 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2020	64.5 %
14	1	0.0 %
71	1	0.0 %
74	1	0.0 %
108	1	0.0 %
118	1	0.0 %
138	1	0.0 %
174	1	0.0 %
180	1	0.0 %
194	1	0.0 %
201	1	0.0 %
281	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
294	1	0.0 %
295	1	0.0 %
307	1	0.0 %
339	1	0.0 %
342	1	0.0 %
396	1	0.0 %
398	1	0.0 %
438	1	0.0 %
447	1	0.0 %
449	2	0.1 %
494	1	0.0 %
622	1	0.0 %
694	1	0.0 %
709	1	0.0 %
738	1	0.0 %
886	1	0.0 %
938	1	0.0 %
980	1	0.0 %
1024	1	0.0 %
1033	1	0.0 %
1159	1	0.0 %
1203	1	0.0 %
1266	1	0.0 %
1267	1	0.0 %
1272	1	0.0 %
1298	1	0.0 %
1429	1	0.0 %
1478	1	0.0 %
1577	1	0.0 %
1795	1	0.0 %
2207	1	0.0 %
2447	1	0.0 %
2583	1	0.0 %
2634	1	0.0 %
2736	1	0.0 %
3127	1	0.0 %
3184	1	0.0 %
4359	1	0.0 %
4396	1	0.0 %
5094	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5658	1	0.0 %
5688	1	0.0 %
7292	1	0.0 %
9848	1	0.0 %
10991	1	0.0 %
29835	1	0.0 %
9999999 (M)	1055	33.7 %

Based upon 2078 valid cases out of 3133 total cases.

- Mean: 62.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29835.00
- Standard Deviation: 809.65

V118 980 4 G SEN TOTAL VOTE

Location: 815-821 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2011 valid cases out of 3133 total cases.

- Mean: 28930.43
- Minimum: 337.00
- Maximum: 2367188.00
- Standard Deviation: 94678.84

V119 980 7 G STATE 0100 VOTE

Location: 822-828 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1189 valid cases out of 3133 total cases.

- Mean: 8862.16
- Minimum: 0.00
- Maximum: 384499.00
- Standard Deviation: 23288.44

V120 980 7 G STATE 0200 VOTE

Location: 829-835 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1189 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 8312.59
- Minimum: 0.00
- Maximum: 262948.00
- Standard Deviation: 21042.73

V121 980 7 G STATE 1717 VOTE

Location: 836-842 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1175	37.5 %
59	1	0.0 %
83	1	0.0 %
306	1	0.0 %
323	2	0.1 %
379	1	0.0 %
395	1	0.0 %
440	1	0.0 %
499	1	0.0 %
658	1	0.0 %
793	1	0.0 %
806	1	0.0 %
1698	1	0.0 %
2599	1	0.0 %
9999999 (M)	1944	62.0 %

Based upon 1189 valid cases out of 3133 total cases.

- Mean: 7.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2599.00
- Standard Deviation: 101.88

V122 980 7 G STATE 9999 VOTE

Location: 843-849 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1073	34.2 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	29	0.9 %
2	14	0.4 %
3	16	0.5 %
4	11	0.4 %
5	6	0.2 %
6	6	0.2 %
7	7	0.2 %
8	2	0.1 %
9	4	0.1 %
10	4	0.1 %
11	1	0.0 %
13	1	0.0 %
14	2	0.1 %
15	1	0.0 %
17	1	0.0 %
18	1	0.0 %
19	1	0.0 %
21	1	0.0 %
23	1	0.0 %
31	1	0.0 %
33	1	0.0 %
34	1	0.0 %
37	1	0.0 %
40	1	0.0 %
75	1	0.0 %
196	1	0.0 %
9999999 (M)	1944	62.0 %

Based upon 1189 valid cases out of 3133 total cases.

- Mean: 0.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 196.00
- Standard Deviation: 6.76

V123	980 7 G STATE 1735 VOTE
-------------	--------------------------------

Location: 850-856 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1189 valid cases out of 3133 total cases.

- Study 13 -

- Mean: 156.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 23359.00
- Standard Deviation: 933.76

V124 980 7 G STATE 0380 VOTE

Location: 857-863 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1092	34.9 %
1	1	0.0 %
3	2	0.1 %
4	3	0.1 %
7	2	0.1 %
9	1	0.0 %
10	2	0.1 %
11	1	0.0 %
12	1	0.0 %
14	2	0.1 %
15	1	0.0 %
16	1	0.0 %
19	1	0.0 %
20	2	0.1 %
29	1	0.0 %
34	1	0.0 %
39	1	0.0 %
43	1	0.0 %
44	1	0.0 %
46	1	0.0 %
53	1	0.0 %
54	2	0.1 %
56	2	0.1 %
58	3	0.1 %
61	1	0.0 %
62	1	0.0 %
63	1	0.0 %
65	1	0.0 %
66	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
68	2	0.1 %
71	1	0.0 %
73	1	0.0 %
76	1	0.0 %
77	2	0.1 %
78	1	0.0 %
79	1	0.0 %
81	1	0.0 %
86	1	0.0 %
87	1	0.0 %
88	1	0.0 %
90	1	0.0 %
91	1	0.0 %
92	2	0.1 %
93	1	0.0 %
94	1	0.0 %
101	1	0.0 %
103	1	0.0 %
107	1	0.0 %
108	1	0.0 %
117	1	0.0 %
129	2	0.1 %
130	1	0.0 %
131	1	0.0 %
134	1	0.0 %
140	1	0.0 %
142	1	0.0 %
145	1	0.0 %
146	1	0.0 %
156	1	0.0 %
159	1	0.0 %
160	1	0.0 %
171	1	0.0 %
177	1	0.0 %
179	1	0.0 %
181	1	0.0 %
201	1	0.0 %
228	1	0.0 %
235	1	0.0 %
240	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
246	1	0.0 %
254	1	0.0 %
259	1	0.0 %
272	1	0.0 %
437	1	0.0 %
506	1	0.0 %
520	1	0.0 %
627	1	0.0 %
761	1	0.0 %
786	1	0.0 %
944	1	0.0 %
1269	1	0.0 %
1835	1	0.0 %
1959	1	0.0 %
9999999 (M)	1944	62.0 %

Based upon 1189 valid cases out of 3133 total cases.

- Mean: 14.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1959.00
- Standard Deviation: 103.99

V125 980 7 G STATE 2472 VOTE

Location: 864-870 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1122	35.8 %
4	1	0.0 %
9	1	0.0 %
11	1	0.0 %
17	1	0.0 %
20	2	0.1 %
22	1	0.0 %
24	1	0.0 %
27	2	0.1 %
28	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
37	2	0.1 %
38	1	0.0 %
39	1	0.0 %
41	1	0.0 %
42	1	0.0 %
46	1	0.0 %
49	2	0.1 %
51	1	0.0 %
53	1	0.0 %
54	1	0.0 %
56	2	0.1 %
66	1	0.0 %
70	1	0.0 %
71	1	0.0 %
73	1	0.0 %
74	1	0.0 %
76	1	0.0 %
78	1	0.0 %
79	1	0.0 %
81	1	0.0 %
86	1	0.0 %
87	1	0.0 %
90	1	0.0 %
93	1	0.0 %
96	2	0.1 %
104	1	0.0 %
111	1	0.0 %
113	1	0.0 %
116	1	0.0 %
128	1	0.0 %
139	1	0.0 %
141	1	0.0 %
154	1	0.0 %
162	1	0.0 %
164	1	0.0 %
172	1	0.0 %
193	1	0.0 %
203	1	0.0 %
204	1	0.0 %
212	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
235	1	0.0 %
278	1	0.0 %
283	1	0.0 %
296	1	0.0 %
317	1	0.0 %
402	1	0.0 %
421	1	0.0 %
469	1	0.0 %
524	1	0.0 %
1748	1	0.0 %
1835	1	0.0 %
9999999 (M)	1944	62.0 %

Based upon 1189 valid cases out of 3133 total cases.

- Mean: 9.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1835.00
- Standard Deviation: 82.38

V126 980 7 G STATE 0328 VOTE

Location: 871-877 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1150	36.7 %
189	1	0.0 %
250	1	0.0 %
264	1	0.0 %
270	1	0.0 %
353	1	0.0 %
489	1	0.0 %
522	1	0.0 %
1269	1	0.0 %
1327	1	0.0 %
1516	1	0.0 %
1657	1	0.0 %
2245	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2608	1	0.0 %
2792	1	0.0 %
2813	1	0.0 %
2824	1	0.0 %
3069	1	0.0 %
3350	1	0.0 %
3370	1	0.0 %
3775	1	0.0 %
5305	1	0.0 %
5491	1	0.0 %
5495	1	0.0 %
5595	1	0.0 %
6041	1	0.0 %
7446	1	0.0 %
9123	1	0.0 %
11324	1	0.0 %
12696	1	0.0 %
13839	1	0.0 %
14793	1	0.0 %
18635	1	0.0 %
20794	1	0.0 %
25708	1	0.0 %
28595	1	0.0 %
38292	1	0.0 %
55777	1	0.0 %
55940	1	0.0 %
255574	1	0.0 %
9999999 (M)	1944	62.0 %

Based upon 1189 valid cases out of 3133 total cases.

- Mean: 531.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 255574.00
- Standard Deviation: 8000.07

V127

980 7 G STATE TOTAL VOTE

Location: 878-884 (width: 7; decimal: 0)

Variable Type: numeric

- Study 13 -

Based upon 1189 valid cases out of 3133 total cases.

- Mean: 17895.04
- Minimum: 329.00
- Maximum: 610893.00
- Standard Deviation: 44976.34