

ICPSR 0013

General Election Data for the United States, 1950-1990

*Inter-university Consortium for Political
and Social Research*

Codebook for National, 1976

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/13/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #00013

General Election Data for the United States, 1950-1990

– National, 1976

- 1) Collection Update:** The SPSS setup files were updated to conform to current standards. SAS and Stata setup files, as well as SPSS and Stata system files, a SAS transport (CPORT) file, an R data file, a tab-delimited data file, and a PDF codebook have been added to the collection.
- 2) Variable Labels:** Users may notice that some variable labels refer to “ICPR”. This reference is to a former name for ICPSR.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1976

Variable Name and Label (Total Cases = 3136)		Percent of Cases with Missing Values
1.2% (2 of 171 variables)	have 0% Missing Values	
15.2% (26 of 171 variables)	have 0% - 1% Missing Values	
38.0% (65 of 171 variables)	have 1% - 3% Missing Values	
1.2% (2 of 171 variables)	have 3% - 5% Missing Values	
0.0% (0 of 171 variables)	have 5% - 10% Missing Values	
0.0% (0 of 171 variables)	have 10% - 20% Missing Values	
0.0% (0 of 171 variables)	have 20% - 40% Missing Values	
44.4% (76 of 171 variables)	have 40% - 99% Missing Values	
V5	STATE OFF SUB-CODE, 1976	59.5%
V30	976 2 G GOV 0100 VOTE	71.5%
V31	976 2 G GOV 0200 VOTE	71.5%
V32	976 2 G GOV 0310 VOTE	71.5%
V33	976 2 G GOV 0328 VOTE	71.5%
V34	976 2 G GOV 0361 VOTE	71.5%
V35	976 2 G GOV 0505 VOTE	71.5%
V36	976 2 G GOV 0541 VOTE	71.5%
V37	976 2 G GOV 0646 VOTE	71.5%
V38	976 2 G GOV 0908 VOTE	71.5%
V39	976 2 G GOV 1404 VOTE	71.5%
V40	976 2 G GOV 1717 VOTE	71.5%
V41	976 2 G GOV 1728 VOTE	71.5%
V42	976 2 G GOV 1735 VOTE	71.5%
V43	976 2 G GOV 1776 VOTE	71.5%
V44	976 2 G GOV 2427 VOTE	71.5%
V45	976 2 G GOV 2428 VOTE	71.5%
V46	976 2 G GOV 2430 VOTE	71.5%
V47	976 2 G GOV 9001 VOTE	71.5%
V48	976 2 G GOV 9999 VOTE	71.5%
V49	976 2 G GOV TOTAL VOTE	71.5%
V117	976 4 G SEN 0100 VOTE	40.1%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1976

Variable Name and Label (Total Cases = 3136)		Percent of Cases with Missing Values
V118	976 4 G SEN 0112 VOTE	40.1%
V119	976 4 G SEN 0200 VOTE	40.1%
V120	976 4 G SEN 0310 VOTE	40.1%
V121	976 4 G SEN 0328 VOTE	40.1%
V122	976 4 G SEN 0341 VOTE	40.1%
V123	976 4 G SEN 0361 VOTE	40.1%
V124	976 4 G SEN 0402 VOTE	40.1%
V125	976 4 G SEN 0501 VOTE	40.1%
V126	976 4 G SEN 0505 VOTE	40.1%
V127	976 4 G SEN 0541 VOTE	40.1%
V128	976 4 G SEN 0570 VOTE	40.1%
V129	976 4 G SEN 0646 VOTE	40.1%
V130	976 4 G SEN 0756 VOTE	40.1%
V131	976 4 G SEN 0894 VOTE	40.1%
V132	976 4 G SEN 0908 VOTE	40.1%
V133	976 4 G SEN 1404 VOTE	40.1%
V134	976 4 G SEN 1411 VOTE	40.1%
V135	976 4 G SEN 1447 VOTE	40.1%
V136	976 4 G SEN 1701 VOTE	40.1%
V137	976 4 G SEN 1717 VOTE	40.1%
V138	976 4 G SEN 1728 VOTE	40.1%
V139	976 4 G SEN 1735 VOTE	40.1%
V140	976 4 G SEN 1741 VOTE	40.1%
V141	976 4 G SEN 1761 VOTE	40.1%
V142	976 4 G SEN 1776 VOTE	40.1%
V143	976 4 G SEN 2431 VOTE	40.1%
V144	976 4 G SEN 9001 VOTE	40.1%
V145	976 4 G SEN 9002 VOTE	40.1%
V146	976 4 G SEN 9003 VOTE	40.1%
V147	976 4 G SEN 9007 VOTE	40.1%
V148	976 4 G SEN 9008 VOTE	40.1%
V149	976 4 G SEN 9009 VOTE	40.1%
V150	976 4 G SEN 9010 VOTE	40.1%
V151	976 4 G SEN 9999 VOTE	40.1%
V152	976 4 G SEN TOTAL VOTE	40.1%
V153	976 7 G STATE 0100 VOTE	59.5%
V154	976 7 G STATE 0200 VOTE	59.5%
V155	976 7 G STATE 0310 VOTE	59.5%
V156	976 7 G STATE 0361 VOTE	59.5%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1976

Variable Name and Label (Total Cases = 3136)		Percent of Cases with Missing Values
V157	976 7 G STATE 0501 VOTE	59.5%
V158	976 7 G STATE 0505 VOTE	59.5%
V159	976 7 G STATE 0541 VOTE	59.5%
V160	976 7 G STATE 0570 VOTE	59.5%
V161	976 7 G STATE 0646 VOTE	59.5%
V162	976 7 G STATE 0908 VOTE	59.5%
V163	976 7 G STATE 1701 VOTE	59.5%
V164	976 7 G STATE 1717 VOTE	59.5%
V165	976 7 G STATE 1728 VOTE	59.5%
V166	976 7 G STATE 1732 VOTE	59.5%
V167	976 7 G STATE 1735 VOTE	59.5%
V168	976 7 G STATE 1776 VOTE	59.5%
V169	976 7 G STATE 2430 VOTE	59.5%
V170	976 7 G STATE 9999 VOTE	59.5%
V171	976 7 G STATE TOTAL VOTE	59.5%
0.0% (0 of 171 variables)		have 100% missing values

ICPSR 13

General Election Data for the United States, 1950-1990

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

General Election Data for the United States, 1950-1990

National, 1976

V1 **ICPR STATE CODE**

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	8	0.3 %
2	16	0.5 %
3	14	0.4 %
4	10	0.3 %
5	5	0.2 %
6	14	0.4 %
11	3	0.1 %
12	21	0.7 %
13	62	2.0 %
14	67	2.1 %
21	102	3.3 %
22	92	2.9 %
23	83	2.6 %
24	88	2.8 %
25	72	2.3 %
31	99	3.2 %
32	105	3.3 %
33	87	2.8 %
34	115	3.7 %
35	93	3.0 %
36	53	1.7 %
37	67	2.1 %
40	136	4.3 %
41	67	2.1 %
42	75	2.4 %
43	67	2.1 %
44	159	5.1 %
45	64	2.0 %
46	82	2.6 %
47	100	3.2 %
48	46	1.5 %
49	254	8.1 %
51	120	3.8 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	24	0.8 %
53	77	2.5 %
54	95	3.0 %
55	1	0.0 %
56	55	1.8 %
61	14	0.4 %
62	64	2.0 %
63	44	1.4 %
64	56	1.8 %
65	17	0.5 %
66	32	1.0 %
67	29	0.9 %
68	23	0.7 %
71	58	1.8 %
72	36	1.1 %
73	39	1.2 %
81	22	0.7 %
82	4	0.1 %

Based upon 3136 valid cases out of 3136 total cases.

- Mean: 41.33
- Median: 43.00
- Mode: 49.00
- Minimum: 1.00
- Maximum: 82.00
- Standard Deviation: 15.91

V2 COUNTY NAME

Location: 3-19 (width: 17; decimal: 0)

Variable Type: character

Based upon 3136 valid cases out of 3136 total cases.

V3 IDENTIFICATION NUMBER

Location: 20-23 (width: 4; decimal: 0)

Variable Type: numeric

Based upon 3133 valid cases out of 3136 total cases.

- Mean: 1046.30
- Minimum: 10.00
- Maximum: 8400.00

- Study 13 -

- Standard Deviation: 1083.98

V4 CONG DIST NUMBER, 1976

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	450	14.3 %
2	437	13.9 %
3	294	9.4 %
4	230	7.3 %
5	194	6.2 %
6	211	6.7 %
7	177	5.6 %
8	114	3.6 %
9	107	3.4 %
10	112	3.6 %
11	63	2.0 %
12	11	0.4 %
13	37	1.2 %
14	16	0.5 %
15	29	0.9 %
16	18	0.6 %
17	42	1.3 %
18	18	0.6 %
19	29	0.9 %
20	8	0.3 %
21	35	1.1 %
22	24	0.8 %
23	24	0.8 %
24	25	0.8 %
25	5	0.2 %
26	2	0.1 %
27	3	0.1 %
29	5	0.2 %
30	5	0.2 %
31	5	0.2 %
32	3	0.1 %
33	4	0.1 %
34	1	0.0 %
35	3	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	2	0.1 %
39	3	0.1 %
43	1	0.0 %
52	182	5.8 %
53	44	1.4 %
54	16	0.5 %
55	5	0.2 %
56	5	0.2 %
57	1	0.0 %
63	1	0.0 %
67	1	0.0 %
98	132	4.2 %
99 (M)	2	0.1 %

Based upon 3134 valid cases out of 3136 total cases.

- Mean: 13.93
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 22.44

V5 STATE OFF SUB-CODE, 1976

Location: 26-27 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 99

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	291	9.3 %
2	451	14.4 %
4	242	7.7 %
6	162	5.2 %
11	123	3.9 %
99 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 3.54
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00

- Study 13 -

- Maximum: 11.00
- Standard Deviation: 2.92

V6 976 1 G PRES 0100 VOTE

Location: 28-34 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 12975.31
- Minimum: 35.00
- Maximum: 1221893.00
- Standard Deviation: 44527.29

V7 976 1 G PRES 0112 VOTE

Location: 35-41 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3073	98.0 %
127	1	0.0 %
206	1	0.0 %
265	1	0.0 %
280	1	0.0 %
337	1	0.0 %
403	1	0.0 %
452	1	0.0 %
491	1	0.0 %
504	1	0.0 %
530	1	0.0 %
558	1	0.0 %
573	1	0.0 %
590	1	0.0 %
592	1	0.0 %
620	1	0.0 %
656	1	0.0 %
657	1	0.0 %
693	1	0.0 %
694	1	0.0 %
841	1	0.0 %
852	1	0.0 %
880	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
882	1	0.0 %
895	1	0.0 %
1033	1	0.0 %
1052	1	0.0 %
1054	1	0.0 %
1090	1	0.0 %
1105	1	0.0 %
1112	1	0.0 %
1124	1	0.0 %
1158	1	0.0 %
1167	1	0.0 %
1173	1	0.0 %
1174	1	0.0 %
1197	1	0.0 %
1434	1	0.0 %
1674	1	0.0 %
1720	1	0.0 %
2241	1	0.0 %
2338	1	0.0 %
2644	1	0.0 %
2807	1	0.0 %
2856	1	0.0 %
2986	1	0.0 %
3051	1	0.0 %
3219	1	0.0 %
3474	1	0.0 %
4292	1	0.0 %
4427	1	0.0 %
8117	1	0.0 %
8641	1	0.0 %
8703	1	0.0 %
10063	1	0.0 %
10127	1	0.0 %
11338	1	0.0 %
14075	1	0.0 %
19276	1	0.0 %
26598	1	0.0 %
27530	1	0.0 %
30063	1	0.0 %
34167	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 87.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 34167.00
- Standard Deviation: 1234.30

V8 976 1 G PRES 0200 VOTE

Location: 42-48 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 12405.42
- Minimum: 47.00
- Maximum: 1174926.00
- Standard Deviation: 40458.34

V9 976 1 G PRES 0310 VOTE

Location: 49-55 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 52.98
- Minimum: 0.00
- Maximum: 3796.00
- Standard Deviation: 181.87

V10 976 1 G PRES 0328 VOTE

Location: 56-62 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 236.36
- Minimum: 0.00
- Maximum: 27706.00
- Standard Deviation: 1030.07

V11 976 1 G PRES 0341 VOTE

- Study 13 -

Location: 63-69 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 15.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11232.00
- Standard Deviation: 241.41

V12 **976 1 G PRES 0361 VOTE**

Location: 70-76 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2702	86.2 %
1	79	2.5 %
2	46	1.5 %
3	39	1.2 %
4	37	1.2 %
5	23	0.7 %
6	14	0.4 %
7	23	0.7 %
8	12	0.4 %
9	11	0.4 %
10	4	0.1 %
11	5	0.2 %
12	2	0.1 %
13	9	0.3 %
14	4	0.1 %
15	3	0.1 %
16	8	0.3 %
17	3	0.1 %
18	3	0.1 %
19	3	0.1 %
20	2	0.1 %
21	1	0.0 %
23	2	0.1 %
24	4	0.1 %
25	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	2	0.1 %
27	1	0.0 %
28	1	0.0 %
29	3	0.1 %
30	1	0.0 %
31	1	0.0 %
32	1	0.0 %
33	2	0.1 %
36	4	0.1 %
37	3	0.1 %
39	2	0.1 %
41	1	0.0 %
42	1	0.0 %
43	1	0.0 %
44	1	0.0 %
46	2	0.1 %
47	2	0.1 %
49	1	0.0 %
51	2	0.1 %
54	1	0.0 %
56	1	0.0 %
57	1	0.0 %
58	2	0.1 %
63	2	0.1 %
65	1	0.0 %
66	1	0.0 %
68	2	0.1 %
69	2	0.1 %
70	1	0.0 %
71	1	0.0 %
72	1	0.0 %
76	1	0.0 %
78	1	0.0 %
87	1	0.0 %
95	1	0.0 %
96	1	0.0 %
98	2	0.1 %
103	1	0.0 %
104	1	0.0 %
111	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
113	1	0.0 %
118	1	0.0 %
119	1	0.0 %
121	1	0.0 %
125	1	0.0 %
129	2	0.1 %
131	2	0.1 %
133	1	0.0 %
134	1	0.0 %
158	1	0.0 %
159	1	0.0 %
174	1	0.0 %
175	1	0.0 %
178	1	0.0 %
182	1	0.0 %
186	1	0.0 %
191	1	0.0 %
202	1	0.0 %
216	2	0.1 %
222	1	0.0 %
235	1	0.0 %
241	1	0.0 %
242	1	0.0 %
288	1	0.0 %
293	1	0.0 %
294	1	0.0 %
312	1	0.0 %
315	1	0.0 %
372	1	0.0 %
392	1	0.0 %
515	1	0.0 %
533	1	0.0 %
1392	1	0.0 %
1854	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 5.08
- Median: 0.00
- Mode: 0.00

- Study 13 -

- Minimum: 0.00
- Maximum: 1854.00
- Standard Deviation: 49.20

V13 976 1 G PRES 0380 VOTE

Location: 77-83 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2869	91.5 %
1	63	2.0 %
2	44	1.4 %
3	23	0.7 %
4	21	0.7 %
5	10	0.3 %
6	13	0.4 %
7	13	0.4 %
8	9	0.3 %
9	5	0.2 %
10	3	0.1 %
11	3	0.1 %
12	1	0.0 %
13	3	0.1 %
14	2	0.1 %
15	1	0.0 %
16	4	0.1 %
17	3	0.1 %
18	5	0.2 %
19	1	0.0 %
21	2	0.1 %
22	1	0.0 %
23	1	0.0 %
24	3	0.1 %
26	2	0.1 %
28	4	0.1 %
30	1	0.0 %
31	3	0.1 %
33	1	0.0 %
38	2	0.1 %
39	1	0.0 %
40	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
41	2	0.1 %
51	1	0.0 %
56	1	0.0 %
57	1	0.0 %
59	3	0.1 %
61	1	0.0 %
68	1	0.0 %
85	1	0.0 %
87	1	0.0 %
130	1	0.0 %
199	1	0.0 %
289	1	0.0 %
416	1	0.0 %
2586	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 1.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2586.00
- Standard Deviation: 47.47

V14 976 1 G PRES 0402 VOTE

Location: 84-90 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3073	98.0 %
31	1	0.0 %
57	1	0.0 %
66	1	0.0 %
75	1	0.0 %
101	1	0.0 %
105	1	0.0 %
118	1	0.0 %
119	1	0.0 %
135	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
138	1	0.0 %
143	1	0.0 %
149	1	0.0 %
157	1	0.0 %
166	1	0.0 %
207	1	0.0 %
216	2	0.1 %
219	1	0.0 %
227	1	0.0 %
235	1	0.0 %
236	1	0.0 %
282	1	0.0 %
283	1	0.0 %
296	1	0.0 %
301	1	0.0 %
305	1	0.0 %
310	1	0.0 %
314	1	0.0 %
328	1	0.0 %
332	1	0.0 %
341	1	0.0 %
364	1	0.0 %
372	1	0.0 %
381	1	0.0 %
382	1	0.0 %
390	1	0.0 %
405	1	0.0 %
406	1	0.0 %
479	1	0.0 %
722	1	0.0 %
767	1	0.0 %
792	1	0.0 %
795	1	0.0 %
801	1	0.0 %
892	1	0.0 %
896	1	0.0 %
930	1	0.0 %
953	1	0.0 %
1132	1	0.0 %
1804	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1887	1	0.0 %
2115	1	0.0 %
2528	1	0.0 %
2797	1	0.0 %
5796	1	0.0 %
6859	1	0.0 %
8794	1	0.0 %
12208	1	0.0 %
12303	1	0.0 %
21019	1	0.0 %
22411	1	0.0 %
26805	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 46.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26805.00
- Standard Deviation: 828.29

V15 976 1 G PRES 0505 VOTE

Location: 91-97 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2719	86.7 %
1	124	4.0 %
2	66	2.1 %
3	42	1.3 %
4	24	0.8 %
5	24	0.8 %
6	11	0.4 %
7	14	0.4 %
8	12	0.4 %
9	8	0.3 %
10	4	0.1 %
11	8	0.3 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	4	0.1 %
13	6	0.2 %
14	4	0.1 %
15	3	0.1 %
16	2	0.1 %
17	3	0.1 %
18	1	0.0 %
19	2	0.1 %
20	2	0.1 %
21	1	0.0 %
22	2	0.1 %
23	1	0.0 %
25	1	0.0 %
26	3	0.1 %
27	3	0.1 %
30	1	0.0 %
31	1	0.0 %
32	3	0.1 %
34	1	0.0 %
37	3	0.1 %
38	1	0.0 %
39	1	0.0 %
40	1	0.0 %
42	1	0.0 %
44	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
50	1	0.0 %
51	1	0.0 %
55	1	0.0 %
56	2	0.1 %
59	1	0.0 %
68	2	0.1 %
78	1	0.0 %
83	1	0.0 %
87	1	0.0 %
90	1	0.0 %
111	1	0.0 %
136	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
147	1	0.0 %
151	1	0.0 %
160	1	0.0 %
169	1	0.0 %
200	1	0.0 %
223	1	0.0 %
259	1	0.0 %
426	1	0.0 %
1755	1	0.0 %
2458	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 2.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2458.00
- Standard Deviation: 55.52

V16 976 1 G PRES 0541 VOTE

Location: 98-104 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 18.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5323.00
- Standard Deviation: 147.56

V17 976 1 G PRES 0646 VOTE

Location: 105-111 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 29.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 3757.00
- Standard Deviation: 153.86

V18 976 1 G PRES 1404 VOTE

Location: 112-118 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 47.36
- Minimum: 0.00
- Maximum: 13441.00
- Standard Deviation: 342.21

V19 976 1 G PRES 1407 VOTE

Location: 119-125 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3096	98.7 %
8	1	0.0 %
11	1	0.0 %
13	1	0.0 %
15	1	0.0 %
20	1	0.0 %
32	1	0.0 %
33	1	0.0 %
35	1	0.0 %
36	1	0.0 %
45	1	0.0 %
46	1	0.0 %
50	1	0.0 %
55	1	0.0 %
62	1	0.0 %
67	1	0.0 %
71	1	0.0 %
81	2	0.1 %
87	1	0.0 %
93	1	0.0 %
97	1	0.0 %
117	1	0.0 %
160	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
162	1	0.0 %
175	1	0.0 %
186	1	0.0 %
192	1	0.0 %
195	1	0.0 %
198	1	0.0 %
207	1	0.0 %
229	1	0.0 %
249	1	0.0 %
271	1	0.0 %
321	1	0.0 %
418	1	0.0 %
759	1	0.0 %
818	1	0.0 %
826	1	0.0 %
2064	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 2.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2064.00
- Standard Deviation: 47.21

V20	976 1 G PRES 1728 VOTE
------------	-------------------------------

Location: 126-132 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3121	99.5 %
12	1	0.0 %
13	1	0.0 %
18	1	0.0 %
27	1	0.0 %
30	1	0.0 %
32	1	0.0 %
33	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	1	0.0 %
60	1	0.0 %
108	2	0.1 %
146	1	0.0 %
173	1	0.0 %
189	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 189.00
- Standard Deviation: 6.18

V21 976 1 G PRES 1735 VOTE

Location: 133-139 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 54.89
- Minimum: 0.00
- Maximum: 15164.00
- Standard Deviation: 368.61

V22 976 1 G PRES 1776 VOTE

Location: 140-146 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 12.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1233.00
- Standard Deviation: 59.50

V23 976 1 G PRES 2408 VOTE

Location: 147-153 (width: 7; decimal: 0)

Variable Type: numeric

- Study 13 -

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3061	97.6 %
1	26	0.8 %
2	10	0.3 %
3	12	0.4 %
4	8	0.3 %
5	4	0.1 %
6	2	0.1 %
7	1	0.0 %
8	2	0.1 %
10	2	0.1 %
11	1	0.0 %
12	1	0.0 %
13	1	0.0 %
17	1	0.0 %
21	1	0.0 %
29	1	0.0 %
52	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 52.00
- Standard Deviation: 1.33

V24 976 1 G PRES 2409 VOTE

Location: 154-160 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3127	99.7 %
1	4	0.1 %
4	1	0.0 %
6	2	0.1 %
16	1	0.0 %
9999999 (M)	1	0.0 %

- Study 13 -

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 0.33

V25 **976 1 G PRES 2431 VOTE**

Location: 161-167 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3118	99.4 %
9	1	0.0 %
21	2	0.1 %
30	1	0.0 %
34	1	0.0 %
59	1	0.0 %
84	1	0.0 %
88	1	0.0 %
91	1	0.0 %
92	1	0.0 %
103	1	0.0 %
155	1	0.0 %
162	1	0.0 %
178	1	0.0 %
367	1	0.0 %
1599	1	0.0 %
2015	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 1.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2015.00
- Standard Deviation: 46.83

V26 **976 1 G PRES 9001 VOTE**

- Study 13 -

Location: 168-174 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3103	98.9 %
1	2	0.1 %
2	7	0.2 %
3	3	0.1 %
5	1	0.0 %
6	1	0.0 %
7	2	0.1 %
9	1	0.0 %
10	1	0.0 %
12	1	0.0 %
18	1	0.0 %
20	1	0.0 %
25	1	0.0 %
26	2	0.1 %
31	1	0.0 %
34	1	0.0 %
39	1	0.0 %
44	1	0.0 %
63	1	0.0 %
76	1	0.0 %
100	1	0.0 %
112	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 112.00
- Standard Deviation: 3.61

V27 976 1 G PRES 9002 VOTE

Location: 175-181 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3122	99.6 %
1	6	0.2 %
2	1	0.0 %
3	1	0.0 %
5	1	0.0 %
6	2	0.1 %
7	1	0.0 %
12	1	0.0 %
9999999 (M)	1	0.0 %

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 0.31

V28 976 1 G PRES 9999 VOTE

Location: 182-188 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 9.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2855.00
- Standard Deviation: 77.85

V29 976 1 G PRES TOTAL VOTE

Location: 189-195 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3135 valid cases out of 3136 total cases.

- Mean: 26006.68
- Minimum: 86.00
- Maximum: 2459077.00
- Standard Deviation: 86414.50

V30 976 2 G GOV 0100 VOTE

- Study 13 -

Location: 196-202 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 894 valid cases out of 3136 total cases.

- Mean: 9479.88
- Minimum: 171.00
- Maximum: 910409.00
- Standard Deviation: 35061.32

V31 976 2 G GOV 0200 VOTE

Location: 203-209 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 894 valid cases out of 3136 total cases.

- Mean: 9225.64
- Minimum: 0.00
- Maximum: 1240751.00
- Standard Deviation: 45499.11

V32 976 2 G GOV 0310 VOTE

Location: 210-216 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 894 valid cases out of 3136 total cases.

- Mean: 41.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1654.00
- Standard Deviation: 140.23

V33 976 2 G GOV 0328 VOTE

Location: 217-223 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	807	25.7 %
21	1	0.0 %
23	2	0.1 %
26	1	0.0 %
27	1	0.0 %
30	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	1	0.0 %
36	1	0.0 %
37	1	0.0 %
38	1	0.0 %
47	1	0.0 %
49	1	0.0 %
50	1	0.0 %
52	2	0.1 %
58	1	0.0 %
60	1	0.0 %
63	1	0.0 %
64	1	0.0 %
65	1	0.0 %
67	4	0.1 %
68	1	0.0 %
69	1	0.0 %
71	1	0.0 %
74	2	0.1 %
79	1	0.0 %
80	1	0.0 %
85	1	0.0 %
86	2	0.1 %
95	1	0.0 %
99	2	0.1 %
106	1	0.0 %
111	1	0.0 %
113	1	0.0 %
121	1	0.0 %
124	1	0.0 %
126	1	0.0 %
127	1	0.0 %
129	1	0.0 %
136	1	0.0 %
138	1	0.0 %
141	1	0.0 %
149	2	0.1 %
160	1	0.0 %
162	1	0.0 %
163	1	0.0 %
165	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
170	1	0.0 %
176	2	0.1 %
187	1	0.0 %
203	1	0.0 %
215	1	0.0 %
220	1	0.0 %
227	1	0.0 %
228	1	0.0 %
229	1	0.0 %
255	1	0.0 %
258	1	0.0 %
265	1	0.0 %
268	1	0.0 %
283	1	0.0 %
286	1	0.0 %
324	1	0.0 %
325	1	0.0 %
333	1	0.0 %
376	1	0.0 %
382	1	0.0 %
434	1	0.0 %
438	1	0.0 %
473	1	0.0 %
550	1	0.0 %
656	1	0.0 %
766	1	0.0 %
785	1	0.0 %
812	1	0.0 %
823	1	0.0 %
907	1	0.0 %
3531	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 22.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3531.00
- Standard Deviation: 144.51

- Study 13 -

V34 976 2 G GOV 0361 VOTE

Location: 224-230 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	891	28.4 %
32	1	0.0 %
36	1	0.0 %
229	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 229.00
- Standard Deviation: 7.82

V35 976 2 G GOV 0505 VOTE

Location: 231-237 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	782	24.9 %
1	15	0.5 %
2	13	0.4 %
3	10	0.3 %
4	5	0.2 %
5	4	0.1 %
6	3	0.1 %
7	3	0.1 %
8	1	0.0 %
9	3	0.1 %
10	2	0.1 %
11	2	0.1 %
13	2	0.1 %
14	1	0.0 %
15	1	0.0 %
16	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	2	0.1 %
18	1	0.0 %
19	3	0.1 %
20	4	0.1 %
23	2	0.1 %
26	1	0.0 %
27	1	0.0 %
28	1	0.0 %
31	1	0.0 %
34	1	0.0 %
35	1	0.0 %
42	1	0.0 %
43	1	0.0 %
44	1	0.0 %
45	1	0.0 %
46	1	0.0 %
48	1	0.0 %
49	2	0.1 %
58	1	0.0 %
60	1	0.0 %
84	1	0.0 %
86	1	0.0 %
88	1	0.0 %
93	1	0.0 %
98	1	0.0 %
103	2	0.1 %
107	1	0.0 %
116	1	0.0 %
127	1	0.0 %
166	1	0.0 %
186	1	0.0 %
207	1	0.0 %
270	1	0.0 %
901	1	0.0 %
1237	1	0.0 %
2098	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 8.15

- Study 13 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2098.00
- Standard Deviation: 88.55

V36

976 2 G GOV 0541 VOTE

Location: 238-244 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	797	25.4 %
1	7	0.2 %
2	7	0.2 %
3	6	0.2 %
4	8	0.3 %
5	5	0.2 %
6	3	0.1 %
7	4	0.1 %
8	4	0.1 %
9	2	0.1 %
10	3	0.1 %
11	1	0.0 %
12	2	0.1 %
13	2	0.1 %
14	2	0.1 %
15	3	0.1 %
16	4	0.1 %
17	2	0.1 %
19	1	0.0 %
20	1	0.0 %
22	1	0.0 %
26	1	0.0 %
27	2	0.1 %
28	1	0.0 %
32	1	0.0 %
34	1	0.0 %
36	1	0.0 %
38	1	0.0 %
42	1	0.0 %
44	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
46	1	0.0 %
51	1	0.0 %
56	1	0.0 %
60	1	0.0 %
65	1	0.0 %
75	1	0.0 %
80	1	0.0 %
91	1	0.0 %
94	1	0.0 %
98	1	0.0 %
106	1	0.0 %
114	1	0.0 %
117	1	0.0 %
118	1	0.0 %
161	1	0.0 %
373	1	0.0 %
374	1	0.0 %
403	1	0.0 %
6760	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 11.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6760.00
- Standard Deviation: 227.39

V37

976 2 G GOV 0646 VOTE

Location: 245-251 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	775	24.7 %
1	25	0.8 %
2	15	0.5 %
3	6	0.2 %
4	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	4	0.1 %
6	2	0.1 %
7	4	0.1 %
8	3	0.1 %
9	2	0.1 %
10	2	0.1 %
11	3	0.1 %
12	1	0.0 %
14	2	0.1 %
15	2	0.1 %
16	3	0.1 %
18	4	0.1 %
19	4	0.1 %
21	3	0.1 %
22	2	0.1 %
24	1	0.0 %
28	3	0.1 %
37	1	0.0 %
39	1	0.0 %
49	1	0.0 %
50	2	0.1 %
55	1	0.0 %
63	2	0.1 %
66	1	0.0 %
68	1	0.0 %
75	1	0.0 %
81	1	0.0 %
85	1	0.0 %
87	1	0.0 %
99	1	0.0 %
115	1	0.0 %
126	1	0.0 %
135	1	0.0 %
148	1	0.0 %
166	1	0.0 %
195	1	0.0 %
196	1	0.0 %
220	1	0.0 %
1306	1	0.0 %
1702	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2039	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 8.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2039.00
- Standard Deviation: 100.32

V38 976 2 G GOV 0908 VOTE

Location: 252-258 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	786	25.1 %
1	8	0.3 %
2	9	0.3 %
3	14	0.4 %
4	6	0.2 %
5	8	0.3 %
6	7	0.2 %
7	9	0.3 %
8	2	0.1 %
9	5	0.2 %
10	8	0.3 %
11	4	0.1 %
12	1	0.0 %
13	2	0.1 %
14	1	0.0 %
16	2	0.1 %
17	2	0.1 %
18	1	0.0 %
21	1	0.0 %
24	1	0.0 %
25	1	0.0 %
29	1	0.0 %
33	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
34	1	0.0 %
37	1	0.0 %
48	1	0.0 %
56	1	0.0 %
70	1	0.0 %
75	1	0.0 %
106	2	0.1 %
160	1	0.0 %
230	1	0.0 %
254	1	0.0 %
283	1	0.0 %
884	1	0.0 %
1182	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 4.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1182.00
- Standard Deviation: 52.18

V39	976 2 G GOV 1404 VOTE
------------	------------------------------

Location: 259-265 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	855	27.3 %
13	1	0.0 %
18	1	0.0 %
23	1	0.0 %
24	1	0.0 %
27	1	0.0 %
32	1	0.0 %
43	1	0.0 %
47	1	0.0 %
49	1	0.0 %
61	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
65	2	0.1 %
66	3	0.1 %
77	1	0.0 %
86	1	0.0 %
110	1	0.0 %
118	1	0.0 %
126	1	0.0 %
163	1	0.0 %
201	1	0.0 %
212	1	0.0 %
220	1	0.0 %
240	1	0.0 %
272	1	0.0 %
276	1	0.0 %
286	1	0.0 %
294	1	0.0 %
297	1	0.0 %
351	1	0.0 %
352	1	0.0 %
401	1	0.0 %
534	1	0.0 %
678	1	0.0 %
884	1	0.0 %
1072	1	0.0 %
1374	1	0.0 %
3117	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 13.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3117.00
- Standard Deviation: 130.59

V40	976 2 G GOV 1717 VOTE
------------	------------------------------

Location: 266-272 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	880	28.1 %
56	1	0.0 %
81	1	0.0 %
267	1	0.0 %
308	1	0.0 %
319	1	0.0 %
425	1	0.0 %
464	1	0.0 %
478	1	0.0 %
722	1	0.0 %
899	1	0.0 %
942	1	0.0 %
1174	1	0.0 %
1687	1	0.0 %
3495	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 12.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3495.00
- Standard Deviation: 147.45

V41 976 2 G GOV 1728 VOTE

Location: 273-279 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	880	28.1 %
22	1	0.0 %
30	1	0.0 %
70	1	0.0 %
109	1	0.0 %
115	2	0.1 %
131	1	0.0 %
141	1	0.0 %
177	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
213	1	0.0 %
228	1	0.0 %
251	1	0.0 %
259	1	0.0 %
640	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 2.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 640.00
- Standard Deviation: 28.85

V42 976 2 G GOV 1735 VOTE

Location: 280-286 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	660	21.0 %
1	12	0.4 %
2	14	0.4 %
3	12	0.4 %
4	14	0.4 %
5	9	0.3 %
6	6	0.2 %
7	7	0.2 %
8	11	0.4 %
9	4	0.1 %
10	3	0.1 %
11	5	0.2 %
12	6	0.2 %
13	7	0.2 %
14	3	0.1 %
15	5	0.2 %
16	4	0.1 %
17	2	0.1 %
18	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	2	0.1 %
21	5	0.2 %
22	3	0.1 %
23	3	0.1 %
24	3	0.1 %
25	2	0.1 %
27	5	0.2 %
28	2	0.1 %
29	4	0.1 %
30	3	0.1 %
31	2	0.1 %
32	2	0.1 %
33	2	0.1 %
34	3	0.1 %
36	2	0.1 %
37	3	0.1 %
38	2	0.1 %
40	1	0.0 %
41	1	0.0 %
43	1	0.0 %
45	2	0.1 %
46	1	0.0 %
48	3	0.1 %
51	1	0.0 %
53	2	0.1 %
55	1	0.0 %
60	2	0.1 %
61	1	0.0 %
62	1	0.0 %
64	1	0.0 %
66	1	0.0 %
68	1	0.0 %
70	1	0.0 %
73	1	0.0 %
74	1	0.0 %
75	1	0.0 %
78	1	0.0 %
79	1	0.0 %
81	1	0.0 %
83	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
87	1	0.0 %
96	1	0.0 %
98	1	0.0 %
100	1	0.0 %
108	1	0.0 %
110	1	0.0 %
119	1	0.0 %
120	1	0.0 %
121	1	0.0 %
148	1	0.0 %
157	1	0.0 %
169	1	0.0 %
178	1	0.0 %
190	1	0.0 %
196	1	0.0 %
235	1	0.0 %
256	1	0.0 %
299	1	0.0 %
322	1	0.0 %
327	1	0.0 %
338	1	0.0 %
344	1	0.0 %
348	1	0.0 %
375	1	0.0 %
461	1	0.0 %
466	1	0.0 %
508	1	0.0 %
717	1	0.0 %
1074	1	0.0 %
1815	1	0.0 %
3180	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 19.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3180.00
- Standard Deviation: 137.15

- Study 13 -

V43 976 2 G GOV 1776 VOTE

Location: 287-293 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	700	22.3 %
1	20	0.6 %
2	21	0.7 %
3	20	0.6 %
4	8	0.3 %
5	7	0.2 %
6	12	0.4 %
7	3	0.1 %
8	9	0.3 %
9	6	0.2 %
10	8	0.3 %
11	9	0.3 %
12	4	0.1 %
13	3	0.1 %
14	5	0.2 %
15	6	0.2 %
16	3	0.1 %
17	3	0.1 %
18	2	0.1 %
19	4	0.1 %
20	5	0.2 %
22	1	0.0 %
23	1	0.0 %
24	2	0.1 %
26	1	0.0 %
27	1	0.0 %
30	2	0.1 %
32	1	0.0 %
34	1	0.0 %
35	1	0.0 %
40	1	0.0 %
43	1	0.0 %
47	2	0.1 %
48	3	0.1 %
49	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	2	0.1 %
58	1	0.0 %
66	1	0.0 %
71	1	0.0 %
73	1	0.0 %
83	1	0.0 %
93	1	0.0 %
94	1	0.0 %
96	1	0.0 %
127	1	0.0 %
182	1	0.0 %
227	1	0.0 %
251	1	0.0 %
387	1	0.0 %
393	1	0.0 %
1219	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 5.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1219.00
- Standard Deviation: 47.54

V44	976 2 G GOV 2427 VOTE
------------	------------------------------

Location: 294-300 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	866	27.6 %
2	1	0.0 %
3	1	0.0 %
4	1	0.0 %
6	1	0.0 %
8	1	0.0 %
11	1	0.0 %
12	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	1	0.0 %
16	1	0.0 %
18	1	0.0 %
19	1	0.0 %
21	1	0.0 %
25	2	0.1 %
27	1	0.0 %
28	1	0.0 %
31	1	0.0 %
33	1	0.0 %
36	1	0.0 %
50	1	0.0 %
64	1	0.0 %
71	1	0.0 %
78	1	0.0 %
230	1	0.0 %
330	1	0.0 %
439	1	0.0 %
522	1	0.0 %
1593	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 4.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1593.00
- Standard Deviation: 59.63

V45 976 2 G GOV 2428 VOTE

Location: 301-307 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	880	28.1 %
6	1	0.0 %
8	1	0.0 %
15	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	1	0.0 %
36	1	0.0 %
37	1	0.0 %
41	2	0.1 %
91	1	0.0 %
101	1	0.0 %
108	1	0.0 %
133	1	0.0 %
187	1	0.0 %
232	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 1.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 232.00
- Standard Deviation: 12.63

V46	976 2 G GOV 2430 VOTE
------------	------------------------------

Location: 308-314 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	855	27.3 %
1	1	0.0 %
7	1	0.0 %
9	1	0.0 %
11	1	0.0 %
21	1	0.0 %
24	2	0.1 %
28	2	0.1 %
29	1	0.0 %
30	1	0.0 %
37	1	0.0 %
42	1	0.0 %
53	1	0.0 %
67	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
70	1	0.0 %
91	1	0.0 %
92	2	0.1 %
93	1	0.0 %
99	1	0.0 %
104	1	0.0 %
111	1	0.0 %
133	1	0.0 %
138	1	0.0 %
154	1	0.0 %
175	1	0.0 %
201	1	0.0 %
202	1	0.0 %
224	1	0.0 %
301	1	0.0 %
312	1	0.0 %
408	1	0.0 %
507	1	0.0 %
686	1	0.0 %
812	1	0.0 %
835	1	0.0 %
1336	1	0.0 %
4813	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 13.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4813.00
- Standard Deviation: 175.57

V47	976 2 G GOV 9001 VOTE
------------	------------------------------

Location: 315-321 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	846	27.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	0.1 %
2	2	0.1 %
4	2	0.1 %
6	2	0.1 %
15	1	0.0 %
17	1	0.0 %
18	1	0.0 %
19	1	0.0 %
20	1	0.0 %
22	1	0.0 %
29	2	0.1 %
30	1	0.0 %
37	1	0.0 %
41	1	0.0 %
42	1	0.0 %
51	1	0.0 %
61	1	0.0 %
63	1	0.0 %
73	1	0.0 %
86	1	0.0 %
92	1	0.0 %
95	1	0.0 %
106	1	0.0 %
108	2	0.1 %
111	1	0.0 %
137	1	0.0 %
149	1	0.0 %
152	1	0.0 %
156	1	0.0 %
163	1	0.0 %
166	1	0.0 %
191	1	0.0 %
217	1	0.0 %
231	1	0.0 %
327	1	0.0 %
348	1	0.0 %
466	1	0.0 %
482	1	0.0 %
523	1	0.0 %
593	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 6.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 593.00
- Standard Deviation: 42.91

V48 976 2 G GOV 9999 VOTE

Location: 322-328 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	868	27.7 %
1	4	0.1 %
2	3	0.1 %
3	2	0.1 %
4	2	0.1 %
5	1	0.0 %
7	1	0.0 %
8	1	0.0 %
9	2	0.1 %
10	1	0.0 %
11	1	0.0 %
14	1	0.0 %
15	2	0.1 %
22	2	0.1 %
30	1	0.0 %
79	1	0.0 %
111	1	0.0 %
9999999 (M)	2242	71.5 %

Based upon 894 valid cases out of 3136 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 111.00
- Standard Deviation: 4.91

V49	976 2 G GOV TOTAL VOTE
------------	-------------------------------

Location: 329-335 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 894 valid cases out of 3136 total cases.

- Mean: 18883.75
- Minimum: 324.00
- Maximum: 2166567.00
- Standard Deviation: 80417.73

V50	976 3 G CONG 0100 VOTE
------------	-------------------------------

Location: 336-342 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3051 valid cases out of 3136 total cases.

- Mean: 13610.56
- Minimum: 0.00
- Maximum: 1324278.00
- Standard Deviation: 48293.32

V51	976 3 G CONG 0112 VOTE
------------	-------------------------------

Location: 343-349 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2991	95.4 %
174	1	0.0 %
256	1	0.0 %
285	1	0.0 %
318	1	0.0 %
358	1	0.0 %
370	1	0.0 %
418	1	0.0 %
477	1	0.0 %
483	1	0.0 %
489	1	0.0 %
491	1	0.0 %
536	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
569	1	0.0 %
635	1	0.0 %
703	1	0.0 %
738	1	0.0 %
747	1	0.0 %
764	1	0.0 %
768	1	0.0 %
789	1	0.0 %
807	1	0.0 %
829	1	0.0 %
856	1	0.0 %
872	1	0.0 %
895	1	0.0 %
909	1	0.0 %
914	1	0.0 %
946	1	0.0 %
997	1	0.0 %
1005	1	0.0 %
1154	1	0.0 %
1176	1	0.0 %
1221	1	0.0 %
1241	1	0.0 %
1242	1	0.0 %
1412	1	0.0 %
1447	1	0.0 %
1543	1	0.0 %
1761	1	0.0 %
1771	1	0.0 %
1890	1	0.0 %
2085	1	0.0 %
2121	1	0.0 %
2160	1	0.0 %
3219	1	0.0 %
3271	1	0.0 %
3791	1	0.0 %
3829	1	0.0 %
4186	1	0.0 %
5906	1	0.0 %
6160	1	0.0 %
9226	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10456	1	0.0 %
11277	1	0.0 %
12449	1	0.0 %
20622	1	0.0 %
23420	1	0.0 %
25129	1	0.0 %
28311	1	0.0 %
34596	1	0.0 %
38977	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 93.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 38977.00
- Standard Deviation: 1374.53

V52 976 3 G CONG 0200 VOTE

Location: 350-356 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3041 valid cases out of 3136 total cases.

- Mean: 10162.82
- Minimum: 0.00
- Maximum: 971285.00
- Standard Deviation: 33301.88

V53 976 3 G CONG 0310 VOTE

Location: 357-363 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 38.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10790.00
- Standard Deviation: 332.49

- Study 13 -

V54 976 3 G CONG 0328 VOTE

Location: 364-370 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 3052 valid cases out of 3136 total cases.

- Mean: 134.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36163.00
- Standard Deviation: 1326.89

V55 976 3 G CONG 0341 VOTE

Location: 371-377 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3048	97.2 %
67	1	0.0 %
235	1	0.0 %
687	1	0.0 %
1419	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1419.00
- Standard Deviation: 28.87

V56 976 3 G CONG 0361 VOTE

Location: 378-384 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3034	96.7 %
11	1	0.0 %
15	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	2	0.1 %
21	1	0.0 %
22	1	0.0 %
24	1	0.0 %
26	1	0.0 %
28	1	0.0 %
36	2	0.1 %
47	1	0.0 %
63	1	0.0 %
90	1	0.0 %
107	1	0.0 %
284	1	0.0 %
357	1	0.0 %
478	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 478.00
- Standard Deviation: 12.39

V57 976 3 G CONG 0402 VOTE

Location: 385-391 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3011	96.0 %
8	1	0.0 %
24	1	0.0 %
45	1	0.0 %
50	1	0.0 %
55	1	0.0 %
94	1	0.0 %
114	1	0.0 %
124	1	0.0 %
133	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
148	1	0.0 %
193	1	0.0 %
223	1	0.0 %
227	1	0.0 %
317	1	0.0 %
337	1	0.0 %
402	1	0.0 %
416	1	0.0 %
435	1	0.0 %
437	1	0.0 %
447	1	0.0 %
491	1	0.0 %
499	1	0.0 %
651	1	0.0 %
902	1	0.0 %
1091	1	0.0 %
1395	1	0.0 %
1566	1	0.0 %
1615	1	0.0 %
1650	1	0.0 %
1860	1	0.0 %
2429	1	0.0 %
2512	1	0.0 %
2617	1	0.0 %
6024	1	0.0 %
7459	1	0.0 %
9086	1	0.0 %
12543	1	0.0 %
15301	1	0.0 %
26633	1	0.0 %
29335	1	0.0 %
34012	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 53.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 34012.00

- Study 13 -

- Standard Deviation: 1043.20

V58 976 3 G CONG 0501 VOTE

Location: 392-398 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3037	96.8 %
20	1	0.0 %
40	1	0.0 %
142	1	0.0 %
185	1	0.0 %
189	1	0.0 %
204	1	0.0 %
291	1	0.0 %
322	1	0.0 %
356	1	0.0 %
472	1	0.0 %
501	1	0.0 %
555	1	0.0 %
744	1	0.0 %
809	1	0.0 %
1459	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 2.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1459.00
- Standard Deviation: 38.64

V59 976 3 G CONG 0505 VOTE

Location: 399-405 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3035	96.8 %
2	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	1	0.0 %
4	1	0.0 %
5	1	0.0 %
7	2	0.1 %
9	1	0.0 %
18	1	0.0 %
23	1	0.0 %
24	1	0.0 %
33	1	0.0 %
37	1	0.0 %
120	1	0.0 %
139	1	0.0 %
300	1	0.0 %
302	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 302.00
- Standard Deviation: 8.47

V60	976 3 G CONG 0541 VOTE
------------	-------------------------------

Location: 406-412 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
37	1	0.0 %
2821	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 2821.00
- Standard Deviation: 51.07

V61 976 3 G CONG 0570 VOTE

Location: 413-419 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3043	97.0 %
56	1	0.0 %
73	1	0.0 %
236	1	0.0 %
277	1	0.0 %
310	1	0.0 %
514	1	0.0 %
700	1	0.0 %
718	1	0.0 %
2948	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 1.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2948.00
- Standard Deviation: 57.78

V62 976 3 G CONG 0631 VOTE

Location: 420-426 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3048	97.2 %
53	1	0.0 %
211	1	0.0 %
213	1	0.0 %
1663	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1663.00
- Standard Deviation: 30.60

V63 976 3 G CONG 0646 VOTE

Location: 427-433 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3035	96.8 %
4	1	0.0 %
10	1	0.0 %
58	1	0.0 %
80	1	0.0 %
159	1	0.0 %
198	1	0.0 %
320	1	0.0 %
586	1	0.0 %
677	1	0.0 %
678	1	0.0 %
735	1	0.0 %
1115	1	0.0 %
1188	1	0.0 %
1446	1	0.0 %
1659	1	0.0 %
1796	1	0.0 %
2472	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 4.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2472.00
- Standard Deviation: 78.41

V64 976 3 G CONG 0807 VOTE

- Study 13 -

Location: 434-440 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3048	97.2 %
6	1	0.0 %
47	1	0.0 %
429	1	0.0 %
483	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 483.00
- Standard Deviation: 11.72

V65 976 3 G CONG 0894 VOTE

Location: 441-447 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3035	96.8 %
29	1	0.0 %
39	1	0.0 %
46	1	0.0 %
72	1	0.0 %
85	1	0.0 %
90	1	0.0 %
91	1	0.0 %
107	1	0.0 %
190	1	0.0 %
249	1	0.0 %
296	1	0.0 %
386	1	0.0 %
439	1	0.0 %
519	1	0.0 %
1059	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3196	1	0.0 %
5145	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 3.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5145.00
- Standard Deviation: 112.48

V66 **976 3 G CONG 0897 VOTE**

Location: 448-454 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
87	1	0.0 %
3829	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3829.00
- Standard Deviation: 69.33

V67 **976 3 G CONG 0908 VOTE**

Location: 455-461 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3046	97.1 %
460	1	0.0 %
1340	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1575	1	0.0 %
1619	1	0.0 %
14155	1	0.0 %
20809	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 13.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20809.00
- Standard Deviation: 457.99

V68 976 3 G CONG 1394 VOTE

Location: 462-468 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3036	96.8 %
4	1	0.0 %
16	1	0.0 %
17	1	0.0 %
18	1	0.0 %
23	1	0.0 %
42	1	0.0 %
70	1	0.0 %
128	1	0.0 %
157	1	0.0 %
176	1	0.0 %
256	1	0.0 %
377	1	0.0 %
391	1	0.0 %
524	1	0.0 %
1164	1	0.0 %
1854	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 1.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1854.00
- Standard Deviation: 42.45

V69

976 3 G CONG 1404 VOTE

Location: 469-475 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2963	94.5 %
1	1	0.0 %
2	1	0.0 %
4	2	0.1 %
5	1	0.0 %
7	2	0.1 %
8	3	0.1 %
9	3	0.1 %
10	1	0.0 %
12	3	0.1 %
13	1	0.0 %
16	1	0.0 %
17	2	0.1 %
18	1	0.0 %
19	1	0.0 %
20	1	0.0 %
21	1	0.0 %
22	2	0.1 %
24	1	0.0 %
26	1	0.0 %
27	2	0.1 %
30	2	0.1 %
31	2	0.1 %
32	2	0.1 %
33	1	0.0 %
37	1	0.0 %
38	2	0.1 %
39	1	0.0 %
43	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
51	1	0.0 %
53	1	0.0 %
59	1	0.0 %
60	1	0.0 %
64	1	0.0 %
69	1	0.0 %
74	1	0.0 %
88	1	0.0 %
89	1	0.0 %
91	1	0.0 %
99	1	0.0 %
103	1	0.0 %
118	1	0.0 %
129	1	0.0 %
131	1	0.0 %
138	1	0.0 %
157	1	0.0 %
166	1	0.0 %
169	1	0.0 %
184	1	0.0 %
199	2	0.1 %
247	1	0.0 %
279	1	0.0 %
393	1	0.0 %
459	1	0.0 %
490	1	0.0 %
496	1	0.0 %
532	1	0.0 %
823	1	0.0 %
997	1	0.0 %
1356	1	0.0 %
1389	1	0.0 %
1699	1	0.0 %
2494	1	0.0 %
2584	1	0.0 %
2954	1	0.0 %
4034	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5128	1	0.0 %
5487	1	0.0 %
7223	1	0.0 %
7307	1	0.0 %
10432	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 19.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10432.00
- Standard Deviation: 322.57

V70	976 3 G CONG 1411 VOTE
------------	-------------------------------

Location: 476-482 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3042	97.0 %
67	1	0.0 %
155	1	0.0 %
349	1	0.0 %
529	1	0.0 %
624	1	0.0 %
1644	1	0.0 %
3143	1	0.0 %
6570	1	0.0 %
8318	1	0.0 %
12100	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 10.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12100.00
- Standard Deviation: 298.47

- Study 13 -

V71 976 3 G CONG 1437 VOTE

Location: 483-489 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3051	97.3 %
1021	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1021.00
- Standard Deviation: 18.48

V72 976 3 G CONG 1447 VOTE

Location: 490-496 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3047	97.2 %
26	1	0.0 %
62	1	0.0 %
1276	1	0.0 %
2209	1	0.0 %
4153	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 2.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4153.00
- Standard Deviation: 88.21

V73 976 3 G CONG 1701 VOTE

Location: 497-503 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2977	94.9 %
1	3	0.1 %
2	3	0.1 %
3	3	0.1 %
4	4	0.1 %
5	3	0.1 %
6	3	0.1 %
7	2	0.1 %
8	1	0.0 %
9	1	0.0 %
10	3	0.1 %
13	1	0.0 %
16	1	0.0 %
17	1	0.0 %
18	1	0.0 %
20	3	0.1 %
21	2	0.1 %
23	2	0.1 %
24	1	0.0 %
25	1	0.0 %
29	1	0.0 %
32	3	0.1 %
36	1	0.0 %
42	1	0.0 %
44	1	0.0 %
47	1	0.0 %
48	1	0.0 %
52	1	0.0 %
56	2	0.1 %
57	1	0.0 %
58	2	0.1 %
64	1	0.0 %
67	1	0.0 %
68	1	0.0 %
77	1	0.0 %
80	1	0.0 %
81	1	0.0 %
84	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
88	1	0.0 %
100	1	0.0 %
111	1	0.0 %
124	1	0.0 %
140	1	0.0 %
144	1	0.0 %
155	1	0.0 %
157	1	0.0 %
163	1	0.0 %
164	1	0.0 %
183	1	0.0 %
596	1	0.0 %
719	1	0.0 %
1667	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 2.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1667.00
- Standard Deviation: 35.93

V74

976 3 G CONG 1707 VOTE

Location: 504-510 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
455	1	0.0 %
14088	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 4.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 14088.00
- Standard Deviation: 255.14

V75 976 3 G CONG 1728 VOTE

Location: 511-517 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3038	96.9 %
26	1	0.0 %
40	1	0.0 %
107	1	0.0 %
113	1	0.0 %
120	1	0.0 %
148	1	0.0 %
154	1	0.0 %
173	1	0.0 %
287	1	0.0 %
328	1	0.0 %
334	1	0.0 %
352	1	0.0 %
382	1	0.0 %
585	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 1.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 585.00
- Standard Deviation: 18.34

V76 976 3 G CONG 1732 VOTE

Location: 518-524 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3043	97.0 %
2	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	1	0.0 %
30	1	0.0 %
44	1	0.0 %
111	1	0.0 %
112	1	0.0 %
183	1	0.0 %
192	1	0.0 %
422	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 422.00
- Standard Deviation: 9.51

V77	976 3 G CONG 1735 VOTE
------------	-------------------------------

Location: 525-531 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 17.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6304.00
- Standard Deviation: 190.88

V78	976 3 G CONG 1741 VOTE
------------	-------------------------------

Location: 532-538 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3019	96.3 %
1	5	0.2 %
3	3	0.1 %
4	5	0.2 %
6	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	1	0.0 %
8	2	0.1 %
9	1	0.0 %
10	1	0.0 %
11	1	0.0 %
13	1	0.0 %
16	1	0.0 %
17	1	0.0 %
20	1	0.0 %
50	1	0.0 %
51	1	0.0 %
76	1	0.0 %
83	1	0.0 %
105	1	0.0 %
467	1	0.0 %
495	1	0.0 %
1208	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1208.00
- Standard Deviation: 25.28

V79

976 3 G CONG 1763 VOTE

Location: 539-545 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
692	1	0.0 %
902	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.52

- Study 13 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 902.00
- Standard Deviation: 20.58

V80 976 3 G CONG 1767 VOTE

Location: 546-552 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3048	97.2 %
38	1	0.0 %
181	1	0.0 %
343	1	0.0 %
869	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 869.00
- Standard Deviation: 17.24

V81 976 3 G CONG 1770 VOTE

Location: 553-559 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
557	1	0.0 %
1257	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 1257.00
- Standard Deviation: 24.88

V82

976 3 G CONG 1776 VOTE

Location: 560-566 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2924	93.2 %
1	5	0.2 %
2	7	0.2 %
3	5	0.2 %
4	5	0.2 %
5	7	0.2 %
6	2	0.1 %
7	1	0.0 %
8	3	0.1 %
9	5	0.2 %
10	1	0.0 %
11	3	0.1 %
12	6	0.2 %
13	3	0.1 %
14	2	0.1 %
16	3	0.1 %
17	1	0.0 %
18	1	0.0 %
19	2	0.1 %
20	2	0.1 %
21	3	0.1 %
22	2	0.1 %
24	3	0.1 %
25	2	0.1 %
26	2	0.1 %
28	2	0.1 %
29	1	0.0 %
32	1	0.0 %
36	2	0.1 %
39	2	0.1 %
43	1	0.0 %
44	2	0.1 %
47	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
51	1	0.0 %
60	1	0.0 %
62	1	0.0 %
63	1	0.0 %
70	1	0.0 %
97	1	0.0 %
98	2	0.1 %
101	1	0.0 %
104	1	0.0 %
115	1	0.0 %
125	1	0.0 %
126	1	0.0 %
129	1	0.0 %
145	1	0.0 %
148	1	0.0 %
159	2	0.1 %
187	1	0.0 %
245	1	0.0 %
256	1	0.0 %
267	1	0.0 %
316	1	0.0 %
351	1	0.0 %
353	1	0.0 %
369	2	0.1 %
483	1	0.0 %
487	1	0.0 %
488	1	0.0 %
491	1	0.0 %
584	1	0.0 %
800	1	0.0 %
1039	1	0.0 %
1072	1	0.0 %
1513	1	0.0 %
1821	1	0.0 %
2983	1	0.0 %
4036	1	0.0 %
5592	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 8.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5592.00
- Standard Deviation: 148.28

V83 976 3 G CONG 2408 VOTE

Location: 567-573 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3047	97.2 %
12	1	0.0 %
17	1	0.0 %
32	1	0.0 %
139	1	0.0 %
299	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 299.00
- Standard Deviation: 6.01

V84 976 3 G CONG 2409 VOTE

Location: 574-580 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3019	96.3 %
1	1	0.0 %
3	3	0.1 %
5	3	0.1 %
6	1	0.0 %
7	1	0.0 %
8	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	2	0.1 %
11	1	0.0 %
15	1	0.0 %
17	1	0.0 %
19	2	0.1 %
20	1	0.0 %
21	2	0.1 %
24	1	0.0 %
26	1	0.0 %
28	1	0.0 %
29	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
51	1	0.0 %
55	1	0.0 %
56	1	0.0 %
77	1	0.0 %
130	1	0.0 %
358	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 358.00
- Standard Deviation: 7.50

V85 976 3 G CONG 2412 VOTE

Location: 581-587 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3051	97.3 %
1338	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1338.00
- Standard Deviation: 24.22

V86

976 3 G CONG 2413 VOTE

Location: 588-594 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2982	95.1 %
3	1	0.0 %
5	1	0.0 %
6	3	0.1 %
9	1	0.0 %
10	1	0.0 %
12	1	0.0 %
13	2	0.1 %
14	3	0.1 %
17	1	0.0 %
18	3	0.1 %
20	2	0.1 %
22	1	0.0 %
23	1	0.0 %
24	1	0.0 %
25	2	0.1 %
27	2	0.1 %
29	3	0.1 %
31	1	0.0 %
33	1	0.0 %
36	1	0.0 %
38	1	0.0 %
40	1	0.0 %
41	1	0.0 %
45	1	0.0 %
47	2	0.1 %
51	2	0.1 %
52	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
57	2	0.1 %
60	2	0.1 %
64	1	0.0 %
67	1	0.0 %
71	1	0.0 %
81	2	0.1 %
83	1	0.0 %
88	1	0.0 %
97	2	0.1 %
101	1	0.0 %
102	1	0.0 %
121	1	0.0 %
122	1	0.0 %
129	1	0.0 %
138	1	0.0 %
142	1	0.0 %
144	1	0.0 %
197	1	0.0 %
200	1	0.0 %
246	1	0.0 %
257	1	0.0 %
322	1	0.0 %
378	1	0.0 %
627	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 1.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 627.00
- Standard Deviation: 18.75

V87	976 3 G CONG 2418 VOTE
------------	-------------------------------

Location:	595-601 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
143	1	0.0 %
641	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 641.00
- Standard Deviation: 11.89

V88 976 3 G CONG 2419 VOTE

Location: 602-608 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3047	97.2 %
82	1	0.0 %
83	1	0.0 %
87	1	0.0 %
487	1	0.0 %
744	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 744.00
- Standard Deviation: 16.31

V89 976 3 G CONG 2420 VOTE

Location: 609-615 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3049	97.2 %
54	1	0.0 %
77	1	0.0 %
97	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 2.44

V90 976 3 G CONG 2421 VOTE

Location: 616-622 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3048	97.2 %
21	1	0.0 %
26	1	0.0 %
38	1	0.0 %
551	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 551.00
- Standard Deviation: 10.02

V91 976 3 G CONG 2422 VOTE

Location: 623-629 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3047	97.2 %
56	1	0.0 %
169	1	0.0 %
335	1	0.0 %
435	1	0.0 %
555	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 555.00
- Standard Deviation: 14.49

V92 976 3 G CONG 2423 VOTE

Location: 630-636 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3051	97.3 %
3979	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 1.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3979.00
- Standard Deviation: 72.02

V93 976 3 G CONG 2424 VOTE

Location: 637-643 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3051	97.3 %
1969	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1969.00
- Standard Deviation: 35.64

V94	976 3 G CONG 2425 VOTE
------------	-------------------------------

Location: 644-650 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3044	97.1 %
2	1	0.0 %
9	1	0.0 %
80	1	0.0 %
85	1	0.0 %
94	1	0.0 %
192	1	0.0 %
252	1	0.0 %
600	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 12.57

V95	976 3 G CONG 2426 VOTE
------------	-------------------------------

Location: 651-657 (width: 7; decimal: 0)
Variable Type: numeric

- Study 13 -

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3045	97.1 %
4	1	0.0 %
17	1	0.0 %
22	1	0.0 %
38	1	0.0 %
40	1	0.0 %
135	1	0.0 %
176	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 176.00
- Standard Deviation: 4.17

V96 976 3 G CONG 2431 VOTE

Location: 658-664 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3035	96.8 %
8	1	0.0 %
17	1	0.0 %
20	1	0.0 %
29	1	0.0 %
32	1	0.0 %
44	1	0.0 %
48	1	0.0 %
55	1	0.0 %
59	1	0.0 %
79	1	0.0 %
122	1	0.0 %
128	1	0.0 %
154	1	0.0 %
238	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
499	1	0.0 %
2524	1	0.0 %
2824	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 2.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2824.00
- Standard Deviation: 69.44

V97	976 3 G CONG 2432 VOTE
------------	-------------------------------

Location: 665-671 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3045	97.1 %
5	1	0.0 %
51	1	0.0 %
313	1	0.0 %
485	1	0.0 %
2473	1	0.0 %
4001	1	0.0 %
4007	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 3.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4007.00
- Standard Deviation: 112.29

V98	976 3 G CONG 9001 VOTE
------------	-------------------------------

Location: 672-678 (width: 7; decimal: 0)
Variable Type: numeric

- Study 13 -

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2986	95.2 %
1	1	0.0 %
4	3	0.1 %
5	1	0.0 %
7	1	0.0 %
9	2	0.1 %
11	1	0.0 %
13	2	0.1 %
14	1	0.0 %
15	1	0.0 %
26	1	0.0 %
28	1	0.0 %
29	1	0.0 %
30	1	0.0 %
37	1	0.0 %
38	1	0.0 %
40	1	0.0 %
59	1	0.0 %
60	1	0.0 %
61	1	0.0 %
69	1	0.0 %
72	2	0.1 %
114	1	0.0 %
145	1	0.0 %
156	1	0.0 %
192	1	0.0 %
202	1	0.0 %
216	1	0.0 %
249	1	0.0 %
319	1	0.0 %
461	1	0.0 %
478	1	0.0 %
555	1	0.0 %
568	1	0.0 %
581	1	0.0 %
597	1	0.0 %
598	1	0.0 %
667	1	0.0 %
706	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
755	1	0.0 %
886	1	0.0 %
933	1	0.0 %
1083	1	0.0 %
1176	1	0.0 %
1791	1	0.0 %
2723	1	0.0 %
2727	1	0.0 %
3108	1	0.0 %
3410	1	0.0 %
3552	1	0.0 %
3650	1	0.0 %
3689	1	0.0 %
4234	1	0.0 %
4321	1	0.0 %
5239	1	0.0 %
5674	1	0.0 %
5706	1	0.0 %
6347	1	0.0 %
6626	1	0.0 %
13896	1	0.0 %
14385	1	0.0 %
67938	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 56.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 67938.00
- Standard Deviation: 1318.76

V99	976 3 G CONG 9002 VOTE
------------	-------------------------------

Location: 679-685 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3013	96.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	1	0.0 %
8	1	0.0 %
13	1	0.0 %
14	1	0.0 %
15	1	0.0 %
16	1	0.0 %
17	1	0.0 %
18	1	0.0 %
21	1	0.0 %
23	1	0.0 %
26	1	0.0 %
27	1	0.0 %
39	1	0.0 %
43	1	0.0 %
45	1	0.0 %
49	2	0.1 %
53	1	0.0 %
54	1	0.0 %
56	1	0.0 %
59	1	0.0 %
65	1	0.0 %
77	1	0.0 %
78	1	0.0 %
130	1	0.0 %
147	1	0.0 %
185	1	0.0 %
312	1	0.0 %
520	1	0.0 %
550	1	0.0 %
638	1	0.0 %
647	1	0.0 %
774	1	0.0 %
1040	1	0.0 %
1179	1	0.0 %
1294	1	0.0 %
1833	1	0.0 %
4872	1	0.0 %
5122	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 6.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5122.00
- Standard Deviation: 139.71

V100 976 3 G CONG 9003 VOTE

Location: 686-692 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3041	97.0 %
2	2	0.1 %
3	1	0.0 %
4	1	0.0 %
5	1	0.0 %
16	1	0.0 %
24	1	0.0 %
25	1	0.0 %
160	1	0.0 %
1348	1	0.0 %
5758	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 2.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5758.00
- Standard Deviation: 107.08

V101 976 3 G CONG 9004 VOTE

Location: 693-699 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3021	96.3 %
28	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
38	2	0.1 %
42	1	0.0 %
46	1	0.0 %
48	1	0.0 %
52	1	0.0 %
54	1	0.0 %
70	1	0.0 %
82	1	0.0 %
91	1	0.0 %
96	1	0.0 %
133	1	0.0 %
152	1	0.0 %
189	1	0.0 %
259	1	0.0 %
273	1	0.0 %
279	1	0.0 %
292	1	0.0 %
300	1	0.0 %
305	1	0.0 %
326	1	0.0 %
346	1	0.0 %
533	1	0.0 %
586	1	0.0 %
753	1	0.0 %
811	1	0.0 %
993	1	0.0 %
1057	1	0.0 %
1450	1	0.0 %
1756	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 3.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1756.00
- Standard Deviation: 57.06

- Study 13 -

Location: 700-706 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3048	97.2 %
124	1	0.0 %
256	1	0.0 %
1533	1	0.0 %
9912	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 3.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9912.00
- Standard Deviation: 181.61

V103 976 3 G CONG 9006 VOTE

Location: 707-713 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
1450	1	0.0 %
1477	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1477.00
- Standard Deviation: 37.46

V104 976 3 G CONG 9007 VOTE

Location: 714-720 (width: 7; decimal: 0)
 Variable Type: numeric

- Study 13 -

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3049	97.2 %
348	1	0.0 %
783	1	0.0 %
14298	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 5.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14298.00
- Standard Deviation: 259.27

V105 976 3 G CONG 9008 VOTE

Location: 721-727 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3048	97.2 %
852	1	0.0 %
931	1	0.0 %
1586	1	0.0 %
2425	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 1.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2425.00
- Standard Deviation: 57.19

V106 976 3 G CONG 9009 VOTE

Location: 728-734 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
188	1	0.0 %
2431	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2431.00
- Standard Deviation: 44.13

V107 976 3 G CONG 9010 VOTE

Location: 735-741 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3051	97.3 %
77	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 77.00
- Standard Deviation: 1.39

V108 976 3 G CONG 9011 VOTE

Location: 742-748 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3043	97.0 %
21	1	0.0 %
28	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	1	0.0 %
84	1	0.0 %
108	1	0.0 %
127	1	0.0 %
153	1	0.0 %
189	1	0.0 %
912	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 912.00
- Standard Deviation: 17.44

V109	976 3 G CONG 9012 VOTE
-------------	-------------------------------

Location: 749-755 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3043	97.0 %
272	1	0.0 %
338	1	0.0 %
859	1	0.0 %
951	1	0.0 %
1031	1	0.0 %
1071	1	0.0 %
3393	1	0.0 %
3979	1	0.0 %
9643	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 7.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 9643.00
- Standard Deviation: 201.78

V110 976 3 G CONG 9013 VOTE

Location: 756-762 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
297	1	0.0 %
792	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 792.00
- Standard Deviation: 15.31

V111 976 3 G CONG 9014 VOTE

Location: 763-769 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3050	97.3 %
428	1	0.0 %
1830	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1830.00
- Standard Deviation: 34.02

V112 976 3 G CONG 9015 VOTE

- Study 13 -

Location: 770-776 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3051	97.3 %
20553	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 6.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20553.00
- Standard Deviation: 372.03

V113 976 3 G CONG 9016 VOTE

Location: 777-783 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3051	97.3 %
2638	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 0.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2638.00
- Standard Deviation: 47.75

V114 976 3 G CONG 9017 VOTE

Location: 784-790 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3051	97.3 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5289	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 1.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5289.00
- Standard Deviation: 95.74

V115	976 3 G CONG 9999 VOTE
-------------	-------------------------------

Location: 791-797 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2703	86.2 %
1	128	4.1 %
2	50	1.6 %
3	38	1.2 %
4	24	0.8 %
5	13	0.4 %
6	9	0.3 %
7	9	0.3 %
8	4	0.1 %
9	5	0.2 %
10	5	0.2 %
11	3	0.1 %
12	5	0.2 %
13	3	0.1 %
14	3	0.1 %
15	1	0.0 %
16	1	0.0 %
18	1	0.0 %
19	1	0.0 %
20	1	0.0 %
21	1	0.0 %
23	1	0.0 %
24	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	1	0.0 %
26	4	0.1 %
27	1	0.0 %
28	1	0.0 %
29	1	0.0 %
32	2	0.1 %
34	1	0.0 %
35	1	0.0 %
36	4	0.1 %
37	4	0.1 %
45	2	0.1 %
46	1	0.0 %
50	1	0.0 %
52	1	0.0 %
61	2	0.1 %
63	2	0.1 %
66	1	0.0 %
73	1	0.0 %
76	1	0.0 %
77	1	0.0 %
84	1	0.0 %
85	1	0.0 %
108	1	0.0 %
114	1	0.0 %
164	1	0.0 %
290	1	0.0 %
519	1	0.0 %
3665	1	0.0 %
9999999 (M)	84	2.7 %

Based upon 3052 valid cases out of 3136 total cases.

- Mean: 2.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3665.00
- Standard Deviation: 67.52

V116

976 3 G CONG TOTAL VOTE

Location:

798-804 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric
Based upon 3041 valid cases out of 3136 total cases.

- Mean: 24201.93
- Minimum: 71.00
- Maximum: 2310949.00
- Standard Deviation: 80364.34

V117 976 4 G SEN 0100 VOTE

Location: 805-811 (width: 7; decimal: 0)
Variable Type: numeric
Based upon 1878 valid cases out of 3136 total cases.

- Mean: 16940.95
- Minimum: 40.00
- Maximum: 1061839.00
- Standard Deviation: 49481.19

V118 976 4 G SEN 0112 VOTE

Location: 812-818 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1816	57.9 %
143	1	0.0 %
308	1	0.0 %
375	1	0.0 %
412	1	0.0 %
421	1	0.0 %
483	1	0.0 %
513	1	0.0 %
526	1	0.0 %
541	1	0.0 %
631	1	0.0 %
642	1	0.0 %
687	1	0.0 %
688	1	0.0 %
731	1	0.0 %
737	1	0.0 %
741	1	0.0 %
802	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
834	1	0.0 %
874	1	0.0 %
954	1	0.0 %
968	1	0.0 %
993	1	0.0 %
1053	1	0.0 %
1097	1	0.0 %
1234	1	0.0 %
1240	1	0.0 %
1242	1	0.0 %
1248	1	0.0 %
1289	1	0.0 %
1292	1	0.0 %
1311	1	0.0 %
1326	1	0.0 %
1337	1	0.0 %
1348	1	0.0 %
1381	1	0.0 %
1396	1	0.0 %
1845	1	0.0 %
1871	1	0.0 %
2042	1	0.0 %
2232	1	0.0 %
2435	1	0.0 %
2829	1	0.0 %
2920	1	0.0 %
3099	1	0.0 %
3376	1	0.0 %
3644	1	0.0 %
3752	1	0.0 %
3843	1	0.0 %
5038	1	0.0 %
5241	1	0.0 %
8957	1	0.0 %
9421	1	0.0 %
10717	1	0.0 %
11735	1	0.0 %
11773	1	0.0 %
13215	1	0.0 %
16398	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
22348	1	0.0 %
26944	1	0.0 %
31471	1	0.0 %
35023	1	0.0 %
37527	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 165.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 37527.00
- Standard Deviation: 1786.40

V119 976 4 G SEN 0200 VOTE

Location: 819-825 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 13079.06
- Minimum: 0.00
- Maximum: 992752.00
- Standard Deviation: 40255.86

V120 976 4 G SEN 0310 VOTE

Location: 826-832 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 108.44
- Minimum: 0.00
- Maximum: 27435.00
- Standard Deviation: 825.80

V121 976 4 G SEN 0328 VOTE

Location: 833-839 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1878 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 530.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90750.00
- Standard Deviation: 3343.39

V122 976 4 G SEN 0341 VOTE

Location: 840-846 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1874	59.8 %
333	1	0.0 %
1061	1	0.0 %
1101	1	0.0 %
11728	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 7.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11728.00
- Standard Deviation: 273.00

V123 976 4 G SEN 0361 VOTE

Location: 847-853 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1875	59.8 %
32	1	0.0 %
42	1	0.0 %
142	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 142.00
- Standard Deviation: 3.49

V124 976 4 G SEN 0402 VOTE

Location: 854-860 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1816	57.9 %
59	1	0.0 %
74	1	0.0 %
91	1	0.0 %
98	1	0.0 %
157	1	0.0 %
158	1	0.0 %
181	1	0.0 %
185	1	0.0 %
192	1	0.0 %
198	1	0.0 %
200	1	0.0 %
205	1	0.0 %
227	1	0.0 %
281	1	0.0 %
288	1	0.0 %
289	1	0.0 %
304	1	0.0 %
332	1	0.0 %
339	1	0.0 %
344	1	0.0 %
390	1	0.0 %
400	1	0.0 %
403	1	0.0 %
412	1	0.0 %
428	1	0.0 %
430	1	0.0 %
432	1	0.0 %
437	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
439	1	0.0 %
443	1	0.0 %
452	1	0.0 %
463	1	0.0 %
467	1	0.0 %
519	1	0.0 %
544	1	0.0 %
562	1	0.0 %
573	1	0.0 %
595	1	0.0 %
663	1	0.0 %
949	1	0.0 %
959	1	0.0 %
1148	1	0.0 %
1206	1	0.0 %
1299	1	0.0 %
1348	1	0.0 %
1359	1	0.0 %
1391	1	0.0 %
1522	1	0.0 %
1575	1	0.0 %
2809	1	0.0 %
2887	1	0.0 %
2990	1	0.0 %
3211	1	0.0 %
5563	1	0.0 %
8118	1	0.0 %
10006	1	0.0 %
11328	1	0.0 %
13187	1	0.0 %
16500	1	0.0 %
25889	1	0.0 %
26049	1	0.0 %
29536	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 98.02
- Median: 0.00
- Mode: 0.00

- Study 13 -

- Minimum: 0.00
- Maximum: 29536.00
- Standard Deviation: 1271.00

V125 976 4 G SEN 0501 VOTE

Location: 861-867 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1728	55.1 %
1	1	0.0 %
2	1	0.0 %
3	3	0.1 %
4	3	0.1 %
6	1	0.0 %
7	2	0.1 %
9	4	0.1 %
10	5	0.2 %
11	3	0.1 %
12	1	0.0 %
13	1	0.0 %
14	3	0.1 %
15	2	0.1 %
16	3	0.1 %
17	4	0.1 %
19	6	0.2 %
20	2	0.1 %
21	1	0.0 %
22	2	0.1 %
23	3	0.1 %
25	4	0.1 %
26	1	0.0 %
27	1	0.0 %
28	1	0.0 %
29	2	0.1 %
30	2	0.1 %
31	4	0.1 %
32	3	0.1 %
34	3	0.1 %
35	1	0.0 %
37	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	4	0.1 %
40	2	0.1 %
42	2	0.1 %
44	2	0.1 %
45	3	0.1 %
46	1	0.0 %
48	1	0.0 %
49	1	0.0 %
51	1	0.0 %
53	1	0.0 %
54	1	0.0 %
56	2	0.1 %
57	1	0.0 %
58	1	0.0 %
62	1	0.0 %
63	1	0.0 %
71	1	0.0 %
75	1	0.0 %
78	1	0.0 %
80	1	0.0 %
82	2	0.1 %
83	1	0.0 %
85	1	0.0 %
89	1	0.0 %
92	1	0.0 %
98	1	0.0 %
99	3	0.1 %
100	1	0.0 %
102	1	0.0 %
103	1	0.0 %
105	2	0.1 %
113	1	0.0 %
137	1	0.0 %
145	1	0.0 %
152	1	0.0 %
167	1	0.0 %
178	1	0.0 %
197	1	0.0 %
211	1	0.0 %
216	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
234	1	0.0 %
272	1	0.0 %
281	1	0.0 %
294	1	0.0 %
295	1	0.0 %
333	1	0.0 %
357	1	0.0 %
369	1	0.0 %
388	1	0.0 %
441	1	0.0 %
454	1	0.0 %
458	1	0.0 %
483	1	0.0 %
494	1	0.0 %
613	1	0.0 %
640	1	0.0 %
646	1	0.0 %
684	1	0.0 %
714	1	0.0 %
729	1	0.0 %
930	1	0.0 %
1061	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 9.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1061.00
- Standard Deviation: 61.32

V126	976 4 G SEN 0505 VOTE
-------------	------------------------------

Location: 868-874 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1718	54.8 %
1	12	0.4 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	15	0.5 %
3	13	0.4 %
4	13	0.4 %
5	7	0.2 %
6	5	0.2 %
7	9	0.3 %
8	8	0.3 %
9	1	0.0 %
10	7	0.2 %
11	3	0.1 %
12	2	0.1 %
13	2	0.1 %
14	1	0.0 %
15	1	0.0 %
17	3	0.1 %
19	2	0.1 %
21	2	0.1 %
22	1	0.0 %
23	2	0.1 %
25	2	0.1 %
26	1	0.0 %
28	1	0.0 %
29	1	0.0 %
31	2	0.1 %
32	2	0.1 %
33	1	0.0 %
34	1	0.0 %
35	2	0.1 %
40	1	0.0 %
42	1	0.0 %
45	1	0.0 %
53	1	0.0 %
57	1	0.0 %
58	1	0.0 %
69	2	0.1 %
73	1	0.0 %
77	1	0.0 %
85	1	0.0 %
90	1	0.0 %
93	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
104	1	0.0 %
108	1	0.0 %
115	1	0.0 %
163	1	0.0 %
180	1	0.0 %
194	1	0.0 %
200	1	0.0 %
208	1	0.0 %
209	1	0.0 %
222	1	0.0 %
262	1	0.0 %
300	1	0.0 %
307	1	0.0 %
316	1	0.0 %
332	1	0.0 %
361	1	0.0 %
505	1	0.0 %
528	1	0.0 %
545	1	0.0 %
592	1	0.0 %
645	1	0.0 %
717	1	0.0 %
832	1	0.0 %
1215	1	0.0 %
2348	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 7.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2348.00
- Standard Deviation: 75.42

V127	976 4 G SEN 0541 VOTE
-------------	------------------------------

Location: 875-881 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1663	53.0 %
1	13	0.4 %
2	11	0.4 %
3	16	0.5 %
4	8	0.3 %
5	15	0.5 %
6	9	0.3 %
7	12	0.4 %
9	4	0.1 %
10	7	0.2 %
11	5	0.2 %
12	3	0.1 %
13	4	0.1 %
14	2	0.1 %
15	2	0.1 %
16	2	0.1 %
17	3	0.1 %
18	2	0.1 %
19	2	0.1 %
20	2	0.1 %
21	3	0.1 %
22	2	0.1 %
23	4	0.1 %
24	2	0.1 %
25	1	0.0 %
26	2	0.1 %
27	3	0.1 %
28	2	0.1 %
29	1	0.0 %
30	1	0.0 %
31	2	0.1 %
32	1	0.0 %
33	1	0.0 %
34	1	0.0 %
35	1	0.0 %
37	2	0.1 %
38	1	0.0 %
39	3	0.1 %
40	1	0.0 %
41	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	1	0.0 %
43	2	0.1 %
44	2	0.1 %
46	1	0.0 %
47	2	0.1 %
48	2	0.1 %
50	1	0.0 %
53	2	0.1 %
54	1	0.0 %
56	1	0.0 %
57	2	0.1 %
58	1	0.0 %
59	2	0.1 %
65	1	0.0 %
70	1	0.0 %
80	1	0.0 %
85	1	0.0 %
89	1	0.0 %
91	1	0.0 %
98	1	0.0 %
109	1	0.0 %
113	1	0.0 %
114	1	0.0 %
116	1	0.0 %
120	1	0.0 %
121	1	0.0 %
141	1	0.0 %
157	1	0.0 %
158	1	0.0 %
170	1	0.0 %
181	1	0.0 %
239	1	0.0 %
248	1	0.0 %
254	1	0.0 %
264	1	0.0 %
312	1	0.0 %
319	1	0.0 %
347	1	0.0 %
373	1	0.0 %
531	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
581	1	0.0 %
623	1	0.0 %
723	1	0.0 %
818	1	0.0 %
840	1	0.0 %
1462	1	0.0 %
1571	1	0.0 %
1828	1	0.0 %
2618	1	0.0 %
3728	1	0.0 %
7741	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 16.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7741.00
- Standard Deviation: 221.51

V128 976 4 G SEN 0570 VOTE

Location: 882-888 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1811	57.7 %
4	1	0.0 %
6	1	0.0 %
8	1	0.0 %
23	1	0.0 %
26	1	0.0 %
27	1	0.0 %
28	1	0.0 %
31	2	0.1 %
42	1	0.0 %
43	1	0.0 %
44	1	0.0 %
49	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	1	0.0 %
53	1	0.0 %
55	1	0.0 %
57	1	0.0 %
65	1	0.0 %
68	1	0.0 %
69	1	0.0 %
71	1	0.0 %
72	1	0.0 %
73	2	0.1 %
81	1	0.0 %
86	1	0.0 %
90	1	0.0 %
102	1	0.0 %
103	1	0.0 %
111	1	0.0 %
113	1	0.0 %
114	1	0.0 %
121	1	0.0 %
134	1	0.0 %
137	1	0.0 %
138	1	0.0 %
143	1	0.0 %
145	1	0.0 %
183	1	0.0 %
208	1	0.0 %
213	1	0.0 %
246	1	0.0 %
250	1	0.0 %
252	1	0.0 %
258	1	0.0 %
278	1	0.0 %
347	1	0.0 %
372	1	0.0 %
469	1	0.0 %
471	1	0.0 %
502	1	0.0 %
525	1	0.0 %
548	1	0.0 %
551	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
577	1	0.0 %
651	1	0.0 %
652	1	0.0 %
782	1	0.0 %
810	1	0.0 %
900	1	0.0 %
923	1	0.0 %
1103	1	0.0 %
1184	1	0.0 %
1188	1	0.0 %
1243	1	0.0 %
1522	1	0.0 %
6134	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 13.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6134.00
- Standard Deviation: 166.13

V129 976 4 G SEN 0646 VOTE

Location: 889-895 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 49.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7841.00
- Standard Deviation: 327.68

V130 976 4 G SEN 0756 VOTE

Location: 896-902 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1810	57.7 %
1	5	0.2 %
2	5	0.2 %
3	2	0.1 %
4	1	0.0 %
5	4	0.1 %
6	3	0.1 %
7	5	0.2 %
8	3	0.1 %
10	4	0.1 %
12	2	0.1 %
13	2	0.1 %
16	1	0.0 %
17	2	0.1 %
18	1	0.0 %
20	1	0.0 %
21	1	0.0 %
24	1	0.0 %
29	1	0.0 %
30	1	0.0 %
31	2	0.1 %
35	1	0.0 %
36	1	0.0 %
46	2	0.1 %
48	1	0.0 %
63	1	0.0 %
76	1	0.0 %
83	1	0.0 %
86	1	0.0 %
98	1	0.0 %
109	1	0.0 %
110	1	0.0 %
114	1	0.0 %
125	1	0.0 %
128	1	0.0 %
129	1	0.0 %
155	1	0.0 %
162	1	0.0 %
213	1	0.0 %
1603	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3423	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 3.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3423.00
- Standard Deviation: 87.86

V131 976 4 G SEN 0894 VOTE

Location: 903-909 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1861	59.3 %
7	1	0.0 %
13	1	0.0 %
14	1	0.0 %
18	1	0.0 %
22	1	0.0 %
23	1	0.0 %
26	1	0.0 %
42	1	0.0 %
46	1	0.0 %
90	1	0.0 %
95	1	0.0 %
103	2	0.1 %
110	1	0.0 %
254	1	0.0 %
1258	1	0.0 %
1395	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 1.93
- Median: 0.00
- Mode: 0.00

- Study 13 -

- Minimum: 0.00
- Maximum: 1395.00
- Standard Deviation: 44.05

V132 976 4 G SEN 0908 VOTE

Location: 910-916 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1760	56.1 %
1	1	0.0 %
2	1	0.0 %
3	4	0.1 %
4	7	0.2 %
5	2	0.1 %
6	6	0.2 %
7	1	0.0 %
8	3	0.1 %
9	4	0.1 %
10	4	0.1 %
11	2	0.1 %
12	1	0.0 %
13	1	0.0 %
15	2	0.1 %
16	3	0.1 %
17	3	0.1 %
18	2	0.1 %
19	3	0.1 %
20	1	0.0 %
21	2	0.1 %
22	3	0.1 %
23	3	0.1 %
24	3	0.1 %
25	2	0.1 %
26	1	0.0 %
27	2	0.1 %
28	3	0.1 %
30	1	0.0 %
31	3	0.1 %
32	4	0.1 %
33	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	1	0.0 %
36	1	0.0 %
37	1	0.0 %
38	1	0.0 %
41	1	0.0 %
43	2	0.1 %
44	3	0.1 %
48	1	0.0 %
54	1	0.0 %
55	1	0.0 %
58	1	0.0 %
59	1	0.0 %
62	1	0.0 %
67	2	0.1 %
73	1	0.0 %
86	1	0.0 %
122	1	0.0 %
140	1	0.0 %
151	1	0.0 %
155	1	0.0 %
169	1	0.0 %
179	1	0.0 %
188	1	0.0 %
190	1	0.0 %
196	1	0.0 %
222	1	0.0 %
323	1	0.0 %
470	1	0.0 %
514	1	0.0 %
638	1	0.0 %
690	1	0.0 %
937	1	0.0 %
2306	1	0.0 %
2806	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 6.76
- Median: 0.00
- Mode: 0.00

- Study 13 -

- Minimum: 0.00
- Maximum: 2806.00
- Standard Deviation: 91.87

V133 976 4 G SEN 1404 VOTE

Location: 917-923 (width: 7; decimal: 0)
 Variable Type: numeric
 Based upon 1878 valid cases out of 3136 total cases.

- Mean: 59.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19489.00
- Standard Deviation: 629.30

V134 976 4 G SEN 1411 VOTE

Location: 924-930 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1820	58.0 %
10	1	0.0 %
29	1	0.0 %
52	1	0.0 %
56	1	0.0 %
79	1	0.0 %
81	1	0.0 %
83	1	0.0 %
89	1	0.0 %
97	1	0.0 %
106	1	0.0 %
107	1	0.0 %
116	1	0.0 %
118	1	0.0 %
149	1	0.0 %
151	1	0.0 %
157	1	0.0 %
168	1	0.0 %
216	1	0.0 %
222	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
224	1	0.0 %
271	1	0.0 %
274	1	0.0 %
319	1	0.0 %
379	1	0.0 %
397	1	0.0 %
457	1	0.0 %
482	1	0.0 %
573	1	0.0 %
581	1	0.0 %
728	1	0.0 %
743	1	0.0 %
907	1	0.0 %
915	1	0.0 %
928	1	0.0 %
961	1	0.0 %
1013	1	0.0 %
1156	1	0.0 %
1181	1	0.0 %
1242	1	0.0 %
1336	1	0.0 %
1684	1	0.0 %
1948	1	0.0 %
2103	1	0.0 %
2147	1	0.0 %
2185	1	0.0 %
2266	1	0.0 %
2297	1	0.0 %
2532	1	0.0 %
3016	1	0.0 %
3415	1	0.0 %
3797	1	0.0 %
5023	1	0.0 %
6956	1	0.0 %
6966	1	0.0 %
7096	1	0.0 %
7448	1	0.0 %
26129	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 55.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26129.00
- Standard Deviation: 726.61

V135 976 4 G SEN 1447 VOTE

Location: 931-937 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1870	59.6 %
255	1	0.0 %
355	1	0.0 %
557	1	0.0 %
595	1	0.0 %
730	1	0.0 %
2821	1	0.0 %
4451	1	0.0 %
4643	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 7.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4643.00
- Standard Deviation: 164.20

V136 976 4 G SEN 1701 VOTE

Location: 938-944 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1846	58.9 %
1	3	0.1 %
2	6	0.2 %
4	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	1	0.0 %
7	1	0.0 %
9	2	0.1 %
10	2	0.1 %
11	3	0.1 %
14	1	0.0 %
15	1	0.0 %
24	1	0.0 %
26	1	0.0 %
40	1	0.0 %
44	1	0.0 %
45	1	0.0 %
48	1	0.0 %
56	1	0.0 %
137	1	0.0 %
139	1	0.0 %
393	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 393.00
- Standard Deviation: 10.46

V137

976 4 G SEN 1717 VOTE

Location: 945-951 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1864	59.4 %
71	1	0.0 %
75	1	0.0 %
300	1	0.0 %
317	1	0.0 %
338	1	0.0 %
345	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
364	1	0.0 %
409	1	0.0 %
596	1	0.0 %
612	1	0.0 %
795	1	0.0 %
916	1	0.0 %
1415	1	0.0 %
2248	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 4.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2248.00
- Standard Deviation: 72.81

V138	976 4 G SEN 1728 VOTE
-------------	------------------------------

Location: 952-958 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1864	59.4 %
26	1	0.0 %
42	1	0.0 %
78	1	0.0 %
147	1	0.0 %
158	1	0.0 %
177	1	0.0 %
180	1	0.0 %
186	1	0.0 %
286	1	0.0 %
328	1	0.0 %
377	1	0.0 %
383	1	0.0 %
446	1	0.0 %
694	1	0.0 %
9999999 (M)	1258	40.1 %

- Study 13 -

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 1.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 694.00
- Standard Deviation: 26.37

V139	976 4 G SEN 1735 VOTE
-------------	------------------------------

Location: 959-965 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 36.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8960.00
- Standard Deviation: 299.12

V140	976 4 G SEN 1741 VOTE
-------------	------------------------------

Location: 966-972 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1795	57.2 %
1	1	0.0 %
2	2	0.1 %
3	1	0.0 %
4	2	0.1 %
5	7	0.2 %
6	5	0.2 %
7	4	0.1 %
8	2	0.1 %
9	1	0.0 %
10	1	0.0 %
11	1	0.0 %
12	1	0.0 %
13	2	0.1 %
14	3	0.1 %
17	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	3	0.1 %
19	1	0.0 %
20	1	0.0 %
21	2	0.1 %
22	1	0.0 %
23	4	0.1 %
24	3	0.1 %
25	1	0.0 %
29	1	0.0 %
30	1	0.0 %
31	1	0.0 %
34	1	0.0 %
35	2	0.1 %
38	1	0.0 %
41	1	0.0 %
44	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
49	1	0.0 %
50	1	0.0 %
53	1	0.0 %
59	1	0.0 %
61	1	0.0 %
67	1	0.0 %
70	1	0.0 %
72	1	0.0 %
75	1	0.0 %
81	1	0.0 %
88	1	0.0 %
93	1	0.0 %
161	1	0.0 %
201	1	0.0 %
296	1	0.0 %
312	1	0.0 %
407	1	0.0 %
512	1	0.0 %
788	1	0.0 %
822	1	0.0 %
1911	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 3.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1911.00
- Standard Deviation: 55.03

V141 976 4 G SEN 1761 VOTE

Location: 973-979 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1816	57.9 %
5	1	0.0 %
11	1	0.0 %
12	1	0.0 %
14	1	0.0 %
16	1	0.0 %
19	1	0.0 %
20	2	0.1 %
21	1	0.0 %
22	2	0.1 %
24	2	0.1 %
25	1	0.0 %
26	1	0.0 %
27	1	0.0 %
28	1	0.0 %
30	2	0.1 %
31	2	0.1 %
33	1	0.0 %
34	2	0.1 %
36	1	0.0 %
37	1	0.0 %
39	1	0.0 %
40	1	0.0 %
42	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	2	0.1 %
44	1	0.0 %
49	1	0.0 %
52	1	0.0 %
60	1	0.0 %
64	2	0.1 %
65	1	0.0 %
69	1	0.0 %
78	1	0.0 %
97	1	0.0 %
102	2	0.1 %
108	1	0.0 %
131	1	0.0 %
134	1	0.0 %
160	2	0.1 %
187	1	0.0 %
213	1	0.0 %
223	1	0.0 %
234	1	0.0 %
469	1	0.0 %
514	1	0.0 %
632	1	0.0 %
634	1	0.0 %
654	1	0.0 %
655	1	0.0 %
1127	1	0.0 %
1170	1	0.0 %
1811	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 5.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1811.00
- Standard Deviation: 66.78

V142

976 4 G SEN 1776 VOTE

Location:

980-986 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1595	50.9 %
1	21	0.7 %
2	14	0.4 %
3	14	0.4 %
4	18	0.6 %
5	14	0.4 %
6	14	0.4 %
7	16	0.5 %
8	6	0.2 %
9	11	0.4 %
10	8	0.3 %
11	9	0.3 %
12	7	0.2 %
13	10	0.3 %
14	1	0.0 %
15	3	0.1 %
16	4	0.1 %
17	5	0.2 %
18	4	0.1 %
19	5	0.2 %
20	4	0.1 %
21	1	0.0 %
22	2	0.1 %
23	6	0.2 %
24	3	0.1 %
25	2	0.1 %
26	1	0.0 %
27	1	0.0 %
31	2	0.1 %
32	3	0.1 %
33	1	0.0 %
34	1	0.0 %
35	3	0.1 %
36	2	0.1 %
37	2	0.1 %
38	2	0.1 %
39	2	0.1 %
40	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
41	1	0.0 %
42	3	0.1 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
49	1	0.0 %
50	1	0.0 %
52	1	0.0 %
53	1	0.0 %
55	2	0.1 %
57	1	0.0 %
58	1	0.0 %
67	1	0.0 %
75	1	0.0 %
77	1	0.0 %
80	1	0.0 %
81	1	0.0 %
85	1	0.0 %
89	1	0.0 %
93	2	0.1 %
95	1	0.0 %
102	1	0.0 %
105	2	0.1 %
112	1	0.0 %
113	1	0.0 %
117	1	0.0 %
124	1	0.0 %
125	1	0.0 %
139	1	0.0 %
168	1	0.0 %
171	1	0.0 %
172	1	0.0 %
187	1	0.0 %
200	1	0.0 %
237	1	0.0 %
238	1	0.0 %
240	1	0.0 %
243	1	0.0 %
252	1	0.0 %
306	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
326	1	0.0 %
374	1	0.0 %
393	1	0.0 %
747	1	0.0 %
799	1	0.0 %
886	1	0.0 %
1117	1	0.0 %
1270	1	0.0 %
1381	1	0.0 %
1462	1	0.0 %
1628	1	0.0 %
1824	1	0.0 %
2282	1	0.0 %
3757	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 13.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3757.00
- Standard Deviation: 136.67

V143 976 4 G SEN 2431 VOTE

Location: 987-993 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1861	59.3 %
5	1	0.0 %
14	1	0.0 %
19	1	0.0 %
23	1	0.0 %
29	1	0.0 %
35	1	0.0 %
37	1	0.0 %
41	1	0.0 %
43	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
65	1	0.0 %
72	1	0.0 %
87	1	0.0 %
133	1	0.0 %
215	1	0.0 %
411	1	0.0 %
1873	1	0.0 %
2186	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 2.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2186.00
- Standard Deviation: 67.41

V144 976 4 G SEN 9001 VOTE

Location: 994-1000 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 58.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11269.00
- Standard Deviation: 429.69

V145 976 4 G SEN 9002 VOTE

Location: 1001-1007 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 29.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10136.00
- Standard Deviation: 301.12

- Study 13 -

V146 976 4 G SEN 9003 VOTE

Location: 1008-1014 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1714	54.7 %
1	12	0.4 %
2	12	0.4 %
3	13	0.4 %
4	10	0.3 %
5	5	0.2 %
6	4	0.1 %
7	2	0.1 %
8	3	0.1 %
9	2	0.1 %
10	1	0.0 %
12	1	0.0 %
13	1	0.0 %
16	2	0.1 %
25	2	0.1 %
26	1	0.0 %
27	1	0.0 %
28	1	0.0 %
34	1	0.0 %
36	1	0.0 %
37	1	0.0 %
40	1	0.0 %
42	1	0.0 %
44	1	0.0 %
48	2	0.1 %
51	1	0.0 %
53	1	0.0 %
54	1	0.0 %
55	2	0.1 %
57	1	0.0 %
59	1	0.0 %
60	1	0.0 %
61	1	0.0 %
63	2	0.1 %
64	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
67	1	0.0 %
68	2	0.1 %
69	1	0.0 %
70	1	0.0 %
72	1	0.0 %
73	1	0.0 %
76	1	0.0 %
78	1	0.0 %
84	1	0.0 %
90	1	0.0 %
91	1	0.0 %
94	1	0.0 %
95	1	0.0 %
96	1	0.0 %
97	1	0.0 %
107	1	0.0 %
110	1	0.0 %
113	1	0.0 %
122	2	0.1 %
124	2	0.1 %
129	1	0.0 %
131	1	0.0 %
135	1	0.0 %
136	1	0.0 %
144	1	0.0 %
149	1	0.0 %
157	1	0.0 %
165	1	0.0 %
171	1	0.0 %
172	1	0.0 %
183	1	0.0 %
197	2	0.1 %
207	1	0.0 %
211	1	0.0 %
218	1	0.0 %
223	2	0.1 %
227	1	0.0 %
244	1	0.0 %
249	1	0.0 %
263	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
289	1	0.0 %
292	1	0.0 %
295	1	0.0 %
306	1	0.0 %
310	1	0.0 %
325	1	0.0 %
326	2	0.1 %
340	1	0.0 %
403	1	0.0 %
458	1	0.0 %
520	1	0.0 %
530	1	0.0 %
559	1	0.0 %
598	1	0.0 %
606	1	0.0 %
708	2	0.1 %
830	1	0.0 %
1062	1	0.0 %
1127	1	0.0 %
1191	1	0.0 %
1630	1	0.0 %
2173	1	0.0 %
2761	1	0.0 %
6509	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 17.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6509.00
- Standard Deviation: 187.82

V147	976 4 G SEN 9007 VOTE
-------------	------------------------------

Location: 1015-1021 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1861	59.3 %
1	7	0.2 %
2	1	0.0 %
4	1	0.0 %
5	1	0.0 %
10	1	0.0 %
13	2	0.1 %
19	1	0.0 %
29	3	0.1 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29.00
- Standard Deviation: 1.34

V148 976 4 G SEN 9008 VOTE

Location: 1022-1028 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1844	58.8 %
1	7	0.2 %
2	5	0.2 %
3	8	0.3 %
4	1	0.0 %
6	1	0.0 %
9	1	0.0 %
15	1	0.0 %
17	1	0.0 %
18	1	0.0 %
20	1	0.0 %
21	1	0.0 %
23	1	0.0 %
27	1	0.0 %
35	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	1	0.0 %
53	1	0.0 %
125	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 125.00
- Standard Deviation: 3.62

V149 976 4 G SEN 9009 VOTE

Location: 1029-1035 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1854	59.1 %
1	8	0.3 %
2	2	0.1 %
3	1	0.0 %
4	2	0.1 %
6	1	0.0 %
8	2	0.1 %
9	1	0.0 %
10	1	0.0 %
11	2	0.1 %
15	1	0.0 %
17	1	0.0 %
19	1	0.0 %
21	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 13 -

- Maximum: 21.00
- Standard Deviation: 1.02

V150 976 4 G SEN 9010 VOTE

Location: 1036-1042 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1840	58.7 %
1	9	0.3 %
2	2	0.1 %
3	2	0.1 %
4	2	0.1 %
5	2	0.1 %
6	1	0.0 %
7	2	0.1 %
8	2	0.1 %
12	1	0.0 %
13	1	0.0 %
15	1	0.0 %
16	1	0.0 %
17	1	0.0 %
22	1	0.0 %
37	1	0.0 %
45	1	0.0 %
47	3	0.1 %
49	1	0.0 %
75	1	0.0 %
82	1	0.0 %
95	1	0.0 %
215	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 215.00
- Standard Deviation: 6.59

- Study 13 -

V151 **976 4 G SEN 9999 VOTE**

Location: 1043-1049 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1605	51.2 %
1	82	2.6 %
2	50	1.6 %
3	18	0.6 %
4	23	0.7 %
5	17	0.5 %
6	7	0.2 %
7	5	0.2 %
8	10	0.3 %
9	5	0.2 %
10	7	0.2 %
11	8	0.3 %
12	1	0.0 %
13	2	0.1 %
14	3	0.1 %
17	1	0.0 %
18	2	0.1 %
19	2	0.1 %
20	2	0.1 %
24	1	0.0 %
27	2	0.1 %
29	1	0.0 %
30	1	0.0 %
31	1	0.0 %
32	1	0.0 %
35	1	0.0 %
36	1	0.0 %
37	1	0.0 %
38	1	0.0 %
39	1	0.0 %
41	2	0.1 %
42	2	0.1 %
48	1	0.0 %
65	1	0.0 %
68	1	0.0 %
71	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
81	1	0.0 %
98	1	0.0 %
104	1	0.0 %
125	1	0.0 %
149	1	0.0 %
154	1	0.0 %
194	1	0.0 %
209	1	0.0 %
9999999 (M)	1258	40.1 %

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 1.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 209.00
- Standard Deviation: 10.55

V152 976 4 G SEN TOTAL VOTE

Location: 1050-1056 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1878 valid cases out of 3136 total cases.

- Mean: 31339.51
- Minimum: 65.00
- Maximum: 2108061.00
- Standard Deviation: 89880.03

V153 976 7 G STATE 0100 VOTE

Location: 1057-1063 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 11135.63
- Minimum: 145.00
- Maximum: 903223.00
- Standard Deviation: 36464.02

V154 976 7 G STATE 0200 VOTE

Location: 1064-1070 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric
Based upon 1269 valid cases out of 3136 total cases.

- Mean: 9275.01
- Minimum: 0.00
- Maximum: 1194413.00
- Standard Deviation: 39929.01

V155 976 7 G STATE 0310 VOTE

Location: 1071-1077 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1161	37.0 %
15	1	0.0 %
18	1	0.0 %
20	2	0.1 %
21	1	0.0 %
24	4	0.1 %
25	3	0.1 %
28	1	0.0 %
29	1	0.0 %
30	1	0.0 %
31	2	0.1 %
32	2	0.1 %
34	1	0.0 %
35	1	0.0 %
36	1	0.0 %
38	3	0.1 %
39	3	0.1 %
40	2	0.1 %
41	4	0.1 %
43	2	0.1 %
44	1	0.0 %
45	1	0.0 %
46	2	0.1 %
47	1	0.0 %
50	2	0.1 %
52	1	0.0 %
53	1	0.0 %
54	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
55	1	0.0 %
56	1	0.0 %
57	1	0.0 %
59	1	0.0 %
60	1	0.0 %
62	1	0.0 %
63	1	0.0 %
64	2	0.1 %
65	2	0.1 %
66	2	0.1 %
68	2	0.1 %
69	2	0.1 %
70	2	0.1 %
71	1	0.0 %
73	1	0.0 %
76	2	0.1 %
80	1	0.0 %
84	1	0.0 %
85	1	0.0 %
90	1	0.0 %
93	1	0.0 %
96	1	0.0 %
114	1	0.0 %
121	1	0.0 %
126	1	0.0 %
134	1	0.0 %
142	1	0.0 %
150	1	0.0 %
153	1	0.0 %
159	1	0.0 %
168	1	0.0 %
181	1	0.0 %
195	1	0.0 %
210	1	0.0 %
216	1	0.0 %
217	1	0.0 %
226	1	0.0 %
234	1	0.0 %
237	1	0.0 %
247	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
268	1	0.0 %
293	1	0.0 %
310	1	0.0 %
347	1	0.0 %
365	1	0.0 %
426	1	0.0 %
480	1	0.0 %
638	1	0.0 %
1446	1	0.0 %
1674	1	0.0 %
4578	1	0.0 %
5251	1	0.0 %
6299	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 23.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6299.00
- Standard Deviation: 273.18

V156	976 7 G STATE 0361 VOTE
-------------	--------------------------------

Location: 1078-1084 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1161	37.0 %
10	2	0.1 %
12	1	0.0 %
13	3	0.1 %
14	3	0.1 %
15	1	0.0 %
17	2	0.1 %
18	2	0.1 %
20	4	0.1 %
21	2	0.1 %
22	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	1	0.0 %
24	1	0.0 %
25	1	0.0 %
27	2	0.1 %
28	2	0.1 %
30	2	0.1 %
31	3	0.1 %
33	2	0.1 %
34	5	0.2 %
35	2	0.1 %
36	2	0.1 %
37	3	0.1 %
38	3	0.1 %
39	4	0.1 %
40	2	0.1 %
41	2	0.1 %
42	2	0.1 %
43	3	0.1 %
44	1	0.0 %
45	1	0.0 %
48	1	0.0 %
49	1	0.0 %
51	1	0.0 %
52	1	0.0 %
56	1	0.0 %
58	1	0.0 %
60	1	0.0 %
64	1	0.0 %
67	1	0.0 %
69	1	0.0 %
70	1	0.0 %
71	1	0.0 %
76	1	0.0 %
78	1	0.0 %
82	1	0.0 %
84	1	0.0 %
85	1	0.0 %
93	1	0.0 %
95	1	0.0 %
104	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
107	1	0.0 %
111	1	0.0 %
120	1	0.0 %
125	1	0.0 %
132	1	0.0 %
136	1	0.0 %
137	1	0.0 %
141	1	0.0 %
151	1	0.0 %
152	1	0.0 %
159	1	0.0 %
160	1	0.0 %
177	1	0.0 %
179	1	0.0 %
260	1	0.0 %
264	1	0.0 %
370	1	0.0 %
681	1	0.0 %
1285	1	0.0 %
3470	1	0.0 %
4140	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 12.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4140.00
- Standard Deviation: 158.46

V157	976 7 G STATE 0501 VOTE
-------------	--------------------------------

Location: 1085-1091 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1202	38.3 %
7	2	0.1 %
8	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	1	0.0 %
14	1	0.0 %
15	1	0.0 %
16	1	0.0 %
21	1	0.0 %
23	2	0.1 %
26	2	0.1 %
27	1	0.0 %
30	1	0.0 %
31	1	0.0 %
32	1	0.0 %
35	1	0.0 %
39	1	0.0 %
42	1	0.0 %
43	1	0.0 %
48	2	0.1 %
50	1	0.0 %
58	1	0.0 %
61	1	0.0 %
65	1	0.0 %
66	2	0.1 %
78	1	0.0 %
79	1	0.0 %
80	1	0.0 %
84	1	0.0 %
86	2	0.1 %
88	2	0.1 %
89	2	0.1 %
90	1	0.0 %
91	1	0.0 %
94	1	0.0 %
97	1	0.0 %
102	1	0.0 %
103	1	0.0 %
104	1	0.0 %
113	2	0.1 %
147	1	0.0 %
153	1	0.0 %
161	1	0.0 %
163	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
172	2	0.1 %
193	1	0.0 %
220	1	0.0 %
234	1	0.0 %
248	1	0.0 %
284	1	0.0 %
303	1	0.0 %
320	1	0.0 %
334	1	0.0 %
407	1	0.0 %
592	1	0.0 %
619	1	0.0 %
1807	1	0.0 %
2543	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 9.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2543.00
- Standard Deviation: 95.12

V158 976 7 G STATE 0505 VOTE

Location: 1092-1098 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1191	38.0 %
1	22	0.7 %
2	9	0.3 %
3	5	0.2 %
4	1	0.0 %
5	2	0.1 %
6	1	0.0 %
7	1	0.0 %
8	1	0.0 %
9	5	0.2 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	1	0.0 %
12	2	0.1 %
15	1	0.0 %
17	2	0.1 %
20	2	0.1 %
22	2	0.1 %
24	2	0.1 %
27	2	0.1 %
28	1	0.0 %
29	1	0.0 %
34	1	0.0 %
37	2	0.1 %
43	1	0.0 %
44	1	0.0 %
51	1	0.0 %
52	1	0.0 %
67	1	0.0 %
75	1	0.0 %
101	1	0.0 %
137	1	0.0 %
139	1	0.0 %
209	1	0.0 %
230	1	0.0 %
2627	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 3.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2627.00
- Standard Deviation: 74.63

V159	976 7 G STATE 0541 VOTE
Location:	1099-1105 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1169	37.3 %
1	8	0.3 %
2	10	0.3 %
3	8	0.3 %
4	8	0.3 %
5	4	0.1 %
6	3	0.1 %
7	1	0.0 %
8	1	0.0 %
10	1	0.0 %
11	4	0.1 %
13	1	0.0 %
14	1	0.0 %
15	2	0.1 %
16	2	0.1 %
18	1	0.0 %
19	1	0.0 %
20	1	0.0 %
21	1	0.0 %
22	1	0.0 %
23	1	0.0 %
24	1	0.0 %
25	1	0.0 %
33	1	0.0 %
34	3	0.1 %
38	1	0.0 %
39	1	0.0 %
42	2	0.1 %
45	1	0.0 %
46	1	0.0 %
48	1	0.0 %
52	1	0.0 %
54	1	0.0 %
56	1	0.0 %
59	1	0.0 %
63	1	0.0 %
67	1	0.0 %
69	1	0.0 %
75	1	0.0 %
83	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
91	1	0.0 %
101	1	0.0 %
106	1	0.0 %
116	1	0.0 %
119	1	0.0 %
128	1	0.0 %
132	1	0.0 %
152	2	0.1 %
164	1	0.0 %
230	1	0.0 %
246	1	0.0 %
256	1	0.0 %
334	1	0.0 %
349	1	0.0 %
457	1	0.0 %
673	1	0.0 %
5883	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 8.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5883.00
- Standard Deviation: 168.06

V160	976 7 G STATE 0570 VOTE
-------------	--------------------------------

Location: 1106-1112 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1202	38.3 %
13	1	0.0 %
15	1	0.0 %
18	1	0.0 %
41	1	0.0 %
45	1	0.0 %
47	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
49	1	0.0 %
52	1	0.0 %
54	1	0.0 %
64	2	0.1 %
67	1	0.0 %
72	2	0.1 %
74	1	0.0 %
78	1	0.0 %
79	1	0.0 %
88	1	0.0 %
91	1	0.0 %
94	1	0.0 %
95	1	0.0 %
102	1	0.0 %
103	1	0.0 %
106	2	0.1 %
109	1	0.0 %
114	1	0.0 %
126	1	0.0 %
128	1	0.0 %
130	1	0.0 %
137	1	0.0 %
143	1	0.0 %
144	1	0.0 %
150	1	0.0 %
205	1	0.0 %
215	1	0.0 %
232	1	0.0 %
236	1	0.0 %
239	1	0.0 %
244	1	0.0 %
281	1	0.0 %
310	1	0.0 %
315	1	0.0 %
421	1	0.0 %
425	1	0.0 %
427	1	0.0 %
484	1	0.0 %
486	1	0.0 %
514	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
549	1	0.0 %
575	1	0.0 %
592	1	0.0 %
596	1	0.0 %
599	1	0.0 %
634	1	0.0 %
650	1	0.0 %
674	1	0.0 %
715	1	0.0 %
793	1	0.0 %
877	1	0.0 %
926	1	0.0 %
978	1	0.0 %
1242	1	0.0 %
1539	1	0.0 %
1699	1	0.0 %
2608	1	0.0 %
5340	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 23.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5340.00
- Standard Deviation: 199.13

V161	976 7 G STATE 0646 VOTE
-------------	--------------------------------

Location: 1113-1119 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1182	37.7 %
1	20	0.6 %
2	13	0.4 %
3	8	0.3 %
4	3	0.1 %
5	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	1	0.0 %
8	1	0.0 %
10	1	0.0 %
11	1	0.0 %
16	1	0.0 %
17	2	0.1 %
18	1	0.0 %
20	1	0.0 %
24	1	0.0 %
28	1	0.0 %
29	1	0.0 %
32	2	0.1 %
33	3	0.1 %
38	1	0.0 %
45	1	0.0 %
53	1	0.0 %
54	1	0.0 %
55	1	0.0 %
63	1	0.0 %
66	1	0.0 %
71	1	0.0 %
90	1	0.0 %
91	1	0.0 %
92	1	0.0 %
93	1	0.0 %
108	1	0.0 %
109	1	0.0 %
142	1	0.0 %
150	1	0.0 %
186	1	0.0 %
193	1	0.0 %
194	1	0.0 %
255	1	0.0 %
313	1	0.0 %
339	1	0.0 %
433	1	0.0 %
1971	1	0.0 %
3674	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 7.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3674.00
- Standard Deviation: 119.23

V162 976 7 G STATE 0908 VOTE

Location: 1120-1126 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1158	36.9 %
1	1	0.0 %
3	6	0.2 %
4	4	0.1 %
5	5	0.2 %
6	5	0.2 %
7	3	0.1 %
8	10	0.3 %
9	7	0.2 %
10	2	0.1 %
11	6	0.2 %
12	4	0.1 %
13	3	0.1 %
14	5	0.2 %
15	3	0.1 %
16	6	0.2 %
17	3	0.1 %
18	1	0.0 %
19	1	0.0 %
21	2	0.1 %
22	1	0.0 %
23	1	0.0 %
24	1	0.0 %
25	1	0.0 %
26	1	0.0 %
29	2	0.1 %
30	2	0.1 %
36	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
37	1	0.0 %
39	1	0.0 %
42	1	0.0 %
46	1	0.0 %
47	1	0.0 %
48	1	0.0 %
52	1	0.0 %
56	1	0.0 %
85	1	0.0 %
104	1	0.0 %
137	1	0.0 %
139	1	0.0 %
142	1	0.0 %
217	1	0.0 %
230	1	0.0 %
344	1	0.0 %
347	1	0.0 %
486	1	0.0 %
622	1	0.0 %
890	1	0.0 %
937	1	0.0 %
4173	1	0.0 %
5286	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 12.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5286.00
- Standard Deviation: 194.38

V163	976 7 G STATE 1701 VOTE
-------------	--------------------------------

Location: 1127-1133 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1237	39.4 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	1	0.0 %
8	2	0.1 %
9	1	0.0 %
12	2	0.1 %
17	1	0.0 %
18	1	0.0 %
20	1	0.0 %
23	1	0.0 %
25	1	0.0 %
26	1	0.0 %
28	1	0.0 %
29	1	0.0 %
36	1	0.0 %
46	1	0.0 %
47	2	0.1 %
52	1	0.0 %
64	1	0.0 %
65	1	0.0 %
77	1	0.0 %
84	1	0.0 %
91	1	0.0 %
95	1	0.0 %
98	1	0.0 %
107	1	0.0 %
210	1	0.0 %
268	1	0.0 %
285	1	0.0 %
325	1	0.0 %
898	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 2.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 898.00
- Standard Deviation: 30.46

- Study 13 -

Location: 1134-1140 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1255	40.0 %
35	1	0.0 %
37	1	0.0 %
117	1	0.0 %
156	1	0.0 %
189	1	0.0 %
200	1	0.0 %
211	1	0.0 %
220	1	0.0 %
331	1	0.0 %
441	1	0.0 %
499	1	0.0 %
522	1	0.0 %
597	1	0.0 %
1547	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 4.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1547.00
- Standard Deviation: 54.48

V165 976 7 G STATE 1728 VOTE

Location: 1141-1147 (width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1255	40.0 %
25	1	0.0 %
32	1	0.0 %
100	1	0.0 %
117	1	0.0 %
122	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
124	1	0.0 %
157	1	0.0 %
177	1	0.0 %
214	1	0.0 %
277	1	0.0 %
294	1	0.0 %
334	1	0.0 %
445	1	0.0 %
877	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 2.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 877.00
- Standard Deviation: 33.12

V166 976 7 G STATE 1732 VOTE

Location: 1148-1154 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1202	38.3 %
4	1	0.0 %
6	1	0.0 %
7	1	0.0 %
10	1	0.0 %
13	2	0.1 %
14	2	0.1 %
17	1	0.0 %
18	1	0.0 %
23	1	0.0 %
25	1	0.0 %
27	1	0.0 %
28	1	0.0 %
36	1	0.0 %
38	2	0.1 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
46	1	0.0 %
49	1	0.0 %
58	1	0.0 %
64	1	0.0 %
67	2	0.1 %
70	1	0.0 %
71	1	0.0 %
73	1	0.0 %
74	2	0.1 %
76	1	0.0 %
88	1	0.0 %
95	1	0.0 %
97	1	0.0 %
103	1	0.0 %
122	1	0.0 %
131	1	0.0 %
141	1	0.0 %
142	1	0.0 %
144	1	0.0 %
149	1	0.0 %
155	1	0.0 %
168	1	0.0 %
172	1	0.0 %
173	1	0.0 %
182	1	0.0 %
188	1	0.0 %
199	1	0.0 %
203	1	0.0 %
209	1	0.0 %
211	1	0.0 %
215	1	0.0 %
230	1	0.0 %
243	1	0.0 %
281	1	0.0 %
294	1	0.0 %
297	1	0.0 %
298	1	0.0 %
322	1	0.0 %
327	1	0.0 %
355	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
369	1	0.0 %
381	1	0.0 %
485	1	0.0 %
583	1	0.0 %
840	1	0.0 %
852	1	0.0 %
982	1	0.0 %
3997	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 12.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3997.00
- Standard Deviation: 126.96

V167 976 7 G STATE 1735 VOTE

Location: 1155-1161 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1162	37.1 %
1	10	0.3 %
2	14	0.4 %
3	4	0.1 %
4	12	0.4 %
5	4	0.1 %
6	4	0.1 %
7	2	0.1 %
8	1	0.0 %
10	1	0.0 %
13	1	0.0 %
15	1	0.0 %
18	1	0.0 %
20	1	0.0 %
21	2	0.1 %
22	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	1	0.0 %
24	1	0.0 %
27	2	0.1 %
28	1	0.0 %
31	1	0.0 %
38	1	0.0 %
40	1	0.0 %
42	3	0.1 %
51	1	0.0 %
58	1	0.0 %
60	1	0.0 %
75	1	0.0 %
78	1	0.0 %
89	1	0.0 %
94	1	0.0 %
98	1	0.0 %
109	1	0.0 %
112	1	0.0 %
127	1	0.0 %
130	1	0.0 %
136	1	0.0 %
147	1	0.0 %
179	1	0.0 %
199	2	0.1 %
208	1	0.0 %
245	1	0.0 %
251	1	0.0 %
274	1	0.0 %
298	2	0.1 %
351	1	0.0 %
468	1	0.0 %
480	1	0.0 %
613	1	0.0 %
649	1	0.0 %
682	1	0.0 %
836	1	0.0 %
917	1	0.0 %
995	1	0.0 %
1305	1	0.0 %
1461	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3690	1	0.0 %
7521	1	0.0 %
17114	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 32.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17114.00
- Standard Deviation: 540.64

V168	976 7 G STATE 1776 VOTE
-------------	--------------------------------

Location: 1162-1168 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1160	37.0 %
1	17	0.5 %
2	10	0.3 %
3	5	0.2 %
4	2	0.1 %
5	4	0.1 %
6	1	0.0 %
7	1	0.0 %
8	3	0.1 %
10	3	0.1 %
11	1	0.0 %
12	3	0.1 %
13	1	0.0 %
14	1	0.0 %
15	3	0.1 %
16	3	0.1 %
17	2	0.1 %
18	2	0.1 %
19	1	0.0 %
20	2	0.1 %
23	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	1	0.0 %
29	1	0.0 %
30	2	0.1 %
31	1	0.0 %
32	3	0.1 %
34	1	0.0 %
40	1	0.0 %
42	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
50	1	0.0 %
53	1	0.0 %
63	1	0.0 %
70	1	0.0 %
74	1	0.0 %
81	1	0.0 %
92	2	0.1 %
100	1	0.0 %
110	2	0.1 %
112	2	0.1 %
113	1	0.0 %
118	1	0.0 %
131	1	0.0 %
253	1	0.0 %
261	1	0.0 %
282	1	0.0 %
304	1	0.0 %
317	1	0.0 %
335	1	0.0 %
636	1	0.0 %
650	1	0.0 %
682	1	0.0 %
714	1	0.0 %
1450	1	0.0 %
1543	1	0.0 %
2861	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Study 13 -

- Mean: 10.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2861.00
- Standard Deviation: 108.87

V169 976 7 G STATE 2430 VOTE

Location: 1169-1175 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1230	39.2 %
11	1	0.0 %
12	1	0.0 %
16	1	0.0 %
41	1	0.0 %
44	1	0.0 %
58	1	0.0 %
84	1	0.0 %
97	1	0.0 %
103	1	0.0 %
109	1	0.0 %
112	1	0.0 %
119	1	0.0 %
130	1	0.0 %
140	1	0.0 %
168	1	0.0 %
180	1	0.0 %
232	1	0.0 %
237	1	0.0 %
247	2	0.1 %
252	1	0.0 %
294	1	0.0 %
343	1	0.0 %
362	1	0.0 %
486	1	0.0 %
605	1	0.0 %
673	1	0.0 %
733	1	0.0 %
761	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
790	1	0.0 %
825	1	0.0 %
1390	1	0.0 %
1431	1	0.0 %
1641	1	0.0 %
2128	1	0.0 %
3039	1	0.0 %
3328	1	0.0 %
4284	1	0.0 %
16055	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 32.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16055.00
- Standard Deviation: 494.87

V170 976 7 G STATE 9999 VOTE

Location: 1176-1182 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1220	38.9 %
1	11	0.4 %
2	7	0.2 %
3	5	0.2 %
4	4	0.1 %
6	2	0.1 %
7	1	0.0 %
8	1	0.0 %
10	3	0.1 %
11	1	0.0 %
13	1	0.0 %
14	2	0.1 %
15	1	0.0 %
16	1	0.0 %

- Study 13 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	2	0.1 %
29	1	0.0 %
32	1	0.0 %
37	1	0.0 %
45	1	0.0 %
66	1	0.0 %
86	1	0.0 %
87	1	0.0 %
9999999 (M)	1867	59.5 %

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 4.59

V171 976 7 G STATE TOTAL VOTE

Location: 1183-1189 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1269 valid cases out of 3136 total cases.

- Mean: 20608.14
- Minimum: 318.00
- Maximum: 2114992.00
- Standard Deviation: 75244.00