24-Lead Plastic Shrink Small Outline Narrow Body (QR) - .150" Body [QSOP]
SMSC Legacy "SSOP" Package C2C

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging



24-Lead Plastic Shrink Small Outline Narrow Body (QR) - .150" Body [QSOP]
SMSC Legacy "SSOP" Package C2C

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging



DETAIL B



			Units	INCHES	
	Dimension Limits	MIN	NOM	MAX
Number of Pins	N	24		
Pitch	e	.025 BSC		
Overall Height	A	.053	-	.069
Standoff §	A1	.004	-	.010
Molded Package Height	A2	.049	-	.065
Overall Width	E	.236 BSC		
Molded Package Width	E1	.154 BSC		
Overall Length	D	.341 BSC		
Chamfer Distance	h	.010	-	.020
Lead Thickness	c	.006	-	.010
Lead Width	b	.008	.010	.012
Lead Bend Radius	R	.003	-	-
Footprint	(L1)	.041 REF		
Foot Length	L	.016	-	.050
Foot Angle	α	0°	-	8°
Mold Draft Angle	Θ1	5°	-	15°

Notes:

1. Chamfer feature is optional. If it is not present, then a Pin 1 visual index feature must be located within the hatched area.
2. § Significant Characteristic
3. Dimensions D and E1 do not include mold flash or protrusions. Mold flash or protrusions shall not exceed .006" per side.
4. Dimensioning and tolerancing per ASME Y14.5M
   BSC: Basic Dimension. Theoretically exact value shown without tolerances.
   REF: Reference Dimension, usually without tolerance, for information purposes only.

24-Lead Plastic Shrink Small Outline Narrow Body (QR) - .150" Body [QSOP]
SMSC Legacy "SSOP" Package C2C

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging



RECOMMENDED LAND PATTERN

Units		INCHES		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	.025 BSC		
Contact Pad Spacing	C		.213	
Contact Pad Width (X24)	X			.016
Contact Pad Length (X24)	Y			.061

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

   BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-2383A